City of Lynwood

Natural Hazards Mitigation Plan

Final Draft

October 19, 2008 (re-adopted by City Council)
(City Council adoption October 19, 2004)

Prepared under contract with:

Emergency Planning Consultants
San Diego, California
Carolyn J. Harshman, President

Special Recognition

The Disaster Management Area Coordinators (DMAC) of Los Angeles County prepared planning guidance that was utilized by the City of Lynwood in preparing this Natural Hazards Mitigation Plan. The DMAC planning guidance was based on the Mitigation Plan from Clackamas County, Oregon. The City extends special recognition to DMAC Coordinator Michael Martinet for his editing contributions to the Hazard-Specific Sections of the Plan. The City is grateful to DMAC and the Clackamas County Natural Hazards Mitigation Committee for their contributions to this project.

Acknowledgments

City of Lynwood Officials
- Maria Santillan, Mayor
- Aide Castro, Mayor Pro Tem
- Ramon Rodriguez , Council Member
- Alfredo Flores, Council Member
- Jim Morton, Council Member
- Roger L. Haley, City Manager
- Fred Galante, City Attorney
- Maria Quinonez, City Clerk
- Salvador Alatorre, City Treasurer

Hazards Mitigation Plan Review Team
- Jonathan Colin, Director of Development Services
- Josef Kekula, Civil Engineer Associate

Mapping
Other than Internet-sourced maps, the City of Lynwood provided the maps included in this Plan.

Consulting Services
Project Management and Planning Services for this project were provided under contract by Emergency Planning Consultants.

- Project Management Services: Carolyn J. Harshman, President
- Planning Services: Carolyn J. Harshman, President
  Daniel Robeson, Jr., Associate
  Timothy W. Harshman, Assistant

List of Natural Hazards Mitigation Plan Tables, Maps, and Photos

Note: The maps in this plan were provided by the City of Lynwood or were acquired from public Internet sources. Care was taken in the creation of these maps, but they are provided "as is". The City of Lynwood cannot accept any responsibility for any errors, omissions or positional accuracy, and therefore, there are no warranties that accompany these products (the maps). Although information from land surveys may have been used in the creation of these products, in no way does this product represent or constitute a land survey. Users are cautioned to field verify information on this product before making any decisions.

Index

Executive Summary: Hazard Mitigation Action Plan

The City of Lynwood Natural Hazards Mitigation Plan includes resources and information to assist City residents, public and private sector organizations, and others interested in participating in planning for natural hazards. The mitigation plan provides a list of activities that may assist the City of Lynwood in reducing risk and preventing loss from future natural hazard events. The action items address multi-hazard issues, as well as activities for earthquake, flooding, and windstorms.

How is the Plan Organized?

The Mitigation Plan contains a Mitigation Actions Matrix, background on the purpose and methodology used to develop the mitigation plan, a profile of City of Lynwood, sections on three natural hazards that occur within the City, and a number of appendices. All of the sections are described in detail in Section 1, Introduction.

Who Participated in Developing the Plan?

The City of Lynwood Natural Hazards Mitigation Plan is the result of a collaborative planning effort between City of Lynwood citizens, public agencies, non-profit organizations, the private sector, and regional and state organizations. Public participation played a key role in development of goals and action items. Interviews were conducted with stakeholders across the City, and public outreach activities were conducted to include City of Lynwood residents in plan development. A project Planning Team guided the process of developing the plan.

The Planning Team was comprised of the following individuals:

City of Lynwood – Jonathan Colin, Development Services
City of Lynwood – Grant Taylor, Development Services
City of Lynwood – Gail Black, Human Resources
City of Lynwood – Joseph Wang, City Manager's Office
City of Lynwood – Craig Bragg, Building & Safety Department
City of Lynwood – Jim Given, Recreational Services
City of Lynwood – Donald Dove, Planning Commission
City of Lynwood – Fernando Pedroza, City Council
City of Lynwood – Alfretta Earnest, Finance
City of Lynwood – Yadi Farhadi, Environmental Services
City of Lynwood – Steve Stewart, Emergency Operations Coordinator
City of Lynwood – John Perfit, Redevelopment

City of Lynwood – Lorna Hawkins, Public Safety Commission
St. Francis Medical Center – Nelson Smith, Engineering
Emergency Planning Consultants – Carolyn J. Harshman, President

What is the Plan Mission?

The mission of the City of Lynwood Natural Hazards Mitigation Plan is to promote sound public policy designed to protect citizens, critical facilities, infrastructure, private property, and the environment from natural hazards. This can be achieved by increasing public awareness, documenting the resources for risk reduction and loss-prevention, and identifying activities to guide the City towards building a Disaster Resistant Community.

What are the Plan Goals?

The plan goals describe the overall direction that City of Lynwood agencies, organizations, and citizens can take to work toward mitigating risks from natural hazards. The goals are stepping-stones between the broad direction of the mission statement and the specific recommendations outlined in the Mitigation Actions Matrix.

Protect Life and Property

Implement activities that assist in protecting lives by making homes, businesses, infrastructure, critical facilities, and other property more resistant to losses from natural hazards.

Reduce losses and repetitive damages for chronic hazard events while promoting insurance coverage for catastrophic hazards.

Improve hazard assessment information to make recommendations for discouraging new development in high hazard areas and encouraging preventative measures for existing development in areas vulnerable to natural hazards.

Public Awareness

Develop and implement education and outreach programs to increase public awareness of the risks associated with natural hazards.

Provide bilingual information on tools; partnership opportunities, and funding resources to assist in implementing mitigation activities.

Natural Systems

Balance natural resource management, and land use planning with natural hazard mitigation to protect life, property, and the environment.

Preserve, rehabilitate, and enhance natural systems to serve natural hazard mitigation functions.

Partnerships and Implementation

Strengthen communication and coordinate participation among and within public agencies, citizens, non-profit organizations, business, and industry to gain a vested interest in implementation.

Encourage leadership within public and private sector organizations to prioritize and implement local and regional hazard mitigation activities.

Emergency Services

Establish policies to ensure mitigation projects for critical facilities, services, and infrastructure.

Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and the general public.

Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.

How are the Action Items Organized?

The action items are a listing of activities in which City agencies and citizens can be engaged to reduce risk. Each action item includes an estimate of the timeline for implementation (see Executive Summary, Attachment 1: Mitigation Action Matrix).

The action items are organized within the following matrix, which lists all of the multi-hazard and hazard-specific action items included in the mitigation plan. Data collection and research and the public participation process resulted in the development of these action items (see Appendix B: Public Participation). The matrix includes the following information for each action item:

Funding Source. The actions items will be funded through a variety of sources, possibly including: operating budget/general fund, development fees, Community Development Block Grant (CDBG), Hazard Mitigation Grant Program (HMGP), other Grants, private funding, Capital Improvement Program (CIP), and other funding opportunities.

Coordinating Organization. The Mitigation Actions Matrix assigns primary responsibility for each of the action items. The hierarchies of the assignments vary – some are positions, others departments, and others Committees. No matter, the primary responsibility for implementing the action items falls to the

entity shown as the "Coordinating Organization". The coordinating organization is the public agency with regulatory responsibility to address natural hazards, or that is willing and able to organize resources, find appropriate funding, or oversee activity implementation, monitoring, and evaluation. Coordinating organizations may include local, county, or regional agencies that are capable of or responsible for implementing activities and programs.

Timeline. Action items include both short and long-term activities. Each action item includes an estimate of the timeline for implementation.

Plan Goals Addressed. The plan goals addressed by each action item are included as a way to monitor and evaluate how well the mitigation plan is achieving its goals once implementation begins. The plan goals are organized into the following five areas:

Protect Life and Property
Public Awareness
Natural Systems
Partnerships and Implementation
Emergency Services

How Will the Plan be Implemented, Monitored, and Evaluated?

The Plan Maintenance Section (Section 2) of this document details the formal process that will ensure that the City of Lynwood Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this section includes an explanation of how the City of Lynwood government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City's General Plan, Capital Improvement Plans, and Building & Safety Codes.

Plan Adoption

Adoption of the Natural Hazards Mitigation Plan by the local jurisdiction's governing body is one of the prime requirements for approval of the plan. Once the plan is completed, the City Council will be responsible for adopting the City of Lynwood Natural Hazards Mitigation Plan. The local agency governing body has the responsibility and authority to promote sound public policy regarding natural hazards. The City Council will periodically need to re-adopt the plan as it is revised to meet changes in the natural hazard risks and exposures in the community. The approved Natural Hazard Mitigation Plan will be significant in the future growth and development of the community.

Coordinating Body

A City of Lynwood Natural Disaster Mitigation Committee will be responsible for coordinating implementation of Plan action items and undertaking the formal review process. The City Council (or other authority) will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Planning Team members.

Convener

The City Council will adopt the City of Lynwood Natural Hazards Mitigation Plan and the Natural Disaster Mitigation Committee (Committee) will take responsibility for plan implementation. The City Manager will serve as a convener to facilitate the Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the Committee. Plan implementation and evaluation will be a shared responsibility among all of the Committee members.

Implementation through Existing Programs

City of Lynwood addresses statewide planning goals and legislative requirements through its General Plan, Capital Improvement Plans, and City Building & Safety Codes. The Natural Hazards Mitigation Plan provides a series of recommendations that are closely related to the goals and objectives of these existing planning programs. The City of Lynwood will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

Economic Analysis of Mitigation Projects

The Federal Emergency Management Agency's approaches to identify costs and benefits associated with natural hazard mitigation strategies or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later. Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Formal Review Process

The City of Lynwood Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and timeline, and identifies the local agencies and organizations participating in plan evaluation. The convener will be responsible for contacting the Natural Disaster Mitigation Committee members and organizing the annual meeting.

Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the Plan.

Continued Public Involvement

City of Lynwood is dedicated to involving the public directly in the continual review and updates of the Hazard Mitigation Plan. Copies of the plan will be catalogued and made available at City Hall and at all (if any) City operated public libraries. The existence and location of these copies will be publicized in City newsletters. The Plan also includes the address and the phone number of the City Development Services Department, Planning Division responsible for keeping track of public comments on the Plan. In addition, copies of the Plan and any proposed changes will be posted on the City's website. This site will also contain an email address and phone number to which people can direct their comments and concerns.

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
Multi-Hazard Action Items								
MH-1	Integrate the goals and action items from the Lynwood Natural Hazard Mitigation Plan into existing regulatory documents and programs, where appropriate.	Development Services	Ongoing				X	
MH-2	Identify and pursue funding opportunities to develop and implement local mitigation activities.	Natural Disaster Mitigation Committee, Finance, and Environmental Services	Ongoing				X	
MH-3	Establish a formal role for the Lynwood Disaster Mitigation Advisory Committee to develop a sustainable process for implementing, monitoring, and evaluating citywide mitigation activities.	Natural Disaster Mitigation Committee	Ongoing				X	

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH-4	Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to avoid activity that increases risk to natural hazards with a special emphasis in satisfying the needs of the community	Natural Disaster Mitigation Committee	Ongoing	X	X		X	
MH-5	Develop public and private partnerships to foster natural hazard mitigation program coordination and collaboration in the City of Lynwood.	Economic Development, Environmental Services, and Natural Disaster Mitigation Committee	Ongoing				X	
MH-6	Develop inventories of at-risk public buildings and infrastructure and prioritize mitigation projects.	Natural Disaster Mitigation Committee and Environmental Services	1-2 Years	X			X	

City of Lynwood Mitigation Actions Matrix								
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Plan Goals Addressed**				
				Protect Life and Property	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
MH-7	Strengthen emergency services preparedness and response by linking emergency services with natural hazard mitigation programs and enhancing public education on a citywide level.	Natural Disaster Mitigation Committee	Ongoing					X
MH-8	Develop, enhance, and implement education programs aimed at mitigating natural hazards, and reducing the risk to citizens, public agencies, private property owners, businesses, and schools.	Natural Disaster Mitigation Committee, Media Services, and Management Information System	Ongoing	X	X			
MH-9	Use the mitigation plan to help the county's Comprehensive Land Use Plan meet State Land Use Planning Goal designed to protect life and property from natural disasters and hazards through planning strategies	Planning Division and Development Services	Ongoing					

City of Lynwood Mitigation Actions Matrix								
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Plan Goals Addressed**				
				Protect Life and Property	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
	that restrict development in areas of known hazards.							
MH-10	Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.	Emergency Services Coordinator	Ongoing	X	X			X
MH-11	Develop a Preliminary Damage Assessment (PDA) process and review PDA data to identify planning concerns.	Development Services, Planning Division	1-5 years	X	X			X
MH-12	Compile a directory of out-of-area contractors to help with repairs/reconstruction so that restoration occurs in a timely manner.	Development Services	Ongoing					
MH-13	Install and improve back-up power in critical facilities (Public Works Yard).	Environmental Services	6 months	X				X
MH-14	Continue underground utility program.	Environmental Services	Ongoing	X				X

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Protect Life and Property**	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
MH-15	Purchase a complete GIS/GPS setup and provide training on said setup to all pertinent community personnel.	City Manager and Management Information System	6 months		X			X
MH-16	Develop policy for government to determine what reconstruction criteria should be applied to structures damaged during a disaster.	Development Services and Building and Safety	6 months	X			X	X
MH-17	Develop additional building and reconstruction policies and requirements in the local government building code for post-disaster situations.	Development Services and Building and Safety	1-5 years	X	X			X
MH-18	Maintain a resource center in the City Hall and Display racks including such documents as; Emergency preparedness guidebook, FEMA's are you ready etc.	Human Resources	Ongoing	X	X			

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH-19	Develop and promote Community Emergency Response Team (CERT) through the Chamber of Commerce to gain business participation.	Human Resources	6 months	X	X			X
MH-20	Partner with local insurance agencies to hold workshops for property owners to educate about the Flood and Earthquake Insurance Programs and its requirements.	Human Resources	1-5 years	X	X			
MH-21	Assist St. Francis Hospital with Emergency water supply needs.	Public Works and Environmental Services	6 months					X
MH-22	Monitor hazard mitigation implementation by participating organizations through surveys and other reporting methods.	Natural Disaster Mitigation Committee	1-5 years	X	X		X	

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH-23	Encourage owners of structures in hazardous areas to retrofit and improve their sites.	Development Services and Building and Safety	Ongoing	X	X		X	X
MH-24	Conduct interim planning to locate, set up, and manage temporary sites where business and government functions can continue their operations during recovery.	Environmental Services	6 months	X	X		X	X
MH-25	Determine temporary protection measures.	Development Services and Building and Safety	1-5 years	X	X		X	X
MH-26	Inventory alternative firefighting water sources and encourage the development of additional sources.	Natural Disaster Mitigation Committee and Public Works	Ongoing	X	X		X	X
MH-27	MH-27 Private property owners of un-reinforced masonry structures (URMS) will be retrofitted.	Natural Disaster Mitigation Committee, Development Services, and Building and Safety	Ongoing	X	X		X	X

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Protect Life and Property**	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
MH-28	Familiarize public officials of requirements regarding public assistance for disaster response.	City Manager	Ongoing			X		
MH-29	Develop strategies for debris management for severe storm events.	Environmental Services	1 year	X		X		X
MH-30	Enhance emergency services to increase the efficiency of response teams and recovery activities.	City Manager	2 years	X				X
MH-31	Continue coordination of the maintenance of emergency transportation routes through communication among the City Public Works Department, neighboring jurisdictions, and CalTrans.	Environmental Services	Ongoing	X				X

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH-32	Determine what kinds of minor repairs and temporary protection activities (e.g., temporary roofing, protect against loss of life/injury, shoring, protect contents) can be done in the immediate aftermath of a disaster.	Development Services and Building and Safety	1-5 years	X	X			
MH-33	Identify water resources management and conservation opportunities.	Environmental Services	1-5 years		X			X
MH-34	Enhance response capability of City, County Fire, County Sheriff, and emergency medical services personnel to special populations.	Environmental Services and City Manager	6 months	X	X			X
MH-35	Conduct routine maintenance of the community's infrastructure will be done to minimize the potential for system failure because of or during a disaster.	Environmental Services	Ongoing	X				X

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Protect Life and Property**	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
MH-36	Allocate city resources and assistance to mitigation projects when possible	Finance Office, Public Information, and Natural Disaster Mitigation Committee	Ongoing	X	X		X	X
MH-37	Involve private businesses throughout the City in mitigation planning.	Public Information and Natural Disaster Mitigation Committee	Ongoing	X	X		X	X
MH-38	Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to avoid activity that increases risk to natural hazards.	Public Information, Natural Disaster Mitigation Committee, and Finance Office	2 years	X	X		X	X

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH-39	Educate agency personnel on federal cost-share and grant programs, Fire Protection Agreements, and other related federal programs so the full array of assistance available is understood.	Public Information, Natural Disaster Mitigation Committee, and Finance Office	Ongoing	X	X		X	X
MH-40	Identify new sources of support such as philanthropic foundations, community foundations, and professional organizations such as the Urban Land Institute or American Planning Association who might be able to provide technical or financial support for recovery planning.	Public Information, Natural Disaster Mitigation Committee, and Finance Office	2 years	X	X		X	X
MH-41	Determine costs associated with dumping disaster/construction debris at landfills.	Public Information, Natural Disaster Mitigation Committee, and Finance Office	Ongoing	X	X		X	X

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Protect Life and Property**	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
MH-42	Conduct an economic analysis to understand how and under what circumstances investment in rebuilding would be made in a neighborhood or business district.	Emergency Services, Public Information, Natural Disaster Mitigation Committee, and Finance Office	2 years	X	X		X	X
MH-43	Promote hazard mitigation as a public value in recognition of its importance to the health, safety, and welfare of the population.	Emergency Services, Public Information, Natural Disaster Mitigation Committee, and Finance Office	Ongoing	X	X		X	X
MH-44	Engage the private sector to contribute to disaster preparedness and loss reduction at the local level.	Emergency Services, Public Information, Natural Disaster Mitigation Committee, and Finance Office	Ongoing	X	X		X	X
MH-45	Conduct a detailed vulnerability assessment in the future in order to accurately identify the extent of damages to vulnerable buildings, infrastructure, and critical facilities.	Emergency Services, Public Information, Natural Disaster Mitigation Committee, and Development Services	Ongoing	X	X		X	X

City of Lynwood
Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
Earthquake Action Items								
EQ-1	Maintain new information as available for earthquake hazard mapping data for the City of Lynwood and improve technical analysis of earthquake hazards.	Natural Disaster Mitigation Committee	Ongoing	X			X	
EQ-2	Update maps and routes to specific hazards.	Natural Disaster Mitigation Committee, Action Committee, and Development Services	2 years	X			X	
EQ-3	Identify funding sources for structural and nonstructural retrofitting of structures that are identified as seismically vulnerable.	Natural Disaster Mitigation Committee and Environmental Services	Ongoing	X	X			
EQ-4	Encourage purchase of earthquake hazard insurance.	Public Information , Natural Disaster Mitigation Committee, and Finance Office	2 years	X	X		X	X

City of Lynwood Mitigation Actions Matrix								
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Plan Goals Addressed**				
				Protect Life and Property	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
EQ-5	EQ-5 Encourage seismic strength evaluations of critical facilities owned by the City.	Natural Disaster Mitigation Committee	1-2 years	X				X
EQ-6	Encourage reduction of nonstructural and structural earthquake hazards in homes, schools, businesses, and governmental offices.	Natural Disaster Mitigation Committee	Ongoing	X	X			
Flood Action Items								
FLD-1	Enhance data and mapping for floodplain information within the City and identify and map flood-prone areas outside of designated floodplains.	Natural Disaster Mitigation Committee and Environmental Services	3 years	X				X
FLD-2	Identify surface water drainage obstructions for all parts of the City.	Department of Environmental Services and the County of L.A.	5 years	X				
FLD-3	Establish a framework to compile and	Public Works Department	3-5 years	X			X	

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	**Action Item**	**Coordinating Organization**	**Timeline**	**Protect Life and Property**	**Public Awareness**	**Natural Systems**	**Partnerships and Implementation**	**Emergency Services**
	coordinate management plans and data throughout the city.	and Environmental Services						
FLD-4	Adopt flood plain regulations as a condition of enrollment in the National Flood Insurance Program.	Public Information, Natural Disaster Mitigation Committee, and Finance Office	Ongoing	X	X		X	X
Windstorm Action Items								
WS-1	Develop and implement programs to keep trees from threatening lives, property, and public infrastructure during windstorm events.	Natural Disaster Mitigation Committee	2 years				X	X
WS-2	Support/encourage electrical utilities to use underground construction methods where possible to reduce power outages from windstorms.	Natural Disaster Mitigation Committee and Environmental Services	Ongoing			X	X	X
WS-3	Increase public awareness of windstorm mitigation activities.	Natural Disaster Mitigation Committee	Ongoing	X	X			
WS-4	Encourage development and enforcement of wind-resistant	Natural Disaster Mitigation Committee and Building and	Ongoing	X	X			

City of Lynwood Mitigation Actions Matrix								
				Plan Goals Addressed				
Natural Hazard	Action Item	Coordinating Organization	Timeline	Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
	building siting and construction codes.	Safety Department						

Section 1: Introduction

Throughout history, the residents of the City of Lynwood have dealt with the various natural hazards affecting the area. Photos, journal entries, and newspapers show that the residents of the area dealt with earthquakes, flooding, and windstorms.

Although there were fewer people in the area, the natural hazards adversely affected the lives of those who depended on the land and climate conditions for food and welfare. As the population of the City continues to increase, the exposure to natural hazards creates an even higher risk than previously experienced.

The City of Lynwood offers the benefits of living in a Mediterranean type of climate. The City is characterized by the unique and attractive landscape that makes the area so popular. However, the potential impacts of natural hazards associated with the terrain make the environment and population vulnerable to natural disasters.

The City is subject to earthquakes, flooding, and windstorms. It is impossible to predict exactly when these disasters will occur, or the extent to which they will affect the City. However, with careful planning and collaboration among public agencies, private sector organizations, and citizens within the community, it is possible to minimize the losses that can result from these natural disasters.

City of Lynwood most recently experienced damages associated with natural hazards during the November 11, 2003 flooding. Approximately five inches of rain fell in one hour resulting in flooded streets and residences. A Local Proclamation of Disaster was signed by the City of Lynwood City Council.

Why Develop a Mitigation Plan?

As the costs of damage from natural disasters continue to increase, the community realizes the importance of identifying effective ways to reduce vulnerability to disasters. Natural hazard mitigation plans assist communities in reducing risk from natural hazards by identifying resources, information, and strategies for risk reduction, while helping to guide and coordinate mitigation activities throughout the City.

The plan provides a set of action items to reduce risk from natural hazards through education and outreach programs and to foster the development of partnerships, and implementation of preventative activities such as land use programs that restrict and control development in areas subject to damage from natural hazards.
The resources and information within the Mitigation Plan:

(1) Establish a basis for coordination and collaboration among agencies and the public in City of Lynwood.
(2) Identify and prioritize future mitigation projects.
(3) Assist in meeting the requirements of federal assistance programs.

The mitigation plan works in conjunction with other City plans, including the Multi-Hazard Functional Plan, General Plan, and Zoning Ordinance.

Whom Does the Mitigation Plan Affect?

The City of Lynwood Natural Hazards Mitigation Plan affects the entire city. Map 1-1 shows major roads in the City of Lynwood. This plan provides a framework for planning for natural hazards. The resources and background information in the plan is applicable City-wide, and the goals and recommendations can lay groundwork for other local mitigation plans and partnerships.

Map 1-1: Base Map of City of Lynwood (Source: City of Lynwood General Plan)



Natural Hazard Land Use Policy in California

Planning for natural hazards should be an integral element of any city's land use planning program. All California cities and counties have General Plans and the implementing ordinances that are required to comply with the statewide planning regulations.

The continuing challenge faced by local officials and state government is to keep the network of local plans effective in responding to the changing conditions and needs of California's diverse communities, particularly in light of the very active seismic region in which we live.

This is particularly true in the case of planning for natural hazards where communities must balance development pressures with detailed information on the nature and extent of hazards.

Planning for natural hazards, calls for local plans to include inventories, policies, and ordinances to guide development in hazard areas. These inventories should include the compendium of hazards facing the community, the built environment at risk, the personal property that may be damaged by hazard events and most of all, the people who live in the shadow of these hazards.

Support for Natural Hazard Mitigation

All mitigation is local, and the primary responsibility for development and implementation of risk reduction strategies and policies lies with local jurisdictions. Local jurisdictions, however, are not alone. Partners and resources exist at the regional, state and federal levels. Numerous California state agencies have a role in natural hazards and natural hazard mitigation. Some of the key agencies include:

- The Governor's Office of Emergency Services (OES) is responsible for disaster mitigation, preparedness, response, recovery, and the administration of federal funds after a major disaster declaration;

- The Southern California Earthquake Center (SCEC), gathers information about earthquakes, integrates this information on earthquake phenomena, and communicates this to end-users and the general public to increase earthquake awareness, reduce economic losses, and save lives.

- The California Division of Forestry (CDF) is responsible for all aspects of wildland fire protection on private and state lands, and administers forest practices regulations, including landslide mitigation, on non-federal lands.

- The California Division of Mines and Geology (DMG) is responsible for geologic hazard characterization, public education, the development of partnerships aimed at reducing risk, and exceptions (based on science-based refinement of earthquake inundation zone delineation) to state mandated earthquake zone restrictions; and

- The California Division of Water Resources (DWR) plans, designs, constructs, operates, and maintains the State Water Project; regulates dams; provides flood protection and assists in emergency management. It also educates the public, serves local water needs by providing technical assistance.

Plan Methodology

Information in the Mitigation Plan is based on research from a variety of sources. Staff from the City of Lynwood conducted data research and analysis, facilitated Planning Team meetings and public outreach activities, and developed the final mitigation plan. The research methods and various contributions to the plan include:

Input from the Planning Team:

The Planning Team convened five times (see meeting details in Appendix B: Public Participation) to guide development of the Mitigation Plan. The Team played an integral role in developing the mission, goals, and action items for the Mitigation Plan. The Team consisted of representatives of 14 City agencies, including: City Council, Planning Commission, Public Safety Commission, City Manager's Office, Building & Safety Division, Human Resources, Redevelopment, Emergency Services, Recreation & Community Services, Public Works, Development Services, Environmental Services, City Attorney's Office, and St. Francis Medical Center.

Stakeholder Interviews:

City staff distributed copies of the Plan to 4 agencies (St. Francis Medical Center, Lynwood Unified School District, Los Angeles County Fire Department, and Los Angeles County Sheriffs Department) and specialists from organizations interested in natural hazards planning. The data and support gained from the review process was very valuable to the overall planning effort.

State and federal guidelines and requirements for mitigation plans:

Following are the Federal requirements for approval of a Natural Hazards Mitigation Plan:

- Open public involvement, with public meetings that introduce the process and project requirements.
- The public must be afforded opportunities for involvement in: identifying and assessing risk, drafting a plan, and public involvement in approval stages of the plan.
- Community cooperation, with opportunity for other local government agencies, the business community, educational institutions, and non-profits to participate in the process.
- Incorporation of local documents, including the local General Plan, the Zoning Ordinance, the Building Codes, and other pertinent documents.

The following components must be part of the planning process:

- Complete documentation of the planning process
- A detailed risk assessment on hazard exposures in the community
- A comprehensive mitigation strategy, which describes the goals & objectives, including proposed strategies, programs & actions to avoid long-term vulnerabilities.
- A plan maintenance process, which describes the method and schedule of monitoring, evaluating and updating the plan and integration of the Natural Hazards Mitigation Plan into other planning mechanisms.
- Formal adoption by the City Council.
- Plan Review by both State OES and FEMA

These requirements are spelled out in greater detail in the following plan sections and supporting documentation.

Public participation opportunities were created through use of local media, the City's website, distribution of a natural hazards questionnaire, and the City Council public hearing. In addition, the makeup of a multi-jurisdictional planning team insured a constant exchange of data and input from outside organizations.

Through its consultant, Emergency Planning Consultants, the City had access to numerous existing mitigation plans from around the country, as well as current FEMA hazard mitigation planning standards (386 series).

Other reference materials consisted of county and city mitigation plans, including:

Clackamas County (Oregon) Natural Hazards Mitigation Plan
Natural Hazard Planning Guidebook from Butler County, Ohio
Los Angeles County All-Hazards Mitigation Plan
State of California Hazard Mitigation Plan

Hazard Specific Research

Hazard specific research: City of Lynwood staff collected data and compiled research on three hazards: earthquakes, flooding, and windstorms. Research materials came from the City General Plan, the City's Threat Assessment contained in the Multi-Hazard Functional Plan, and state agencies including OES and CDF. The City of Lynwood staff conducted research by referencing historical local newspapers, interviewing long time residents, long time City of Lynwood employees and locating City of Lynwood information in historical documents.

The City of Lynwood staff identified current mitigation activities, resources and programs, and potential action items from research materials and stakeholder interviews.

Public Input

The City of Lynwood encouraged public participation and input in the Natural Hazards Mitigation Plan by posting its activities in the media and on the internet. In addition, the City distributed natural hazards questionnaires at the following locations: City Hall Library and the Lynwood Unified School District. During the review period for the Draft Plan, copies of the Plan were available to interested citizens. Citizens were encouraged to review public copies of the Plan Draft and participate in the City Council public meeting which was held on October 19, 2004.

The resources and information cited in the mitigation plan provide a strong local perspective and help identify strategies and activities to make City of Lynwood more disaster resistant.

How Is the Plan Used?

Each section of the mitigation plan provides information and resources to assist people in understanding the City and the hazard-related issues facing citizens, businesses, and the environment. Combined, the sections of the plan work together to create a document that guides the mission to reduce risk and prevent loss from future natural hazard events.

The structure of the plan enables people to use a section of interest to them. It also allows City government to review and update sections when new data becomes available. The ability to update individual sections of the mitigation plan places less of a financial burden on the City. Decision-makers can allocate funding and staff resources to selected pieces in need of review, thereby avoiding a full update, which can be costly and time-consuming. New data can be easily incorporated, resulting in a natural hazards mitigation plan that remains current and relevant to City of Lynwood.

The mitigation plan is organized into three parts. Part I contains an executive summary, Mitigation Actions Matrix, introduction, and plan maintenance. Part II contains a community profile, risk assessment, and hazard-specific sections. Part III includes the appendices.

Each section of the plan is described below.

Part I: Mitigation Actions

Executive Summary: Hazard Mitigation Action Plan

The Hazard Mitigation Action Plan provides an overview of the mitigation plan mission, goals, and action items.

> **Attachment 1: Mitigation Actions Matrix**
> The plan action items are included in this section, and address multi-hazard issues, as well as hazard-specific activities that can be implemented to reduce risk

and prevent loss from future natural hazard events.

Section 1: Introduction

The Introduction describes the background and purpose of developing the mitigation plan for City of Lynwood.

Section 2: Plan Maintenance

This section provides information on plan implementation, monitoring and evaluation.

Part II: Hazard Analysis

Section 3: Community Profile

This section presents the history, geography, demographics, and socioeconomics of the City of Lynwood. It serves as a tool to provide an historical perspective of natural hazards in the City.

Section 4: Risk Assessment

This section provides information on hazard identification, vulnerability and risk associated with natural hazards in City of Lynwood.

Sections 5-7: Hazard Specific Sections

Hazard-Specific Sections on the three chronic hazards is addressed in this plan. Chronic hazards occur with some regularity and may be predicted through historic evidence and scientific methods. The chronic hazards addressed in the plan include:

Section 5: Earthquakes
Section 6: Flooding
Section 7: Windstorms

Each of the hazard-specific sections includes information on the history, hazard causes and characteristics, and hazard assessment.

Part III: Resources

The plan appendices are designed to provide users of the City of Lynwood Natural Hazards Mitigation Plan with additional information to assist them in understanding the contents of the mitigation plan, and potential resources to assist them with

implementation.

Appendix A: Plan Resource Directory

The resource directory includes City, regional, state, and national resources and programs that may be of technical and/or financial assistance to City of Lynwood during plan implementation.

Appendix B: Public Participation

This appendix includes specific information on the various public processes used during development of the plan.

Appendix C: Benefit/Cost Analysis

This section describes FEMA's requirements for benefit cost analysis in natural hazards mitigation, as well as various approaches for conducting economic analysis of proposed mitigation activities.

Appendix D: List of Acronyms

This section provides a list of acronyms for City, regional, state, and federal agencies and organizations that may be referred to within the City of Lynwood Natural Hazards Mitigation Plan.

Appendix E: Glossary

This section provides a glossary of terms used throughout the plan.

Section 2: Plan Maintenance

The Plan Maintenance Section of this document details the formal process that will ensure that the Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this Section includes an explanation of how the City of Lynwood government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City's General Plan, Capital Improvement Plans, and Building and Safety Codes.

Monitoring and Implementing the Plan

Plan Adoption

The City Council will be responsible for adopting the Natural Hazards Mitigation Plan. This governing body has the authority to promote sound public policy regarding natural hazards. Once the plan has been adopted, the City's Emergency Services Coordinator will be responsible for submitting it to the State Hazard Mitigation Officer at The Governor's Office of Emergency Services. The Governor's Office of Emergency Services will then submit the plan to the Federal Emergency Management Agency (FEMA) for review. This review will address the federal criteria outlined in FEMA Interim Final Rule 44 CFR Part 201. Upon acceptance by FEMA, the City will gain eligibility for Hazard Mitigation Grant Program funds.

Coordinating Body

The City's Natural Disaster Mitigation Committee (Committee) will be responsible for coordinating implementation of plan action items and undertaking the formal review process. The City Council (or other authority) will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Planning Team members. The City has formed a Natural Disaster Mitigation Committee that consists of members from City agencies including:

City of Lynwood – Jonathan Colin, Development Services
City of Lynwood – Rita Manibusan, Development Services
City of Lynwood – Alfredo Lopez, Human Resources
City of Lynwood – Daniel Ojeda, City Manager's Office
City of Lynwood – Felipe Ramos, Building & Safety
City of Lynwood – Perry Brents, Recreational Services
City of Lynwood – Kenneth West, Planning Commission

City of Lynwood – Maria T. Santillan, City Council
City of Lynwood – Robert Torrez, Finance
City of Lynwood – Josef Kekula, Public Works
City of Lynwood – Jeff Jones, Emergency Operations Coordinator
City of Lynwood – Olivia Segura, Redevelopment
City of Lynwood – JD Whitaker, Quality of Life

In order to make this Committee as broad and useful as possible, the City Manager will engage other relevant organizations and agencies in hazard mitigation. Other potential additions to the Natural Disaster Mitigation Committee could include:

An elected official
A representative from the Chamber of Commerce
An insurance company representative
Community Planning Organization representatives
A representative from the City Manager's Office
Representation from professional organizations such as the Home Builders Association

The Committee will meet no less than quarterly. Meeting dates will be scheduled once the final Committee has been established. These meetings will provide an opportunity to discuss the progress of the action items and maintain the partnerships that are essential for the sustainability of the mitigation plan.

Convener

The City Council will adopt the Natural Hazards Mitigation Plan, and the Committee will take responsibility for plan implementation. The City Manager (or designee) will serve as a convener to facilitate the Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the Committee. Plan implementation and evaluation will be a shared responsibility among all of the Committee members.

Implementation through Existing Programs

The City addresses statewide planning goals and legislative requirements through its General Plan, Capital Improvement Plans, and City Building and Safety Codes. The Natural Hazards Mitigation Plan provides a series of recommendations - many of which are closely related to the goals and objectives of existing planning programs. The City will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

The City's Building & Safety Department is responsible for administering the Building & Safety Codes. In addition, the Committee will work with other agencies at the state level

to review, develop and ensure Building & Safety Codes that are adequate to mitigate or prevent damage by natural hazards. This is to ensure that life-safety criteria are met for new construction.

The goals and action items in the mitigation plan may be achieved through activities recommended in the City's Capital Improvement Plans (CIP). Various City departments develop CIP plans, and review them on an annual basis. Upon annual review of the CIPs, the Committee will work with the City departments to identify action items in the Natural Hazards Mitigation Plan consistent with CIP planning goals and integrate them where appropriate.

Within six months of formal adoption of the Mitigation Plan, the recommendations listed above will be incorporated into the process of existing planning mechanisms at the City level. The meetings of the Hazard Mitigation Advisory Committee will provide an opportunity for Committee members to report back on the progress made on the integration of mitigation planning elements into the City's planning documents and procedures.

Economic Analysis of Mitigation Projects

At the Hazard Mitigation Advisory Committee's first implementation meeting, the completed STAPLEE Tool (Plan Maintenance – Attachment 1) will be utilized to prioritize the action items identified in the Mitigation Actions Matrix (Executive Summary – Attachment 1). In addition, appropriate funding sources will be identified for the "top ten" priority action items.

FEMA's approaches to identify the costs and benefits associated with natural hazard mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis.

Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later.

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Given federal funding, the Committee will use a FEMA-approved benefit/cost analysis approach to identify and prioritize mitigation action items. For other projects and funding sources, the Committee will use other approaches to understand the costs and benefits of each action item and develop a prioritized list. For more information regarding economic analysis of mitigation action items, please see Appendix C: Benefit/Cost Analysis.

Evaluating and Updating the Plan

Formal Review Process

The Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and timeline, and identifies the local agencies and organizations participating in plan evaluation. The convener or designee will be responsible for contacting the Committee members and organizing the annual meeting.

Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the Plan.

The Committee will review the goals and action items to determine their relevance to changing situations in the City, as well as changes in State or Federal policy, and to ensure they are addressing current and expected conditions. The Committee will also review the Risk Assessment portion of the Plan to determine if this information should be updated or modified, given any new available data. The coordinating organizations responsible for the various action items will report on the status of their projects, the success of various implementation processes, difficulties encountered, success of coordination efforts, and which strategies should be revised.

The convener will assign the duty of updating the plan to one or more of the Committee members. The designated Committee members will have three months to make appropriate changes to the Plan before submitting it to the Committee members, and presenting it to the City Manager for approval. The Committee will also notify all holders of the City's Plan when changes have been made. Every five years the updated Plan will be submitted to the State Hazard Mitigation Officer and the Federal Emergency Management Agency for review.

Continued Public Involvement

The City is dedicated to involving the public directly in review and updates of the Natural Hazards Mitigation Plan. The Committee members are responsible for the annual review and update of the plan.

The public will also have the opportunity to provide feedback about the Plan. Copies of the Plan will be catalogued and kept at all of the appropriate agencies in the City. The existence and location of these copies will be publicized in the quarterly city newsletter which reaches every household in the City. The plan also includes the address and the phone number of the City Planning Division, responsible for keeping track of public comments on the Plan.

In addition, copies of the Plan and any proposed changes will be posted on the City's Website. This site will also contain an email address and phone number to which people

can direct their comments and concerns.

A public meeting will also be held after each annual evaluation or as deemed necessary by the Committee. The meetings will provide the public a forum for which they can express its concerns, opinions, or ideas about the Plan. The City Public Information Officer will be responsible for using City resources to publicize the annual public meetings and maintain public involvement through the public access cable channel, Website, and local newspapers.

Table 2-1 STAPLEE Prioritization Tool

STAPLEE Instructions

One method of assessing the costs and benefits associated with mitigation actions in FEMA's STAPLEE tool. STAPLEE (Social, Technical, Administrative, Political, Legal, Economic, and Environmental) is a systematic approach for weighing strengths and weaknesses of various mitigation actions. Each of the STAPLEE categories can be assessed in terms of opportunities and constraints. Following is a list of questions that will guide a jurisdiction through the STAPLEE process. **Note: An answer of "yes" is not always judged positively.**

Social

Community Acceptance - Will the mitigation action be socially accepted within the community where it will be implemented?
Yes (+) or No (-)
Effect on Segment of Population - Will the mitigation action adversely impact one particular segment of the population (neighborhood, culture, religion, etc.)?
No (+) or Yes (-)

Technical

Technical Feasibility - Is the mitigation action technically feasible?
Yes (+) or No (-)
Long-Term Solution - Will the mitigation action help to reduce losses in the long term?
Yes (+) or No (-)
Secondary Impacts - Will there be any secondary effects which could nullify the action's benefits?
No (+) or Yes (-)

Administrative

Staffing - Does the jurisdiction have the staffing capability (own and outside resources) to implement the action, and can it be readily obtained?
Yes (+) or No (-)
Funding Allocated – Has the jurisdiction allocated or funded the action (i.e. annual budget, CIP, grants, etc.)?
Yes (+) or No (-)
Maintenance/Operations - Can the community provide the necessary maintenance work required to maintain the mitigation action?
Yes (+) or No (-)

Political

Political Support - Is there political support to implement and maintain the mitigation action?
Yes (+) or No (-)
Local Champion - Is there a local champion (political or public) willing to help see the action to completion?
Yes (+) or No (-)
Public Support - Is there enough public support to ensure the success of the mitigation action?
Yes (+) or No (-)

Legal

State Authority - Do State regulations exist that support the implementation of the mitigation action?
Yes (+) or No (-)
Existing Local Authority - Are the proper local laws, ordinances, and resolutions in place to implement the mitigation action?
Yes (+) or No (-)
Potential Legal Challenge - Is the mitigation action likely to be challenged by stakeholders who may be negatively affected?

No (+) or Yes (-)

Economic

Benefit of Action - Do the benefits of the mitigation action exceed the associated costs?
Yes (+) or No (-)
Cost of Action - Does the cost seem reasonable for the size of the problem and likely benefits?
Yes (+) or No (-)
Contributions to Economic Goals - Does the action contribute to other community economic goals, such as capital improvements or economic development?
Yes (+) or No (-)
Outside Funding Required - Will outside sources of funding be required?
No (+) or Yes (-)

Environmental

Effect on Land/Water - Will the mitigation action have a significant affect the environment (including land, water, and air resources)?
No (+) or Yes (-)
Effect on Endangered Species - Will the mitigation action have a significant affect endangered species?
No (+) or Yes (-)
Effect on HAZMAT/Waste Sites - Will the mitigation action have a significant affect HAZMAT or waste sites?
No (+) or Yes (-)
Consistent with Community Environmental Goals - Will the mitigation action comply with local, State, and Federal environmental laws and regulations?
Yes (+) or No (-)
Consistent with Federal Environmental Laws - Is the mitigation action consistent with the community's environmental values and goals?
Yes (+) or No (-)

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
Multi-Hazard Mitigation Action Items																									
MH-1 Integrate the goals and action items from the Lynwood Natural Hazard Mitigation Plan into existing regulatory documents and programs, where appropriate.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-2 Identify and pursue funding opportunities to develop and implement local mitigation activities.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-3 Establish a formal role for the Natural Disaster Mitigation Committee to develop a sustainable process for implementing, monitoring, and evaluating citywide mitigation activities.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-4 Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector		+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
organizations, and individuals to avoid activity that increases risk to natural hazards with a special emphasis in satisfying the needs of the community.																									
MH-5 Develop public and private partnerships to foster natural hazard mitigation program coordination and collaboration in the City of Lynwood.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-6 Develop inventories of at-risk public	n/k	+	+	+	+	+	-	-	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	14

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
buildings and infrastructure and prioritize mitigation projects.																									
MH-7 Strengthen emergency services preparedness and response by linking emergency services with natural hazard mitigation programs and enhancing public education on a citywide level.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-8 Develop, enhance, and implement education programs aimed at mitigating natural hazards,	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
and reducing the risk to citizens, public agencies, private property owners, businesses, and schools.																									
MH-9 Use the mitigation plan to help the City's General Plan meet State Land Use Planning Goal designed to protect life and property from natural disasters and hazards through planning strategies that restrict development in areas of known	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S Social		**T Technical**			**A Administrative**			**P Political**			**L Legal**			**E Economic**				**E Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
hazards.																									
MH-10 Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-11 Develop a Preliminary Damage Assessment (PDA) process and review	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
PDA data to identify planning concerns.																									
MH-12 Compile a directory of out-of-area contractors to help with repairs/reconstruction so that restoration occurs in a timely manner	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-13 Install and improve back-up power in critical facilities (Public Works Yard).	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-14 Continue underground utility program.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-15 Purchase a complete GIS/GPS	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
setup and provide training on said setup to all pertinent community personnel.																									
MH-16 Develop policy for government to determine what reconstruction criteria should be applied to structures damaged during a disaster.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-17 Develop additional building and reconstruction policies and requirements in the local government building code for post-disaster situations.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-18 Maintain a resource center in the City Hall and display racks including such documents as emergency preparedness guidebooks, FEMA's "Are You Ready", etc.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-19 Develop and promote Community Emergency Response Team (CERT) through the Chamber of Commerce to gain business participation.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-20 Partner with local insurance agencies to hold workshops for property owners to educate about the flood and earthquake insurance programs	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S Social		**T Technical**			**A Administrative**			**P Political**			**L Legal**			**E Economic**				**E Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
and its requirements.																									
MH-21 Assist St. Francis Hospital with emergency water supply needs.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-22 Monitor hazard mitigation implementation by participating organizations through surveys and other reporting methods.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-23 Encourage owners of structures in hazardous areas to retrofit and	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
improve their sites.																									
MH-24 Conduct interim planning to locate, set up, and manage temporary sites where business and government functions can continue their operations during recovery.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-25 Determine temporary protection measures.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-26 Inventory alternative firefighting water sources and encourage the development of additional sources.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-27 Private property owners of un-reinforced masonry structures (URMS) will be retrofitted.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-28 Familiarize public officials of requirements regarding public assistance for disaster response.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-29 Develop strategies for debris management for severe storm events.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-30 Enhance emergency services to increase the efficiency of response teams and recovery activities.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-31 Continue coordination of the maintenance of emergency transportation routes through communication among the City Public Works Department,	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
neighboring jurisdictions, and the State Department of Transportation.																									
MH-32 Determine what kinds of minor repairs and temporary protection activities (e.g., temporary roofing, protect against loss of life/injury, shoring, protect contents) can be done in the immediate aftermath of a disaster.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-33 Identify water resources	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
management and conservation opportunities.																									
MH-34 Enhance response capability of City, County Fire, County Sheriff, and emergency medical services personnel to special populations.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-35 Conduct routine maintenance of the City's infrastructure in order to minimize the potential for system failure during a disaster.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-36 Allocate city resources and assistance to mitigation projects when possible	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-37 Involve private businesses throughout the City in mitigation planning.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-38 Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
avoid activity that increases risk to natural hazards.																									
MH-39 Educate agency personnel on federal cost-share and grant programs, Fire Protection Agreements, and other related federal programs so the full array of assistance available is understood.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-40 Identify new sources of support such as philanthropic foundations, community	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
foundations, and professional organizations such as the Urban Land Institute or American Planning Association who might be able to provide technical or financial support for recovery planning.																									
MH-41 Determine costs associated with dumping disaster/construction debris at landfills.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
MH-42 Conduct an economic analysis to understand how	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
and under what circumstances investment in rebuilding would be made in a business district.																									
MH-43 Promote hazard mitigation as a public value in recognition of its importance to the health, safety, and welfare of the population.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
MH-44 Engage the private sector to contribute to disaster preparedness and loss reduction at the local level.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
MH-45 Conduct a detailed vulnerability assessment in the future in order to accurately identify the extent of damages to vulnerable buildings, infrastructure, and critical facilities.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
Earthquake Action Items																									
EQ-1 Maintain new information as available for earthquake hazard mapping data for the City of Lynwood and	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
improve technical analysis of earthquake hazards.																									
EQ-2 Update evacuation maps and routes pursuant to specific hazards.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
EQ-3 Identify funding sources for structural and nonstructural retrofitting of structures that are identified as seismically vulnerable.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
EQ-4 Encourage purchase of earthquake hazard	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
insurance.																									
EQ-5 Encourage seismic strength evaluations of critical facilities owned by the City.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
EQ-6 Encourage reduction of nonstructural and structural earthquake hazards in homes, schools, businesses, and governmental offices.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
Flood Action Items																									
FLD-1 Enhance data and mapping for floodplain	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
information within the City and identify and map flood-prone areas outside of designated floodplains.																									
FLD-2 Identify surface water drainage obstructions for all parts of the City.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
FLD-3 Establish a framework to compile and coordinate management plans and data throughout the City.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
FLD-4 Adopt floodplain regulations as a condition of enrollment in the National Flood Insurance Program.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
Windstorm Action Items																									
WS-1 Develop and implement programs to keep trees from threatening lives, property, and public infrastructure during windstorm events.	n/k	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	18
WS-2 Support and encourage	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Table 2-1
STAPLEE Prioritization Tool
(Scoring: "+" = 1 point, "-" = -1 point, "n/a" = 0 point, "n/k" = not known)

		S		**T**			**A**			**P**			**L**			**E**				**E**					
		Social		**Technical**			**Administrative**			**Political**			**Legal**			**Economic**				**Environmental**					
Mitigation Action	$	Community Acceptance	Effect on Segment of Population	Technical Feasibility	Long-Term Solution	Secondary Impacts	Staffing	Funding Allocated	Maintenance/Operations	Political Support	Local Champion	Public Support	State Authority	Existing Local Authority	Potential Legal Challenge	Benefit of Action	Cost of Action	Contributes to Economic Goals	Outside Funding Required	Effect on Land / Water	Effect on Endangered Species	Effect on HAZMAT/Waste Sites	Consistent with Community Env. Goals	Consistent with Federal Env. Laws	Priority Total (net)
electrical utilities to use underground construction methods where possible to reduce power outages from windstorms.																									
WS-3 Increase public awareness of windstorm mitigation activities.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16
WS-4 Encourage development and enforcement of wind-resistant building siting and construction codes.	n/k	+	+	+	+	+	+	+	+	+	-	+	+	+	+	+	+	+	+	n/a	n/a	n/a	n/a	n/a	16

Section 3: Community Profile

Why Plan for Natural Hazards in City of Lynwood?

Natural hazards impact citizens, property, the environment, and the economy of City of Lynwood. Earthquakes, flooding, and windstorms have exposed City of Lynwood residents and businesses to the financial and emotional costs of recovering after natural disasters. The risk associated with natural hazards increases as more people move to areas affected by natural hazards.

Even in those communities that are essentially "built-out" i.e., have little or no vacant land remaining for development; population density continues to increase when low density housing is replaced with medium and high density development projects.

The inevitability of natural hazards, and the growing population and activity within the City create an urgent need to develop strategies, coordinate resources, and increase public awareness to reduce risk and prevent loss from future natural hazard events. Identifying the risks posed by natural hazards, and developing strategies to reduce the impact of a hazard event can assist in protecting life and property of citizens and communities. Local residents and businesses can work together with the City to create a natural hazards mitigation plan that addresses the potential impacts of hazard events.

Geography and the Environment

City of Lynwood has an area of 4.9 square miles and is located in the central portion of Los Angeles County.

Elevations in the City range from a high of 95 feet to a low of 75 feet. The terrain of the city is relatively flat.

Community Profile

The City of Lynwood is rich in history. The area comprising the City of Lynwood was first settled in the 1880's and the city itself was incorporated in 1921.

The City is divided East/West by Interstate 105 and is bounded on the East by Interstate 710.

The Southern Pacific Railroad and Alameda Corridor run North/South through the City.

Major Rivers

The nearest major river is the Los Angeles River, forming the City's eastern boundary. This River does have the potential to impact the City of Lynwood. Normally this river channel is dry and only carries a significant water flow during a major rainstorm. The river channel is part of the County Flood Control District.

Climate

Average temperatures in the City of Lynwood range from 52 degrees in the winter months to 78 degrees in the summer months. However the temperatures can vary over a wide range, particularly when the Santa Ana winds blow, bringing higher temperatures and very low humidity.

Rainfall in the city averages 14 inches of rain per year. However the term "average rainfall" is misleading because over the recorded history of rainfall in the City of Lynwood rainfall amounts have ranged from no rain at all in some years to 5 inches of rain in two hours during very wet years.

Furthermore, actual rainfall in Southern California tends to fall in large amounts during sporadic and often heavy storms rather than consistently over storms at somewhat regular intervals. In short, rainfall in Southern California might be characterized as feast or famine within a single year. Because the metropolitan basin is largely built out, water originating in higher elevation communities can have a sudden impact on adjoining communities that have a lower elevation.

Minerals and Soils

The characteristics of the minerals and soils present in City of Lynwood indicate that potential types of hazards that may occur. Rock hardness and soil characteristics can determine whether or not an area will be prone to geologic hazards such as earthquakes, liquefaction and landslides.

According to the City's General Plan Safety Element, the geologic map of the South Gate Quadrangle shows that the entire study area is covered by alluvial sediments of Quaternary age. Older alluvial fan sediments of Pleistocene age are associated with the Montebello Hills and Dominguez Hills. Elsewhere across most of the quadrangle are the younger alluvial fan sediments of Holocene and late Pleistocene age. These deposits consist of varying proportions of sand, gravel, silt, and clay.

Other Significant Geologic Features

City of Lynwood, like most of the Los Angeles Basin, lie over the area of one or more known earthquake faults, and potentially many more unknown faults, particularly so-called lateral or blind thrust faults.

The major faults that have the potential to affect the greater Los Angeles Basin, and therefore the City of Lynwood are the:

San Andreas
Newport Inglewood
Palos Verdes
Whittier

Santa Monica

The Los Angeles Basin has a history of powerful and relatively frequent earthquakes, dating back to the powerful 8.0+ San Andreas earthquake of 1857 which did substantial damage to the relatively few buildings that existed at the time. Paleoseismological research indicates that large (8.0+) earthquakes occur on the San Andreas fault at intervals between 45 and 332 years with an average interval of 140 years[i]. Other lesser faults have also caused very damaging earthquakes since 1857. Notable earthquakes include the 1933 Long Beach Earthquake, the 1971 San Fernando Earthquake, the 1987 Whittier Earthquake and the 1994 Northridge Earthquake.

In addition, many areas in the Los Angeles Basin have sandy soils that are subject to liquefaction. The entire City of Lynwood is in a liquefaction zone. See Section 5: Earthquake.

According to the California Seismic Hazard Map, the City of Lynwood does not have areas prone to landslide.

Population and Demographics

City of Lynwood has a population of about 72,000 in an area of 4.9 square miles. The population of the City of Lynwood has steadily increased from the mid 1880's through 2000.

The increase of people living in the City of Lynwood creates more community exposure, and changes how agencies prepare for and respond to natural hazards. For example, more people living on the urban fringe can increase risk of fire. Wildfire has an increased chance of starting due to human activities in the urban/rural interface, and has the potential to injure more people and cause more property damage. But an urban/wildland fire is not the only exposure to the City of Lynwood. In the 1987 publication, Fire Following Earthquake issued by the All Industry Research Advisory Council, Charles Scawthorn explains how a post-earthquake urban conflagration would develop. The conflagration would be started by fires resulting from earthquake damage, but made much worse by the loss of pressure in the fire mains, caused by either lack of electricity to power water pumps, and /or loss of water pressure resulting from broken fire mains.

Furthermore, increased density can affect risk. For example, narrower streets are more difficult for emergency service vehicles to navigate, the higher ratio of residents to emergency responders affects response times, and homes located closer together increase the chances of fires spreading.
The City of Lynwood is experiencing a consistent increase of in-fill building, which is increasing the population density creating greater service loads on the built infrastructure,

[i] Peacock, Simon M., http://aamc.geo.lsa.umich.edu/eduQuakes/EQpredLab/EQprediction.peacock.html

including roads, water supply, sewer services and storm drains.

Natural hazards do not discriminate, but the impacts in terms of vulnerability and the ability to recover vary greatly among the population. According to Peggy Stahl of the Federal Emergency Management Agency (FEMA) Preparedness, Training, and Exercise Directorate, 80% of the disaster burden falls on the public, and within that number, a disproportionate burden is placed upon special needs groups: women, children, minorities, and the poor.[ii]

According to the 2000 Census, the demographic make up of the City is as follows:

Caucasian	33.6%
Hispanic	66%
African American	13.5%
Asian	.8%
Native American	1.2%

The ethnic and cultural diversity suggests a need to address multi-cultural needs and services.

The percentage of people living in poverty in the City of Lynwood is 23.5%, which is considerably higher than the county or state averages. According to the 2000 Census, 20.3% of the people living in poverty in City of Lynwood are under 18 years old, and 14.3% are over 65.

Vulnerable populations, including seniors, disabled citizens, women, and children, as well as those people living in poverty, may be disproportionately impacted by natural hazards.

Examining the reach of hazard mitigation policies to special needs populations may assist in increasing access to services and programs. FEMA's Office of Equal Rights addresses this need by suggesting that agencies and organizations planning for natural disasters identify special needs populations, make recovery centers more accessible, and review practices and procedures to remedy any discrimination in relief application or assistance.

The cost of natural hazards recovery can place an unequal financial responsibility on the general population when only a small proportion may benefit from governmental funds used to rebuild private structures. Discussions about natural hazards that include local citizen groups, insurance companies, and other public and private sector organizations can help ensure that all members of the population are a part of the decision-making processes.

[ii] www.fema.gov

Land and Development

Development in Southern California from the earliest days was a cycle of boom and bust. The Second World War however dramatically changed that cycle. Military personnel and defense workers came to Southern California to fill the logistical needs created by the war effort. The available housing was rapidly exhausted and existing commercial centers proved inadequate for the influx of people. Immediately after the war, construction began on the freeway system, and the face of Southern California was forever changed. Home developments and shopping centers sprang up everywhere and within a few decades the central basin of Los Angeles County was virtually built out. This pushed new development further and further away from the urban center.

The City of Lynwood General Plan addresses the use and development of private land, including residential and commercial areas. This plan is one of the City's most important tools in addressing environmental challenges including transportation and air quality; growth management; conservation of natural resources; clean water and open spaces.

The environment of most Los Angeles County cities is nearly identical with that of their immediate neighbors and the transition from one incorporated municipality to another is seamless to most people. Seamless too are the exposures to the natural hazards that affect all of Southern California.

Housing and Community Development
(Source: City of Lynwood General Plan)

	City of Lynwood
Development Type	
Residential	47%
Streets & Highways	33.2%
Housing Type	
Single-Family	59.1%
Multi-Residential (20+ units)	40.6%
Mobilehomes	0%
Housing Statistics	
Total Available Housing Units	14,987
Owner-Occupied Housing	47.1%
Average Household Size	4.7

Demand for housing continues to be strong. The average value for homes in the City of Lynwood is estimated at $146,700.

Employment and Industry
(Source: 2000 Census)

Principal Employment Activities	
Management (professional and related occupations)	12.5%
Service Occupations	15.3%
Sales and Office Occupations	26%
Construction	10.6%
Production, Transportation, and Material Moving	35.1%
Major Industries	
Education, Health & Social Services	13.7%
Manufacturing	26.4%
Retail Trade	11.4%

It's important to note that the unemployment rate in Lynwood is 10.2%, which is 40% higher than statistics for the County.

Mitigation activities are needed at the business level to ensure the safety and welfare of workers and limit damage to industrial infrastructure. Employees are highly mobile, commuting from surrounding areas to industrial and business centers. This creates a greater dependency on roads, communications, accessibility and emergency plans to reunite people with their families. Before a natural hazard event, large and small businesses can develop strategies to prepare for natural hazards, respond efficiently, and prevent loss of life and property.

Transportation and Commuting Patterns

Private automobiles are the dominant means of transportation in Southern California and in the City of Lynwood. However, the City of Lynwood meets its public transportation needs through three components: Metro Green Line, Metro Bus Line, and the local Lynwood Trolley and Dial-A-Ride. The Green Line is a fixed light rail service that runs down the median of I-105. The major stop for the City of Lynwood is at Long Beach Boulevard.

According to the 2000 Census, the City has a population of 72,000 (Source: 2000 Census) and a daytime population estimated at around 81,000 (Source: MHFP). The mean travel time to work for the residents of the City of Lynwood is 31 minutes.
As stated in the City's General Plan, the City of Lynwood is served by the Interstate 710 and Interstate 105, connecting the City to adjoining parts of Los Angeles County. The

City's 96 mile road system includes 14.5 miles of arterial highways and 81.5 miles of local roads, and 9 bridges. As daily transit rises, there is an increased risk that a natural hazard event will disrupt the travel plans of residents across the region, as well as local, regional and national commercial traffic.

Localized flooding can render roads unusable. A severe winter storm has the potential to disrupt the daily driving routine of hundreds of thousands of people. Natural hazards can disrupt automobile traffic and shut down local and regional transit systems.

Section 4: Risk Assessment

What is a Risk Assessment?

Conducting a risk assessment can provide information: on the location of hazards, the value of existing land and property in hazard locations, and an analysis of risk to life, property, and the environment that may result from natural hazard events. Specifically, the five levels of a risk assessment are as follows:

1) Hazard Identification
The Planning Team considered a range of natural hazards facing the region including: Earthquakes, Flooding, Earth Movement, Windstorms, Wildfire, Tsunami, and Drought. The attached Ranking Your Hazards - Attachment 1 handout guided the Team in prioritizing the natural hazards with the highest probability of significantly impacting the City of Lynwood. The Team agreed that any hazards receiving a Team average score of "3" or higher would be included in the Natural Hazards Mitigation Plan. Utilizing the ranking technique, the Team identified: Earthquakes, Flooding, and Windstorms as the most prominent hazards facing the community.

This is the description of the geographic extent, potential intensity and the probability of occurrence of a given hazard. Maps are frequently used to display hazard identification data. The City of Lynwood identified three major hazards that affect this geographic area. These hazards – earthquakes, flooding, and windstorms - were identified through an extensive process that utilized input from the Hazard Mitigation Planning Team. The geographic extent of each of the identified hazards has been identified by the City of Lynwood utilizing the maps contained in the City's General Plan and the MHFP Threat Assessment, and are illustrated in the tables, maps, and photos listed on page iii.

2) Profiling Hazard Events
This process describes the causes and characteristics of each hazard and what part of the City's population, infrastructure, and environment may be vulnerable to each specific hazard. A profile of each hazard discussed in this plan is provided in each hazard section. For a full description of the history of hazard specific events, please see the appropriate hazard chapter.

Table 4-1:
Vulnerability: Location, Extent, and Probability*

	Location (Where)	**Extent (How Big)**	**Probability (How Often)***
Hazard			
Earthquake	Entire Project Area	According to USGS, there is a 60% chance in the next 30 years of an earthquake measuring greater than 6.7 occurring in southern California.	Moderate
Flood	Channelized floodplain located along eastern boundary of the City	FEMA Zone X – outside 100 year floodplain	Low
Windstorm	Entire Project Area	50 miles per hour or greater	Moderate
* Probability is defined as: Low = 1:500 years, Moderate = 1:100 years, High = 1:10 years			

3) Vulnerability Assessment/Inventorying Assets

This is a combination of hazard identification with an inventory of the existing (or planned) property development(s) and population(s) exposed to a hazard. Critical facilities are of particular concern because these entities provide essential products and services to the general public that are necessary to preserve the welfare and quality of life in the City and fulfill important public safety, emergency response, and/or disaster recovery functions. The critical facilities have been identified and are illustrated in Table 4-3. A description of the critical facilities in the City is also provided in this section. Data was not available to make vulnerability determinations in terms of dollar losses. The Mitigation Actions Matrix (Executive Summary – Table 1) includes an action item to conduct such an assessment in the future.

4) Risk Analysis

Estimating potential losses involves assessing the damage, injuries, and financial costs likely to be sustained in a geographic area over a given period of time. This level of analysis involves using mathematical models. The two measurable components of risk analysis are magnitude of the harm that may result and the likelihood of the harm occurring. Describing vulnerability in terms of dollar losses provides the community and the state with a common framework in which to measure the effects of hazards on assets. For each hazard where data was available, quantitative estimates for potential losses have been included in the hazard assessment.

5) Assessing Vulnerability/ Analyzing Development Trends

This step provides a general description of land uses and development trends within the community so that mitigation options can be considered in land use planning and future land use decisions. This plan provides comprehensive description of the character of City of Lynwood in the Community Profile. This description includes the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns. Analyzing these components in the City of Lynwood can help in identifying potential problem areas and can serve as a guide for incorporating the goals and ideas contained in this mitigation plan into other community development plans.

Hazard assessments are subject to the availability of hazard-specific data. Gathering data for a hazard assessment requires a commitment of resources on the part of participating organizations and agencies. Each hazard-specific section of the plan includes a section on hazard identification using data and information from City, County or State agency sources.

Regardless of the data available for hazard assessments, there are numerous strategies the City can take to reduce risk. These strategies are described in the action items detailed in each hazard section of this Plan. Mitigation strategies can further reduce disruption to critical services, reduce the risk to human life, and alleviate damage to personal and public property and infrastructure. Action items throughout the hazard sections provide recommendations to collect further data to map hazard locations and conduct hazard assessments.

Federal Requirements for Risk Assessment

Recent federal regulations for hazard mitigation plans outlined in 44 CFR Part 201 include a requirement for risk assessment. This risk assessment requirement is intended to provide information that will help communities to identify and prioritize mitigation activities that will reduce losses from the identified hazards. There are three hazards profiled in the mitigation plan, including earthquake, flooding, and windstorms. The Federal criteria for risk assessment and information on how the City of Lynwood Natural Hazards Mitigation Plan meets those criteria is outlined in Table 4-2.

Table 4-2: Federal Criteria for Risk Assessment

Section 322 Plan Requirement	How is this addressed?
Identifying Hazards	Each hazard section includes an inventory of the best available data sources that identify hazard areas. To the extent data are available; the existing maps identifying the location of the hazard were utilized. The Executive Summary and the Risk Assessment sections of the plan include a list of the hazard maps.
Profiling Hazard Events	Each hazard section includes documentation of the history, and causes and characteristics of the hazard in the City.
Assessing Vulnerability: Identifying Assets	Where data is available, the vulnerability assessment for each hazard addressed in the mitigation plan includes an inventory of all publicly owned land within hazardous areas. Each hazard section provides information on vulnerable areas in the City in the Community Issues section. Each hazard section also identifies potential mitigation strategies.
Assessing Vulnerability: Estimating Potential Losses:	The Risk Assessment Section of this mitigation plan identifies key critical facilities in the City and includes a map of these facilities. Vulnerability assessments have been completed for the hazards addressed in the plan, and quantitative estimates were made for each hazard where data was available.
Assessing Vulnerability: Analyzing Development Trends	The Community Profile Section of this plan provides a description of the development trends in the City, including the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns.

Critical and Essential Facilities

Facilities critical to government response and recovery activities (i.e., life safety and property and environmental protection) include: 911 centers, emergency operations centers, police and fire stations, public works facilities, communications centers, sewer and water facilities, hospitals, bridges and roads, and shelters. Also, facilities that, if damaged, could cause serious secondary impacts may also be considered "critical." A hazardous material facility is one example of this type of “secondary impact” critical facility.

Essential facilities are those facilities that are vital to the continued delivery of key government services or that may significantly impact the public’s ability to recover from

the emergency. These facilities may include: buildings such as the jail, law enforcement center, public services building, community corrections center, the courthouse, and juvenile services building and other public facilities such as schools. The Map 4-1 and Table 4-3 illustrate the critical and essential facilities.

Map 4-1 City of Lynwood Public Facilities
(Source: City of Lynwood General Plan)



Table 4-3: City of Lynwood Critical and Essential Facilities Vulnerable to Hazards*

EQ	Flood	Wind	Facility	Address
X		X	Fire Station #1 & Headquarters	3161 Imperial Highway
X		X	Fire Station #2	4264 Martin Luther King, Jr. Boulevard
X		X	Civic Center	11330 Bullis Road
X		X	St. Francis Hospital	3680 Imperial Highway
X		X	Sheriff's Substation	11701 Alameda Street

(*data not available to determine the extent of damages to the critical and essential facilities)

Summary

Natural hazard mitigation strategies can reduce the impacts concentrated at large employment and industrial centers, public infrastructure, and critical facilities. Natural hazard mitigation for industries and employers may include developing relationships with emergency management services and their employees before disaster strikes, and establishing mitigation strategies together. Collaboration among the public and private sector to create mitigation plans and actions can reduce the impacts of natural hazards.

Risk Assessment - Attachment 1

Ranking Your Hazards

It is important to keep in mind that your rankings should be based on a hazard event that would overwhelm your jurisdiction's ability to respond effectively.

For each hazard listed assign a score. Place a number in the appropriate box.

Hazard Scoring	
1	An event of that magnitude is not likely to occur
2	There is a slight chance that an event of that magnitude will occur
3	It is possible that an event of that magnitude will occur
4	An event of that magnitude has occurred here in the past and is likely to occur again
5	There is a high probability that an event of that magnitude will occur

Identify any additional hazards for the jurisdiction at the end of the list labeled as "Other Hazard."

Hazard	***Score***
Earthquake	
Flooding	
Wildfire	
Windstorm	
Earth Movement (Landslide/Debris Flow)	
Tsunami	
Drought	
Other Hazard _____	
Other Hazard _____	
Other Hazard _____	
Other Hazard _____	
Other Hazard _____	
Other Hazard _____	

Section 5: Earthquake Hazards in the City of Lynwood

Why Are Earthquakes a Threat to the City of Lynwood?

The 1933 Long Beach Earthquake impacted the City of Lynwood, however data is not available on the extent or values of those damages.

The most recent significant earthquake event affecting Southern California was the January 17th 1994 Northridge Earthquake. At 4:31 A.M. on Monday, January 17, a moderate but very damaging earthquake with a magnitude of 6.7 struck the San Fernando Valley. In the following days and weeks, thousands of aftershocks occurred, causing additional damage to affected structures.

57 people were killed and more than 1,500 people seriously injured. For days afterward, thousands of homes and businesses were without electricity; tens of thousands had no gas; and nearly 50,000 had little or no water. Approximately 15,000 structures were moderately to severely damaged, which left thousands of people temporarily homeless. 66,500 buildings were inspected. Nearly 4,000 were severely damaged and over 11,000 were moderately damaged. Several collapsed bridges and overpasses created commuter havoc on the freeway system. Extensive damage was caused by ground shaking, but earthquake triggered liquefaction and dozens of fires also caused additional severe damage. This extremely strong ground motion in large portions of Los Angeles County resulted in record economic losses.

However, the earthquake occurred early in the morning on a holiday. This circumstance considerably reduced the potential effects. Many collapsed buildings were unoccupied, and most businesses were not yet open. The direct and indirect economic losses ran into the 10's of billions of dollars.

Historical and geological records show that California has a long history of seismic events. Southern California is probably best known for the San Andreas Fault, a 400 mile long fault running from the Mexican border to a point offshore, west of San Francisco. "Geologic studies show that over the past 1,400 to 1,500 years large earthquakes have occurred at about 130 year intervals on the southern San Andreas Fault. As the last large earthquake on the Southern San Andreas occurred in 1857, that section of the fault is considered a likely location for an earthquake within the next few decades."

But San Andreas is only one of dozens of known earthquake faults that crisscross Southern California. Some of the better known faults include the Newport-Inglewood, Whittier, Chatsworth, Elsinore, Hollywood, Los Alamitos, Puente Hills, and Palos Verdes faults. Beyond the known faults, there are a potentially large number of "blind" faults that underlie the surface of Southern California. One such blind fault was involved in the 1987 Whittier Narrows Earthquake.

Although the most famous of the faults, the San Andreas, is capable of producing an earthquake with a magnitude of 8+ on the Richter scale, some of the "lesser" faults have the potential to inflict greater damage on the urban core of the Los Angeles Basin. Seismologists believe that a 6.0 earthquake on the Newport-Inglewood would result in far more death and destruction than a

"great" quake on the San Andreas, because the San Andreas is relatively remote from the urban centers of Southern California.

For decades, partnerships have flourished between the USGS, Cal Tech, the California Geological Survey and universities to share research and educational efforts with Californians. Tremendous earthquake mapping and mitigation efforts have been made in California in the past two decades, and public awareness has risen remarkably during this time. Major federal, state, and local government agencies and private organizations support earthquake risk reduction, and have made significant contributions in reducing the adverse impacts of earthquakes. Despite the progress, the majority of California communities remain unprepared because there is a general lack of understanding regarding earthquake hazards among Californians.

Table 5-1: Earthquake Events in the Southern California Region

Southern California Region Earthquakes with a Magnitude 5.0 or Greater	
1769 Los Angeles Basin	1916 Tejon Pass Region
1800 San Diego Region	1918 San Jacinto
1812 Wrightwood	1923 San Bernardino Region
1812 Santa Barbara Channel	1925 Santa Barbara
1827 Los Angeles Region	1933 Long Beach
1855 Los Angeles Region	1941 Carpenteria
1857 Great Fort Tejon Earthquake	1952 Kern County
1858 San Bernardino Region	1954 W. of Wheeler Ridge
1862 San Diego Region	1971 San Fernando
1892 San Jacinto or Elsinore Fault	1973 Point Mugu
1893 Pico Canyon	1986 North Palm Springs
1894 Lytle Creek Region	1987 Whittier Narrows
1894 E. of San Diego	1992 Landers
1899 Lytle Creek Region	1992 Big Bear
1899 San Jacinto and Hemet	1994 Northridge
1907 San Bernardino Region	1999 Hector Mine
1910 Glen Ivy Hot Springs	
Source: http://geology.about.com/gi/dynamic/offsite.htm?site=http%3A%2F%2Fpasadena.wr.usgs.gov%2Finfo%2Fcahist_eqs.html	

To better understand the earthquake hazard, the scientific community has looked at historical records and accelerated research on those faults that are the sources of the earthquakes occurring in the Southern California region. Historical earthquake records can generally be divided into

records of the pre-instrumental period and the instrumental period. In the absence of instrumentation, the detection of earthquakes is based on observations and felt reports, and is dependent upon population density and distribution. Since California was sparsely populated in the 1800s, the detection of pre-instrumental earthquakes is relatively difficult. However, two very large earthquakes, the Fort Tejon in 1857 (7.9) and the Owens Valley in 1872 (7.6) are evidence of the tremendously damaging potential of earthquakes in Southern California. In more recent times two 7.3 earthquakes struck Southern California, in Kern County (1952) and Landers (1992). The damage from these four large earthquakes was limited because the occurred in areas which were sparsely populated at the time they happened. The seismic risk is much more severe today than in the past because the population at risk is in the millions, rather than a few hundred or a few thousand persons.

History of Earthquake Events in Southern California

Since seismologists started recording and measuring earthquakes, there have been tens of thousands of recorded earthquakes in Southern California, most with a magnitude below three. No community in Southern California is beyond the reach of a damaging earthquake. Figure 5-1 describes the historical earthquake events that have affected Southern California.

Figure 5-1: Causes and Characteristics of Earthquakes in Southern California

Earthquake Faults
A fault is a fracture along between blocks of the earth's crust where either side moves relative to the other along a parallel plane to the fracture.

Strike-slip faults
Strike-slip faults are vertical or almost vertical rifts where the earth's plates move mostly horizontally. From the observer's perspective, if the opposite block looking across the fault moves to the right, the slip style is called a right lateral fault; if the block moves left, the shift is called a left lateral fault.



Dip-slip faults
Dip-slip faults are slanted fractures where the blocks mostly shift vertically. If the earth above an inclined fault moves down, the fault is called a normal fault, but when the rock above the fault moves up, the fault is called a reverse fault.



Thrust faults
Thrust faults have a reverse fault with a dip of 45 ° or less.
Dr. Kerry Sieh of Cal Tech has investigated the San Andreas Fault at Pallett Creek. "The record at Pallett Creek shows that rupture has recurred about every 130 years, on average, over the past 1500 years. But actual intervals have varied greatly, from less than 50 years to more than 300. The physical cause of such irregular recurrence remains unknown." [i] Damage from a great quake on the San Andreas would be widespread throughout Southern California.



Earthquake Related Hazards

Ground shaking, landslides, liquefaction, and amplification are the specific hazards associated with earthquakes. The severity of these hazards depends on several factors, including soil and slope conditions, proximity to the fault, earthquake magnitude, and the type of earthquake.

Ground Shaking

Ground shaking is the motion felt on the earth's surface caused by seismic waves generated by the earthquake. It is the primary cause of earthquake damage. The strength of ground shaking depends on the magnitude of the earthquake, the type of fault, and distance from the epicenter (where the earthquake originates). Buildings on poorly consolidated and thick soils will typically see more damage than buildings on consolidated soils and bedrock.

Earthquake-Induced Landslides

Earthquake-induced landslides are secondary earthquake hazards that occur from ground shaking. They can destroy the roads, buildings, utilities, and other critical facilities necessary to respond and recover from an earthquake. Many communities in Southern California have a high likelihood of encountering such risks, especially in areas with steep slopes.

Liquefaction

Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures. Many communities in Southern California are built on ancient river bottoms and have sandy soil. In some cases this ground may be subject to liquefaction, depending on the depth of the water table.

Amplification

Soils and soft sedimentary rocks near the earth's surface can modify ground shaking caused by earthquakes. One of these modifications is amplification. Amplification increases the magnitude of the seismic waves generated by the earthquake. The amount of amplification is influenced by the thickness of geologic materials and their physical properties. Buildings and structures built on soft and unconsolidated soils can face greater risk. Amplification can also occur in areas with deep sediment filled basins and on ridge tops.

Map 5-1: Seismic Zones in California



Darker Shaded Areas indicate Greater Potential Shaking

Source: USGS Website

Southern California Earthquake Fault Map



Earthquake Hazard Assessment

Hazard Identification

Earthquake – Attachment 1 Southern California Earthquake Fault Map plots the various major faults in the region. A list of Earthquake Probable Events gathered from the Southern California Earthquake Data Center is located in Earthquake – Attachment 2". The list includes various faults and projected magnitude earthquakes likely to impact the region. The Southern California Earthquake Data Center predicts that somewhere in Southern California (not everywhere-many residents would not be affected) should experience a magnitude 7.0 or greater earthquake about seven times each century. About half of these will be on the San Andreas "system" (the San Andreas, San Jacinto, Imperial, and Elsinore Faults) and half will be on other faults. The equivalent probability in the next 30 years is 85%.

In California, many agencies are focused on seismic safety issues: the State's Seismic Safety Commission, the Applied Technology Council, Governor's Office of Emergency Services, United States Geological Survey, Cal Tech, the California Geological Survey as well as a number of universities and private foundations.

These organizations, in partnership with other state and federal agencies, have undertaken a rigorous program in California to identify seismic hazards and risks including active fault identification, bedrock shaking, tsunami inundation zones, ground motion amplification, liquefaction, and earthquake induced landslides. Seismic hazard maps have been published and are available for many communities in California through the State Division of Mines and Geology. Map 5-2 illustrates the known earthquake faults in Southern California.

Map 5-2: Major Active Surface Faults in Southern California



Source: Adapted from the map of major active Southern California surface faults published in "Seismic Hazards in Southern California: Probable Earthquakes, 1994-2024," Southern California Earthquake Center.

Earthquake - Attachment 5-2

Earthquake Probable Events
(Source: Southern California Earthquake Data Center)

Elsinore Fault Zone
TYPE OF FAULTING: right-lateral strike-slip
LENGTH: about 180 km (not including the Whittier, Chino, and Laguna Salada faults)
NEARBY COMMUNITIES: Temecula, Lake Elsinore, Julian
LAST MAJOR RUPTURE: May 15, 1910; Magnitude 6 -- no surface rupture found
SLIP RATE: roughly 4.0 mm/yr
INTERVAL BETWEEN MAJOR RUPTURES: roughly 250 years
PROBABLE MAGNITUDES: M_W6.5 - 7.5
MOST RECENT SURFACE RUPTURE: 18th century A.D.(?)

Newport-Inglewood Fault Zone
TYPE OF FAULTING: right-lateral; local reverse slip associated with fault steps
LENGTH: 75 km
NEAREST COMMUNITIES: Culver City, Inglewood, Gardena, Compton, Signal Hill, Long Beach, Seal Beach, Huntington Beach, Newport Beach, Costa Mesa
MOST RECENT MAJOR RUPTURE: March 10, 1933, M_W6.4 (but no surface rupture)
SLIP RATE: 0.6 mm/yr
INTERVAL BETWEEN MAJOR RUPTURES: unknown
PROBABLE MAGNITUDES: M_W6.0 - 7.4
OTHER NOTES: Surface trace is discontinuous in the Los Angeles Basin, but the fault zone can easily be noted there by the existence of a chain of low hills extending from Culver City to Signal Hill. South of Signal Hill, it roughly parallels the coastline until just south of Newport Bay, where it heads offshore, and becomes the Newport-Inglewood - Rose Canyon fault zone.

San Andreas Fault Zone
TYPE OF FAULT: right-lateral strike-slip
LENGTH: 1200 km 550 km south from Parkfield; 650km northward
NEARBY COMMUNITY: Parkfield, Frazier Park, Palmdale, Wrightwood, San Bernardino, Banning, Indio
LAST MAJOR RUPTURE: January 9, 1857 (Mojave segment); April 18, 1906 (Northern segment)
SLIP RATE: about 20 to 35 mm per year
INTERVAL BETWEEN MAJOR RUPTURES: average of about 140 years on the Mojave segment; recurrence interval varies greatly -- from under 20 years (at Parkfield only) to over 300 years
PROBABLE MAGNITUDES: M_W6.8 - 8.0

San Fernando Fault Zone
TYPE OF FAULTING: thrust
LENGTH: 17 km
NEAREST COMMUNITIES: San Fernando, Sunland
LAST MAJOR RUPTURE: February 9, 1971, M_w6.6
SLIP RATE: 5 mm/yr (?)
INTERVAL BETWEEN MAJOR RUPTURES: roughly 200 years
PROBABLE MAGNITUDES: M_W6.0 - 6.8
OTHER NOTES: Dip is to the north. The slip rate is not well known, but trenching studies indicate recurrence interval as between 100 and 300 years.

San Jacinto Fault Zone
TYPE OF FAULTING : right-lateral strike-slip; minor right-reverse
LENGTH: 210 km, including Coyote Creek fault
NEARBY COMMUNITIES: Lytle Creek, San Bernardino, Loma Linda, San Jacinto, Hemet, Anza, Borrego Springs, Ocotillo Wells
MOST RECENT SURFACE RUPTURE: within the last few centuries; April 9, 1968, M_w6.5 on Coyote Creek segment
SLIP RATE: typically between 7 and 17 mm/yr
INTERVAL BETWEEN SURFACE RUPTURES: between 100 and 300 years, per segment
PROBABLE MAGNITUDES: M_w6.5 - 7.5

Sierra Madre Fault System
TYPE OF FAULTING: reverse - ANIMATION
LENGTH: the zone is about 55 km long;
total length of main fault segments is about 75 km, with each segment measuring roughly 15 km long
NEARBY COMMUNITIES: Sunland, Altadena, Sierra Madre, Monrovia, Duarte, Glendora
MOST RECENT SURFACE RUPTURE: Holocene
SLIP RATE: between 0.36 and 4 mm/yr
INTERVAL BETWEEN SURFACE RUPTURES: several thousand years (?)
PROBABLE MAGNITUDES: M_W6.0 - 7.0 (?)
OTHER NOTES: This fault zone dips to the north. It was not the fault responsible for the 1991 Sierra Madre earthquake.

Whittier Fault
TYPE OF FAULTING: right-lateral strike-slip with some reverse slip
LENGTH: about 40 km
NEARBY COMMUNITIES: Yorba Linda, Hacienda Heights, Whittier
MOST RECENT SURFACE RUPTURE: Holocene
SLIP RATE: between 2.5 and 3.0 mm/yr
INTERVAL BETWEEN MAJOR RUPTURES: unknown
PROBABLE MAGNITUDES: M_W6.0 - 7.2
OTHER NOTES: The Whittier fault dips toward the northeast.

In California, each earthquake is followed by revisions and improvements in the Building Codes. The 1933 Long Beach Earthquake resulted in the Field Act, affecting school construction. The 1971 Sylmar Earthquake brought another set of increased structural standards. Similar re-evaluations occurred after the 1989 Loma Prieta and 1994 Northridge Earthquakes. These code changes have resulted in stronger and more earthquake resistant structures.

The Alquist-Priolo Earthquake Fault Zoning Act was passed in 1972 to mitigate the hazard of surface faulting to structures for human occupancy. This state law was a direct result of the 1971 San Fernando Earthquake, which was associated with extensive surface fault ruptures that damaged numerous homes, commercial buildings, and other structures. Surface rupture is the most easily avoided seismic hazard.[2]

The Seismic Hazards Mapping Act, passed in 1990, addresses non-surface fault rupture earthquake hazards, including liquefaction and seismically induced landslides.[3] The State Department of Conservation operates the Seismic Mapping Program for California. Extensive information is available at their website: http://gmw.consrv.ca.gov/shmp/index.htm

Vulnerability Assessment

The effects of earthquakes span a large area, and large earthquakes occurring in many parts of the Southern California region would probably be felt throughout the region. However, the degree to which the earthquakes are felt, and the damages associated with them may vary. At risk from earthquake damage are large stocks of old buildings and bridges: many high tech and hazardous materials facilities: extensive sewer, water, and natural gas pipelines; earth dams; petroleum pipelines; and other critical facilities and private property located in the county. The relative or secondary earthquake hazards, which are liquefaction, ground shaking, amplification, and earthquake-induced landslides, can be just as devastating as the earthquake.

The California Geological Survey has identified areas most vulnerable to liquefaction. Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures.

The City of Lynwood is located in a liquefaction zones as shown on Map 5-3: Liquefaction Areas in the City of Lynwood.

Map 5-3: Liquefaction Areas in the City of Lynwood
(Source: California Seismic Hazard Map)
(Key: Green indicates area prone to liquefaction following earthquakes; Blue indicates area prone to landslides following earthquakes)

Southern California has many active landslide areas, and a large earthquake could trigger accelerated movement in these slide areas, in addition to jarring loose other unknown areas of landslide risk.

Risk Analysis

Risk analysis is the third phase of a hazard assessment. Risk analysis involves estimating the damage and costs likely to be experienced in a geographic area over a period of time.[4] Factors included in assessing earthquake risk include population and property distribution in the hazard area, the frequency of earthquake events, landslide susceptibility, buildings, infrastructure, and disaster preparedness of the region. This type of analysis can generate estimates of the damages to the region due to an earthquake event in a specific location. FEMA's software program, HAZUS, uses mathematical formulas and information about building stock, local geology and the location and size of potential earthquakes, economic

data, and other information to estimate losses from a potential earthquake.[5] The HAZUS software is available from FEMA at no cost.

For greater Southern California there are multiple worst case scenarios, depending on which fault might rupture, and which communities are in proximity to the fault. But damage will not necessarily be limited to immediately adjoining communities. Depending on the hypocenter of the earthquake, seismic waves may be transmitted through the ground to unsuspecting communities. In the Northridge 1994 earthquake, Santa Monica suffered extensive damage, even though there was a range of mountains between it and the origin of the earthquake.

Damages for a large earthquake almost anywhere in Southern California are likely to run into the billions of dollars. Although building codes are some of the most stringent in the world, ten's of thousands of older existing buildings were built under much less rigid codes. California has laws affecting unreinforced masonry buildings (URM's) and although many building owners have retrofitted their buildings, hundreds of pre-1933 buildings still have not been brought up to current standards. The City of Lynwood has 16 unreinforced masonry buildings.

Non-structural bracing of equipment and contents is often the most cost-effective type of seismic mitigation. Inexpensive bracing and anchoring may be the most cost effective way to protect expensive equipment. Non-structural bracing of equipment and furnishings will also reduce the chance of injury for the occupants of a building.

Community Earthquake Issues

What is Susceptible to Earthquakes?
Earthquake damage occurs because humans have built structures that cannot withstand severe shaking. Buildings, airports, schools, and lifelines (highways and utility lines) suffer damage in earthquakes and can cause death or injury to humans. The welfare of homes, major businesses, and public infrastructure is very important. Addressing the reliability of buildings, critical facilities, and infrastructure, and understanding the potential costs to government, businesses, and individuals as a result of an earthquake, are challenges faced by the city.

Dams
There are a total of 103 dams in Los Angeles County, owned by 23 agencies or organizations, ranging from the Federal government to Homeowner's Associations.[6] These dams hold billions of gallons of water in reservoirs. Releases of water from the major reservoirs are designed to protect Southern California from flood waters and to store domestic water. Seismic activity can compromise the dam structures, and the resultant flooding could cause catastrophic flooding. Following the 1971 Sylmar earthquake the Lower Van Norman Dam showed signs of structural compromise, and tens of thousands of persons had to be evacuated until the dam could be drained. The dam has never been refilled.

Map 5-4 Dam Inundation Map for Whittier-Narrows Dam
(Source: U.S. Army Corps of Engineers)



As shown on Map 5-4 the flow from the dam inundation waters would be contained within the Los Angeles River.

Buildings

The built environment is susceptible to damage from earthquakes. Buildings that collapse can trap and bury people. Lives are at risk and the cost to clean up the damages is great. In most California communities, including the City of Lynwood, many buildings were built before 1993 when building codes were not as strict. In addition, retrofitting is not required except under certain conditions and can be expensive. Therefore, the number of buildings at risk remains high. The California Seismic Safety Commission makes annual reports on the progress of the retrofitting of unreinforced masonry buildings.

Infrastructure and Communication

Residents in the City of Lynwood commute frequently by automobiles and public transportation such as buses and light rail. An earthquake can greatly damage bridges and roads, hampering emergency response efforts and the normal movement of people and goods. Damaged infrastructure strongly affects the economy of the community

because it disconnects people from work, school, food, and leisure, and separates businesses from their customers and suppliers.

Bridge Damage
Even modern bridges can sustain damage during earthquakes, leaving them unsafe for use. Some bridges have failed completely due to strong ground motion. Bridges are a vital transportation link - with even minor damages making some areas inaccessible. Because bridges vary in size, materials, location and design, any given earthquake will affect them differently. Bridges built before the mid-1970' s have a significantly higher risk of suffering structural damage during a moderate to large earthquake compared with those built after 1980 when design improvements were made.

Much of the interstate highway system was built in the mid to late 1960's. The bridges in the City of Lynwood are owned (including railroad bridges) by Caltrans who has retrofitted most bridges on the freeway systems. The FHWA requires that bridges on the National Bridge Inventory be inspected every 2 years. Caltrans checks when the bridges are inspected because they administer the Federal funds for bridge projects.

Damage to Lifelines
Lifelines are the connections between communities and outside services. They include water and gas lines, transportation systems, electricity, and communication networks. Ground shaking and amplification can cause pipes to break open, power lines to fall, roads and railways to crack or move, and radio and telephone communication to cease. Disruption to transportation makes it especially difficult to bring in supplies or services. Lifelines need to be usable after earthquake to allow for rescue, recovery, and rebuilding efforts and to relay important information to the public.

Disruption of Critical Services
Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their services need to be functional after an earthquake event. Many critical and essential facilities are housed in older buildings that are not up to current seismic codes. See Section 1, Introduction for critical and essential facilities vulnerable to earthquakes.

Businesses
Seismic activity can cause great loss to businesses, both large-scale corporations and small retail shops. When a company is forced to stop production for just a day, the economic loss can be tremendous, especially when its market is at a national or global level. Seismic activity can create economic loss that presents a burden to large and small shop owners who may have difficulty recovering from their losses.

Forty percent of businesses do not reopen after a disaster and another twenty-five percent fail within one year according to the Federal Emergency Management Agency (FEMA). Similar statistics from the United States Small Business Administration indicate that over ninety percent of businesses fail within two years after being struck by a disaster.[7]

Individual Preparedness
Because the potential for earthquake occurrences and earthquake related property damage is relatively high in the City of Lynwood, increasing individual preparedness is a significant need. Strapping down heavy furniture, water heaters, and expensive personal property, as well as being earthquake insured, and anchoring buildings to foundations are just a few steps individuals can take to prepare for an earthquake.

Death and Injury
Death and injury can occur both inside and outside of buildings due to collapsed buildings falling equipment, furniture, debris, and structural materials. Downed power lines and broken water and gas lines can also endanger human life.

Fire
Downed power lines or broken gas mains may trigger fires. When fire stations suffer building or lifeline damage, quick response to extinguish fires is less likely. Furthermore, major incidents will demand a larger share of resources, and initially smaller fires and problems will receive little or insufficient resources in the initial hours after a major earthquake event. Loss of electricity may cause a loss of water pressure in some communities, further hampering fire fighting ability.

Debris
After damage to a variety of structures, much time is spent cleaning up bricks, glass, wood, steel or concrete building elements, office and home contents, and other materials. Developing a strong debris management strategy is essential in post-disaster recovery. Disasters do not exempt the City of Lynwood from compliance with AB 939 regulations.

Existing Mitigation Activities
Existing mitigation activities include current mitigation programs and activities that are being implemented by county, regional, state, or federal agencies or organizations.

City of Lynwood Codes
Implementation of earthquake mitigation policy most often takes place at the local government level. The City of Lynwood Building and Safety Division enforce building codes pertaining to earthquake hazards.

The following sections of the UBC address the earthquake hazard:

1605.1 (Distribution of Horizontal Shear);
1605.2 (Stability against Overturning);
1626 (Seismic);
1605.3 (Anchorage); and
1632,1633, 1633. 9 deal with specific earthquake hazards.

The City of Lynwood Development Services Department, Building and Safety Division enforces the zoning and land use regulations relating to earthquake hazards.

Generally, these codes seek to discourage development in areas that could be prone to flooding, landslide, wildfire and / or seismic hazards; and where development is permitted, that the applicable construction standards are met. Developers in hazard-prone areas may be required to retain a qualified professional engineer to evaluate level of risk on the site and recommend appropriate mitigation measures.

Coordination among Building Officials
The City of Lynwood Building Code sets the minimum design and construction standards for new buildings. In 2001 the City of Lynwood adopted the most recent seismic standards in its building code, which requires that new buildings be built at a higher seismic standard.

Since 1988 the City of Lynwood also requires that site-specific seismic hazard investigations be performed for new essential facilities, major structures, hazardous facilities, and special occupancy structures such as schools, hospitals, and emergency response facilities.

Businesses/Private Sector
Natural hazards have a devastating impact on businesses. In fact, of all businesses which close following a disaster, more than forty-three percent never reopen, and an additional twenty-nine percent close for good within the next two years.[8] The Institute of Business and Home Safety has developed "Open for Business", which is a disaster planning toolkit to help guide businesses in preparing for and dealing with the adverse affects natural hazards. The kit integrates protection from natural disasters into the company's risk reduction measures to safeguard employees, customers, and the investment itself. The guide helps businesses secure human and physical resources during disasters, and helps to develop strategies to maintain business continuity before, during, and after a disaster occurs.

Hospitals
"The Alfred E. Alquist Hospital Seismic Safety Act ("Hospital Act") was enacted in 1973 in response to the moderate Magnitude 6.6 Sylmar Earthquake in 1971 when four major hospital campuses were severely damaged and evacuated. Two hospital buildings collapsed killing forty seven people. Three others were killed in another hospital that nearly collapsed.

In approving the Act, the Legislature noted that: "Hospitals, that house patients who have less than the capacity of normally healthy persons to protect themselves, and that must be reasonably capable of providing services to the public after a disaster, shall be designed and constructed to resist, insofar as practical, the forces generated by earthquakes, gravity and winds." (Health and Safety Code Section 129680)

When the Hospital Act was passed in 1973, the State anticipated that, based on the regular and timely replacement of aging hospital facilities, the majority of hospital buildings would be in compliance with the Act's standards within 25 years. However,

hospital buildings were not, and are not, being replaced at that anticipated rate. In fact, the great majority of the State's urgent care facilities are now more than 40 years old.

The moderate Magnitude 6.7 Northridge Earthquake in 1994 caused $3 billion in hospital-related damage and evacuations. Twelve hospital buildings constructed before the Act were cited (red tagged) as unsafe for occupancy after the earthquake. Those hospitals that had been built in accordance with the 1973 Hospital Act were very successful in resisting structural damage. However, nonstructural damage (for example, plumbing and ceiling systems) was still extensive in those post-1973 buildings.

Senate Bill 1953 ("SB 1953"), enacted in 1994 after the Northridge Earthquake, expanded the scope of the 1973 Hospital Act. Under SB 1953, all hospitals are required, as of January 1, 2008, to survive earthquakes without collapsing or posing the threat of significant loss of life. The 1994 Act further mandates that all existing hospitals be seismically evaluated, and retrofitted, if needed, by 2030, so that they are in substantial compliance with the Act (which requires that the hospital buildings be reasonably capable of providing services to the public after disasters). SB 1953 applies to all urgent care facilities (including those built prior to the 1973 Hospital Act) and affects approximately 2,500 buildings on 475 campuses.

SB 1953 directed the Office of Statewide Health Planning and Development ("OSHPD"), in consultation with the Hospital Building Safety Board, to develop emergency regulations including "…earthquake performance categories with sub gradations for risk to life, structural soundness, building contents, and nonstructural systems that are critical to providing basic services to hospital inpatients and the public after a disaster." (Health and Safety Code Section 130005)

<u>The Seismic Safety Commission Evaluation of the State's Hospital Seismic Safety Policies</u>

In 2001, recognizing the continuing need to assess the adequacy of policies, and the application of advances in technical knowledge and understanding, the California Seismic Safety Commission created an Ad Hoc Committee to re-examine the compliance with the Alquist Hospital Seismic Safety Act. The formation of the Committee was also prompted by the recent evaluations of hospital buildings reported to OSHPD that revealed that a large percentage (40%) of California's operating hospitals are in the highest category of collapse risk.".[9]

California Earthquake Mitigation Legislation

California is painfully aware of the threats it faces from earthquakes. Dating back to the 19th Century, Californians have been killed, injured, and lost property as a result of earthquakes. As the State's population continues to grow, and urban areas become even more densely developed, the risk will continue to increase. For decades the legislature has passed laws to strengthen the built environment and protect the citizens. Table 5-4 provides a sampling of some of the 200 plus laws in the State's Codes.

Table 5-4: Partial List of the Over 200 California Laws on Earthquake Safety

Government Code Section 8870-8870.95	Creates Seismic Safety Commission.
Government Code Section 8876.1-8876.10	Established the California Center for Earthquake Engineering Research.
Public Resources Code Section 2800-2804.6	Authorized a prototype earthquake prediction system along the Central San Andreas Fault near the City of Parkfield.
Public Resources Code Section 2810-2815	Continued the Southern California Earthquake Preparedness Project and the Bay Area Regional Earthquake Preparedness Project.
Health and Safety Code Section 16100-16110	The Seismic Safety Commission and State Architect, will develop a state policy on acceptable levels of earthquake risk for new and existing state-owned buildings.
Government Code Section 8871-8871.5	Established the California Earthquake Hazards Reduction Act of 1986.
Health and Safety Code Section 130000-130025	Defined earthquake performance standards for hospitals.
Public Resources Code Section 2805-2808	Established the California Earthquake Education Project.
Government Code Section 8899.10-8899.16	Established the Earthquake Research Evaluation Conference.
Public Resources Code Section 2621-2630 2621.	Established the Alquist-Priolo Earthquake Fault Zoning Act.
Government Code Section 8878.50-8878.52 8878.50.	Created the Earthquake Safety and Public Buildings Rehabilitation Bond Act of 1990.
Education Code Section 35295-35297 35295.	Established emergency procedure systems in kindergarten through grade 12 in all the public or private schools.
Health and Safety Code Section 19160-19169	Established standards for seismic retrofitting of unreinforced masonry buildings.
Health and Safety Code Section 1596.80-1596.879	Required all child day care facilities to include an Earthquake Preparedness Checklist as an attachment to their disaster plan.
Source: http://www.leginfo.ca.gov/calaw.html	

Earthquake Education

Earthquake research and education activities are conducted at several major universities in the Southern California region, including Cal Tech, USC, UCLA, UCSB, UCI, and UCSB. The local clearinghouse for earthquake information is the Southern California Earthquake Center located at the University of Southern California, Los Angeles, CA 90089, Telephone: (213) 740-5843, Fax: (213) 740-0011, Email: SCEinfo@usc.edu, Website: http://www.scec.org. The Southern California Earthquake Center (SCEC) is a community of scientists and specialists who actively coordinate research on earthquake hazards at nine core institutions, and communicate earthquake information to the public.

SCEC is a National Science Foundation (NSF) Science and Technology Center and is co-funded by the United States Geological Survey (USGS).

In addition, Los Angeles County along with other Southern California counties, sponsors the Emergency Survival Program (ESP), an educational program for learning how to prepare for earthquakes and other disasters. Many school districts have very active emergency preparedness programs that include earthquake drills and periodic disaster response team exercises.

Section 6: Flooding Hazards in the City of Lynwood

Why are Floods a Threat to the City of Lynwood?
The City of Lynwood's easterly boundary is the Los Angeles River, which is susceptible to flooding events. Flooding poses a threat to life and safety, and can cause severe damage to public and private property. In the first half of the 20th Century, the River was a constant reminder of the dangers associated with flooding. Historically, flooding was considered a "serious problem" up until the 1950's when the Los Angeles and Rio Hondo River channelization project eliminated most of the flood worries. Since those infrastructure improvements, City of Lynwood has not experienced any repetitive losses due to flooding.

However, urban flooding still poses a threat to the City of Lynwood. Most recently, on November 11, 2003, the City experienced torrential rains totaling 5 inches in a one hour period of time. The rainfall caused flooding in the streets and damages to private residences. A Local Proclamation of Disaster was signed by the City Council.

History of Flooding in the City of Lynwood
The City of Lynwood is susceptible to flooding from overflow from three sources: the Los Angeles River, blocked storm drains, or from excessive rainfall. Major floods have affected the citizens of the city since as early as 1880's.

There are a number of rivers in the Southern California region, but the river with the best recorded history is the Los Angeles River. The flood history of the Los Angeles River is generally indicative of the flood history of much of Southern California.

Historic Flooding in Los Angeles County
Records show that since 1811, the Los Angeles River has flooded 30 times, on average once every 6.1 years. But averages are deceiving, for the Los Angeles basin goes through periods of drought and then periods of above average rainfall. Between 1889 and 1891 the river flooded every year, and from 1941 to 1945, the river flooded 5 times. Conversely, from 1896 to 1914, a period of 18 years, and again from 1944 to 1969, a period of 25 years, the river did not have serious floods.[10]

Table 6-1: Major Floods of the Los Angeles River

Major Floods of the Los Angeles River	
1811	Flooding
1815	Flooding
1825	L.A. River changed its course back from the Ballona wetlands to San Pedro
1832	Heavy flooding
1861-62	Heavy flooding. Fifty inches of rain falls during December and January.
1867	Floods create a large, temporary lake out to Ballona Creek.

Major Floods of the Los Angeles River	
1876	The Novician Deluge
1884	Heavy flooding causes the river to change course again, turning east to Vernon and then southward to San Pedro.
1888-1891	Annual floods
1914	Heavy flooding. Great damage to the harbor.
1921	Flooding
1927	Moderate flood
1934	Moderate flood starting January 1. Forty dead in La Canada.
1938	Great County-wide flood with 4 days of rain. Most rain on day 4.
1941-44	L.A. River floods five times.
1952	Moderate flooding
1969	One heavy flood after 9 day storm. One moderate flood.
1978	Two moderate floods
1979	Los Angeles experiences severe flooding and mudslides.
1980	Flood tops banks of river in Long Beach. Sepulveda Basin spillway almost opened.
1983	Flooding kills six people.
1992	15 year flood. Motorists trapped in Sepulveda basin. Six people dead.
1994	Heavy flooding
Sources: http://www.lalc.k12.ca.us/target/units/river/tour/hist.html and (http://www.losangelesalmanac.com/topics/History/hi01i.htm)	

While the City of Lynwood is only a few miles south of Los Angeles, it is not so far away as to not be affected by the heavy rains that brought flooding to Los Angeles. In addition, the towering mountains that give the Los Angeles region its spectacular views also wring a great deal of rain out of the storm clouds that pass through. Because the mountains are so steep, the rainwater moves rapidly down the slopes and across the coastal plains on its way to the ocean.

> "The Santa Monica, Santa Susana and Verdugo Mountains, which surround three sides of the valley, seldom reach heights above three thousand feet. The Western San Gabriel Mountains, in contrast, have elevations of more than seven thousand feet. These higher ridges often trap eastern-moving winter storms. Although downtown Los

> Angeles averages just fifteen inches of rain a year, some mountain peaks in the San Gabriels receive more than forty inches of precipitation annually"[11]

Naturally, this rainfall moves rapidly down stream, often with severe consequences for anything in its path. In extreme cases, flood-generated debris flows will roar down a canyon at speeds near 40 miles per hour with a wall of mud, debris and water tens of feet high.

In Southern California, stories of floods, debris flows, persons buried alive under tons of mud and rock and persons swept away to their death in a river flowing at thirty-five miles an hour are without end.

What Factors Create Flood Risk?
Flooding occurs when climate, geology, and hydrology combine to create conditions where water flows outside of its usual course. In the City of Lynwood, the flat geography and climate sometimes combine to create chronic seasonal flooding conditions.

According to the General Plan, the Army Corps of Engineers recently completed the expansion and elevation of the Los Angeles River, eliminating the threat of overflow problems. Current flooding problems are in a small area of Wright Road and in the industrial area north of the Interstate 105 and west of Long Beach Boulevard.

Winter Rainfall
Over the last 125 years, the average annual rainfall in Los Angeles is 14.9 inches. But the term "average" means very little as the annual rainfall during this time period has ranged from only 4.35 inches in 2001-2002 to 38.2 inches in 1883-1884. In fact, in only fifteen of the past 125 years, has the annual rainfall been within plus or minus 10% of the 14.9 inch average. And in only 38 years has the annual rainfall been within plus or minus 20% of the 14.9 inch average. This makes the Los Angeles basin a land of extremes in terms of annual precipitation.

The City of Lynwood is in the southern section of the Los Angeles Basin.

Monsoons
Another relatively regular source for heavy rainfall, particularly in the mountains and adjoining cities is from summer tropical storms. Table 6-2 lists tropical storms that have had significant rainfall in the past century, and the general areas affected by these storms. These tropical storms usually coincide with El Niño years.

Table 6-2: Tropical Cyclones of Southern California

Tropical cyclones that have affected Southern California during the 20th Century			
Month-Year	**Date(s)**	**Area(s) Affected**	**Rainfall**
July 1902	20th & 21st	Deserts & Southern Mountains	up to 2"

Tropical cyclones that have affected Southern California during the 20th Century			
Aug. 1906	18th & 19th	Deserts & Southern Mountains	up to 5"
Sept. 1910	15th	Mountains of Santa Barbara County	2”
Aug. 1921	20th & 21st	Deserts & Southern Mountains	up to 2”
Sept. 1921	30th	Deserts	up to 4”
Sept. 1929	18th	Southern Mountains & Deserts	up to 4”
Sept. 1932	28th - Oct 1st	Mountains & Deserts, 15 Fatalities	up to 7”
Aug. 1935	25th	Southern Valleys, Mountains & Deserts	up to 2”
Sept. 1939	4th - 7th	Southern Mountains, Southern & Eastern Deserts	up to 7”
	11th & 12th	Deserts, Central & Southern Mountains	up to 4”
	19th - 21st	Deserts, Central & Southern Mountains	up to 3”
	25th	Long Beach, W/ Sustained Winds of 50 Mph	5”
		Surrounding Mountains	6 to 12”
Sept. 1945	9th & 10th	Central & Southern Mountains	up to 2”
Sept. 1946	30th - Oct 1st	Southern Mountains	up to 4”
Aug. 1951	27th - 29th	Southern Mountains & Deserts	2 to 5”
Sept. 1952	19th - 21st	Central & Southern Mountains	up to 2”
July 1954	17th - 19th	Deserts & Southern Mountains	up to 2”
July 1958	28th & 29th	Deserts & Southern Mountains	up to 2”
Sept. 1960	9th & 10th	Julian	3.40”
Sept. 1963	17th - 19th	Central & Southern Mountains	up to 7”
Sept. 1967	1st - 3rd	Southern Mountains & Deserts	2”
Oct. 1972	6th	Southeast Deserts	up to 2”
Sept. 1976	10th & 11th	Central & Southern Mountains. Ocotillo, CA was Destroyed 3 Fatalities	6 to 12”
Aug. 1977	n/a	Los Angeles	2”
		Mountains	up to 8”
Oct. 1977	6th & 7th	Southern Mountains & Deserts	up to 2”
Sept. 1978	5th & 6th	Mountains	3”
Sept. 1982	24th - 26th	Mountains	up to 4”

Tropical cyclones that have affected Southern California during the 20th Century			
Sept. 1983	20th & 21st	Southern Mountains & Deserts	up to 3”
http://www.fema.gov/nwz97/eln_scal.shtm			

Geography and Geology
The greater Los Angeles Basin is the product of rainstorms and erosion for millennia. “Most of the mountains that ring the valleys and coastal plain are deeply fractured faults and, as they (the mountains) grew taller, their brittle slopes were continually eroded. Rivers and streams carried boulders, rocks, gravel, sand, and silt down these slopes to the valleys and coastal plain....In places these sediments are as much as twenty thousand feet thick”[12]

Much of the coastal plain rests on the ancient rock debris and sediment washed down from the mountains. This sediment can act as a sponge, absorbing vast quantities of rain in those years when heavy rains follow a dry period. But like a sponge that is near saturation, the same soil fills up rapidly when a heavy rain follows a period of relatively wet weather. So even in some years of heavy rain, flooding is minimal because the ground is relatively dry. The same amount of rain following a wet period of time can cause extensive flooding.

The greater Los Angeles basin is for all intents and purposes developed. This leaves precious little open land to absorb rainfall. This lack of open ground forces water to remain on the surface and rapidly accumulate. If it were not for the massive flood control system with its concrete lined river and stream beds, flooding would be a much more common occurrence. And the tendency is towards even less and less open land. In-fill building is becoming a much more common practice in many areas. Developers tear down an older home which typically covers up to 40% of the lot size and replacing it with three or four town homes or apartments which may cover 90-95% of the lot.

Another potential source of flooding is “asphalt creep.” The street space between the curbs of a street is a part of the flood control system. Water leaves property and accumulates in the streets, where it is directed towards the underground portion of the flood control system. The carrying capacity of the street is determined by the width of the street and the height of the curbs along the street. Often, when streets are being resurfaced, a one to two inch layer of asphalt is laid down over the existing asphalt. This added layer of asphalt subtracts from the rated capacity of the street to carry water. Thus the original engineered capacity of the entire storm drain system is marginally reduced over time. Subsequent re-paving of the street will further reduce the engineered capacity even more.

Flood Terminology

Floodplain
A floodplain is a land area adjacent to a river, stream, lake, estuary, or other water body that is subject to flooding. This area, if left undisturbed, acts to store excess flood water.

The floodplain is made up of two sections: the floodway and the flood fringe.

100-Year Flood

The 100-year flooding event is the flood having a one percent chance of being equaled or exceeded in magnitude in any given year. Contrary to popular belief, it is not a flood occurring once every 100 years. The 100-year floodplain is the area adjoining a river, stream, or watercourse covered by water in the event of a 100-year flood. Map 6-1 illustrates the 500-year floodplain in the City of Lynwood. According to the General Plan, the City is located in Zone X of FIRM Map Community Panel Number 060635-0001-C, Panel 1 of 2, January 11, 2002. This Zone is defined as an area of 500 year flood: area of 100 year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100 year floods.

Map 6-1: 500-Year Floodplains in the City of Lynwood
(Source: FEMA. Gov FIRMETTE Maps)



Floodway

The floodway is one of two main sections that make up the floodplain. Floodways are defined for regulatory purposes. Unlike floodplains, floodways do not reflect a recognizable geologic feature. For NFIP purposes, floodways are defined as the channel of a river or stream, and the overbank areas adjacent to the channel. The floodway

carries the bulk of the flood water downstream and is usually the area where water velocities and forces are the greatest. NFIP regulations require that the floodway be kept open and free from development or other structures that would obstruct or divert flood flows onto other properties.

The City of Lynwood regulations prohibit all development in the floodway. The NFIP floodway definition is "the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot.

Flood Fringe
The flood fringe refers to the outer portions of the floodplain, beginning at the edge of the floodway and continuing outward. In Chapter 15 of the City of Lynwood Municipal Code, the flood fringe is defined as "the land area, which is outside of the stream flood way, but is subject to periodic inundation by regular flooding." This is the area where development is most likely to occur, and where precautions to protect life and property need to be taken.

Development
For floodplain ordinance purposes, development is broadly defined by the City of Lynwood Ordinance to mean "any manmade change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation, or drilling operations located within the area of special flood hazard." The definition of development for floodplain purposes is generally broader and includes more activities than the definition of development used in other sections of local land use ordinances.

Base Flood Elevation (BFE)
The term "Base Flood Elevation" refers to the elevation (normally measured in feet above sea level) that the base flood is expected to reach. Base flood elevations can be set at levels other than the 100-year flood. Some communities choose to use higher frequency flood events as their base flood elevation for certain activities, while using lower frequency events for others. For example, for the purpose of storm water management, a 25-year flood event might serve as the base flood elevation; while the 500-year flood event may serve as base flood elevation for the tie down of mobilehomes. The regulations of the NFIP focus on development in the 100-year floodplain.

Characteristics of Flooding
Two types of flooding primarily affect the City of Lynwood: historically, the overflow from the Los Angeles River (mitigated) and urban flooding (see descriptions below). In addition, any low-lying area has the potential to flood. The flooding of developed areas may occur when the amount of water generated from rainfall and runoff exceeds a storm water system's capability to remove it.

Riverine Flooding
Riverine flooding is the overbank flooding of rivers and streams. The natural processes

of riverine flooding add sediment and nutrients to fertile floodplain areas. Flooding in large river systems typically results from large-scale weather systems that generate prolonged rainfall over a wide geographic area, causing flooding in hundreds of smaller streams, which then drain into the major rivers. Map 6-1 shows the various river basins (or flood zones) in the City of Lynwood.

Shallow area flooding is a special type of riverine flooding. FEMA defines shallow flood hazards as areas that are inundated by the 100-year flood with flood depths of only one to three feet. These areas are generally flooded by low velocity sheet flows of water.

Urban Flooding

As land is converted from fields or woodlands to roads and parking lots, it loses its ability to absorb rainfall. Urbanization of a watershed changes the hydrologic systems of the basin. Heavy rainfall collects and flows faster on impervious concrete and asphalt surfaces. The water moves from the clouds, to the ground, and into streams at a much faster rate in urban areas. Adding these elements to the hydrological systems can result in flood waters that rise very rapidly and peak with violent force.

All 1306 acres of the City of Lynwood has a high concentration of impermeable surfaces that either collect water, or concentrate the flow of water in unnatural channels. During periods of urban flooding, streets can become swift moving rivers and basements can fill with water. Storm drains often back up with vegetative debris causing additional, localized flooding.

Dam Failure Flooding

Loss of life and damage to structures, roads, and utilities may result from a dam failure. Economic losses can also result from a lowered tax base and lack of utility profits. Fortunately, as shown in Section 5: Earthquake, Map 5-4, the City of Lynwood is not subject to dam inundation. According to the Emergency Action Plan maps for the Whittier-Narrows Dam, the waters released due to a catastrophic dam failure would be contained within the Los Angeles River (the eastern boundary of the City).

Because dam failure can have severe consequences, FEMA requires that all dam owners develop Emergency Action Plans (EAP) for warning, evacuation, and post-flood actions. Although there may be coordination with county officials in the development of the EAP, the responsibility for developing potential flood inundation maps and facilitation of emergency response is the responsibility of the dam owner. For more detailed information regarding dam failure flooding, and potential flood inundation zones for a particular dam in the county, refer to the City of Lynwood MHFP.

There have been a total of 45 dam failures in California, since the 19th century. The significant dam failures in Southern California are listed in Table 6-3.

Table 6-3: Dam Failures in Southern California

Dam Failures in Southern California			
Sheffield	Santa Barbara	1925	Earthquake slide
Puddingstone	Pomona	1926	Overtopping during construction
Lake Hemet	Palm Springs	1927	Overtopping
Saint Francis	San Francisquito Canyon	1928	Sudden failure at full capacity through foundation, 426 deaths
Cogswell	Monrovia	1934	Breaching of concrete cover
Baldwin Hills	Los Angeles	1963	Leak through embankment turned into washout, 3 deaths
http://cee.engr.ucdavis.edu/faculty/lund/dams/Dam_History_Page/Failures.htm			

The two most significant dam failures are the St. Francis Dam in 1928 and the Baldwin Hills Dam in 1963.

> "The failure of the St. Francis Dam, and the resulting loss of over 500 lives in the path of a roaring wall of water, was a scandal that resulted in the almost complete destruction of the reputation of its builder, William Mulholland.
>
> Mulholland was an immigrant from Ireland who rose up through the ranks of the city's water department to the position of chief engineer. It was he who proposed, designed, and supervised the construction of the Los Angeles Aqueduct, which brought water from the Owens Valley to the city. The St. Francis Dam, built in 1926, was 180 feet high and 600 feet long; it was located near Saugus in the San Francisquito Canyon.
>
> The dam gave way on March 12, 1928, three minutes before midnight. Its waters swept through the Santa Clara Valley toward the Pacific Ocean, about 54 miles away. 65 miles of valley was devastated before the water finally made its way into the ocean between Oxnard and Ventura. At its peak the wall of water was said to be 78 feet high; by the time it hit Santa Paula, 42 miles south of the dam, the water was estimated to be 25 feet deep. Almost everything in its path was destroyed: livestock, structures, railways, bridges, and orchards. By the time it was over, parts of Ventura County lay under 70 feet of mud and debris. Over 500 people were killed and damage estimates topped $20 million."[13]
>
> The Baldwin Hills dam failed during the daylight hours, and was one of the first disaster events documented by a live helicopter broadcast.

"The Baldwin Hills Dam collapsed with the fury of a thousand cloudbursts, sending a 50-foot wall of water down Cloverdale Avenue and slamming into homes and cars on Dec. 14, 1963.

Five people were killed. Sixty-five hillside houses were ripped apart, and 210 homes and apartments were damaged. The flood swept northward in a V-shaped path roughly bounded by La Brea Avenue and Jefferson and La Cienega Boulevards.

Photo 6-1: Baldwin Hills Dam



Baldwin Hills Dam - Dark spot in upper right hand quadrant shows the beginning of the break in the dam.

The earthen dam that created a 19-acre reservoir to supply drinking water for West Los Angeles residents ruptured at 3:38 p.m. As a pencil-thin crack widened to a 75-foot gash, 292 million gallons surged out. It took 77 minutes for the lake to empty. But it took a generation for the neighborhood below to recover. And two decades passed before the Baldwin Hills ridge top was reborn.

The cascade caused an unexpected ripple effect that is still being felt in Los Angeles and beyond. It foreshadowed the end of urban-area earthen dams as a major element of the Department of Water and Power's water storage system. It prompted a tightening of Division of Safety of Dams control over reservoirs throughout the state.

The live telecast of the collapse from a KTLA-TV helicopter is considered

> the precursor to airborne news coverage that is now routine everywhere."[14]

Debris Flows

Another flood related hazard that can affect certain parts of the Southern California region are debris flows. Most typically debris flows occur in mountain canyons and the foothills against the San Gabriel Mountains. However, any hilly or mountainous area with intense rainfall and the proper geologic conditions may experience one of these very sudden and devastating events.

> "Debris flows, sometimes referred to as mudslides, mudflows, lahars, or debris avalanches, are common types of fast-moving landslides. These flows generally occur during periods of intense rainfall or rapid snow melt. They usually start on steep hillsides as shallow landslides that liquefy and accelerate to speeds that are typically about 10 miles per hour, but can exceed 35 miles per hour. The consistency of debris flow ranges from watery mud to thick, rocky mud that can carry large items such as boulders, trees, and cars. Debris flows from many different sources can combine in channels, and their destructive power may be greatly increased. They continue flowing down hills and through channels, growing in volume with the addition of water, sand, mud, boulders, trees, and other materials. When the flows reach flatter ground, the debris spreads over a broad area, sometimes accumulating in thick deposits that can wreak havoc in developed areas."[15]

What is the Effect of Development on Floods?

When structures or fill are placed in the floodway or floodplain water is displaced. Development raises the river levels by forcing the river to compensate for the flow space obstructed by the inserted structures and/or fill. When structures or materials are added to the floodway or floodplain and no fill is removed to compensate, serious problems can arise. Flood waters may be forced away from historic floodplain areas. As a result, other existing floodplain areas may experience flood waters that rise above historic levels. Local governments must require engineer certification to ensure that proposed developments will not adversely affect the flood carrying capacity of the Special Flood Hazard Area (SFHA). Displacement of only a few inches of water can mean the difference between no structural damage occurring in a given flood event, and the inundation of many homes, businesses, and other facilities.

Careful attention should be given to development that occurs within the floodway to ensure that structures are prepared to withstand base flood events. In highly urbanized areas, increased paving can lead to an increase in volume and velocity of runoff after a rainfall event, exacerbating the potential flood hazards. Care should be taken in the development and implementation of storm water management systems to ensure that these runoff waters are dealt with effectively.

How are Flood-Prone Areas Identified?
Flood maps and Flood Insurance Studies (FIS) are often used to identify flood-prone areas. The NFIP was established in 1968 as a means of providing low-cost flood insurance to the nation's flood-prone communities. The NFIP also reduces flood losses through regulations that focus on building codes and sound floodplain management. In the City of Lynwood, the NFIP- National Flood Insurance Program and related building code regulations went into effect on March 1, 1978. NFIP regulations (44 Code of Federal Regulations (CFR) Chapter 1, Section 60, 3) require that all new construction in floodplains must be elevated at or above base flood level.

Flood Insurance Rate Maps (FIRM) and Flood Insurance Studies (FIS) Floodplain maps are the basis for implementing floodplain regulations and for delineating flood insurance purchase requirements. A Flood Insurance Rate Map (FIRM) is the official map produced by FEMA which delineates SFHA in communities where NFIP regulations apply. FIRMs are also used by insurance agents and mortgage lenders to determine if flood insurance is required and what insurance rates should apply.

Water surface elevations are combined with topographic data to develop FIRMs. FIRMs illustrate areas that would be inundated during a 100-year flood, floodway areas, and elevations marking the 100-year-flood level. In some cases they also include base flood elevations (BFEs) and areas located within the 500-year floodplain. Flood Insurance Studies and FIRMs produced for the NFIP provide assessments of the probability of flooding at a given location. FEMA conducted many Flood Insurance Studies in the late 1970s and early 1980s. These studies and maps represent flood risk at the point in time when FEMA completed the studies. However, it is important to note that not all 100-year or 500-year floodplains have been mapped by FEMA. It is estimated that the flood maps cover only a small portion of the total population in the City of Lynwood.

FEMA flood maps are not entirely accurate. These studies and maps represent flood risk at the point in time when FEMA completed the studies, and does not incorporate planning for floodplain changes in the future due to new development. Although FEMA is considering changing that policy, it is optional for local communities. The FEMA FIRM map for the City of Lynwood was last updated in 2002. Man-made and natural changes to the environment have changed the dynamics of storm water run-off since then.

Flood Mapping Methods and Techniques
Although many communities rely exclusively on FIRMs to characterize the risk of flooding in their area, there are some flood-prone areas that are not mapped but remain susceptible to flooding. These areas include locations next to small creeks, local drainage areas, and areas susceptible to manmade flooding. About 10% to 20% of all flood-related damage from past floods in the City of Lynwood is located outside the boundaries of the FEMA's FIRMs.

In order to address this lack of data, the City of Lynwood, as well as other jurisdictions, has taken efforts to develop more localized flood hazard maps. One method that has been

employed includes using high-water marks from flood events or aerial photos, in conjunction with the FEMA maps, to better reflect the true flood risk. The use of GIS (Geographic Information System) is becoming an important tool for flood hazard mapping. FIRM maps can be imported directly into GIS, which allows for GIS analysis of flood hazard areas.

Communities find it particularly useful to overlay flood hazard areas on tax assessment parcel maps. This allows a community to evaluate the flood hazard risk for a specific parcel during review of a development request. Coordination between FEMA and local planning jurisdictions is the key to making a strong connection with GIS technology for the purpose of flood hazard mapping.

FEMA and the Environmental Systems Research Institute (ESRI), a private company, have formed a partnership to provide multi-hazard maps and information to the public via the Internet. ESRI produces GIS software, including ArcViewC9 and ArcInfoC9 . The ESRI web site has information on GIS technology and downloadable maps. The hazards maps provided on the ESRI site are intended to assist communities in evaluating geographic information about natural hazards. Flood information for most communities is available on the ESRI web site. Visit www.esri.com for more information.

Hazard Assessment

Hazard Identification
Hazard identification is the first phase of flood-hazard assessment. Identification is the process of estimating: (1) the geographic extent of the floodplain (i.e., the area at risk from flooding); (2) the intensity of the flooding that can be expected in specific areas of the floodplain; and (3) the probability of occurrence of flood events. This process usually results in the creation of a floodplain map. Floodplain maps provide detailed information that can assist jurisdictions in making policies and land-use decisions.

Data Sources
FEMA mapped the 100 -year and 500-year floodplains through the Flood Insurance Study (FIS) in conjunction with the United States Army Corps of Engineers (USACE) in August of 1987. There were previous studies done, including a Housing and Urban Development (HUD) study, which mapped the floodplain in March of 1978, this is when the City of Lynwood initially entered into the NFIP. The county has updated portions of the USACE and FEMA maps through smaller drainage studies in the county since that time.

Vulnerability Assessment
Vulnerability assessment is the second step of flood-hazard assessment. It combines the floodplain boundary, generated through hazard identification, with an inventory of the property within the floodplain. Understanding the population and property exposed to natural hazards will assist in reducing risk and preventing loss from future events. Because site-specific inventory data and inundation levels given for a particular flood event (10-year, 25-year, 50-year, 100-year, 500-year) are not readily available,

calculating a community's vulnerability to flood events is not straightforward. The amount of property in the floodplain, as well as the type and value of structures on those properties, should be calculated to provide a working estimate for potential flood losses.

Disruption of Critical Services
Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their services need to be functional after a flooding event. Vulnerability of these facilities is indicated on Risk Assessment Table 4-2.

Risk Analysis
Risk analysis is the third and most advanced phase of a hazard assessment. It builds upon the hazard identification and vulnerability assessment. A flood risk analysis for the City of Lynwood should include two components: (1) the life and value of property that may incur losses from a flood event (defined through the vulnerability assessment); and (2) the number and type of flood events expected to occur over time. Within the broad components of a risk analysis, it is possible to predict the severity of damage from a range of events. Flow velocity models can assist in predicting the amount of damage expected from different magnitudes of flood events. The data used to develop these models is based on hydrological analysis of landscape features. Changes in the landscape, often associated with human development, can alter the flow velocity and the severity of damage that can be expected from a flood event.

Using GIS technology and flow velocity models, it is possible to map the damage that can be expected from flood events over time. It is also possible to pinpoint the effects of certain flood events on individual properties. At the time of publication of this plan, data was insufficient to conduct a risk analysis for flood events in the City of Lynwood. However, the current mapping projects will result in better data that will assist in understanding risk. This plan includes recommendations for building partnerships that will support the development of a flood risk analysis in the City of Lynwood.

Community Flood Issues

What is Susceptible to Damage During a Flood Event?
The largest impact on communities from flood events is the loss of life and property. During certain years, private property losses resulting from flood damage have been extensive.

Property Loss Resulting from Flooding Events
The type of property damage caused by flood events depends on the depth and velocity of the flood waters. Faster moving flood waters can wash buildings off their foundations and sweep cars downstream. Pipelines, bridges, and other infrastructure can be damaged when high waters combine with flood debris. Extensive damage can be caused by basement flooding and landslide damage related to soil saturation from flood events. Most flood damage is caused by water saturating materials susceptible to loss (i.e. wood,

insulation, wallboard, fabric, furnishings, floor coverings, and appliances). In many cases, flood damage to homes renders them unlivable.

Mobilehomes
Statewide, the 1996 floods destroyed 156 housing units. Of those units, 61% were mobilehomes and trailers. Many older mobilehome parks are located in floodplain areas. Mobilehomes have a lower level of structural stability than stick-built homes, and must be anchored to provide additional structural stability during flood events. Because of confusion in the late 1980s resulting from multiple changes in NFIP regulations, there are some communities that do not actively enforce anchoring requirements. Lack of enforcement of manufactured home construction standards in floodplains can contribute to severe damages from flood events.

Business/Industry
Flood events impact businesses by damaging property and by interrupting business. Flood events can cut off customer access to a business as well as close a business for repairs. A quick response to the needs of businesses affected by flood events can help a community maintain economic vitality in the face of flood damage. Responses to business damages can include funding to assist owners in elevating or relocating flood-prone business structures.

Public Infrastructure
Publicly owned facilities are a key component of daily life for all citizens of the county. Damage to public water and sewer systems, transportation networks, flood control facilities, emergency facilities, and offices can hinder the ability of the government to deliver services. Government can take action to reduce risk to public infrastructure from flood events, as well as craft public policy that reduces risk to private property from flood events.

Roads
During natural hazard events, or any type of emergency or disaster, dependable road connections are critical for providing emergency services. Roads systems in the City of Lynwood are maintained by multiple jurisdictions. Federal, state, county, and city governments all have a stake in protecting roads from flood damage. Road networks often traverse floodplain and floodway areas. Transportation agencies responsible for road maintenance are typically aware of roads at risk from flooding.

Bridges
Bridges are key points of concern during flood events because they are important links in road networks, river crossings, and they can be obstructions in watercourses, inhibiting the flow of water during flood events. The bridges in the City of Lynwood are owned by Caltrans. A state-designated inspector must inspect all bridges every two years; but private bridges are not inspected, and can be very dangerous. The inspections are rigorous, looking at everything from seismic capability to erosion and scour.

Storm Water Systems

Isolated drainage problems have impacted the City of Lynwood. The problems are often present where storm water runoff enters culverts or goes underground into storm drains. Inadequate maintenance can also contribute to the flood hazard in urban areas.

Water/Wastewater Treatment Facilities
Sewage disposal service is provided by the Lynwood Public Works Department. City lines carry sewage to Los Angeles County trunk lines which in turn transport sewage to the Joint Water Pollution Control Plant in the City of Carson.

The primary source of water for Lynwood is the groundwater aquifers. The City owns and operates 6 active wells and a 3 million-gallon reservoir. The General Plan notes that the City is in need of a Water Master Plan (to be completed in 2004). It is anticipated that additional 12 inch water mains be incorporated into the system to provide adequate fire flow to the City.

Water Quality
Environmental quality problems could include bacteria, toxins, and pollution.

Section 7: Windstorm Hazards in the City of Lynwood

Why are Severe Windstorms a Threat to the City of Lynwood?
Severe wind storms pose a significant risk to life and property in the region by creating conditions that disrupt essential systems such as public utilities, telecommunications, and transportation routes. High winds can and do occasionally cause tornado-like damage to local homes and businesses. Severe windstorms can present a very destabilizing effect on the dry brush that covers local hillsides and urban wildland interface areas. High winds can have destructive impacts, especially to trees, power lines, and utility services.

Figure 7-1: Santa Ana Winds (Source: NASA's "Observatorium")

Santa Ana Winds and Tornado-Like Wind Activity
Based on local history, most incidents of high wind in the City of Lynwood are the result of the Santa Ana wind conditions. While high impact wind incidents are not frequent in the area, significant Santa Ana Wind events and sporadic tornado activity have been known to negatively impact the local community.

What are Santa Ana Winds?
"Santa Ana winds are generally defined as warm, dry winds that blow from the east or northeast (offshore). These winds occur below the passes and canyons of the coastal ranges of Southern California and in the Los Angeles basin. Santa Ana winds often blow with exceptional speed in the Santa Ana Canyon (the canyon from which it derives its name). Forecasters at the National Weather Service offices in Oxnard and San Diego usually place speed minimums on these winds and reserve the use of "Santa Ana" for winds greater than 25 knots."[16] These winds accelerate to speeds of 35 knots as they move through canyons and passes, with gusts to 50 or even 60 knots.

"The complex topography of Southern California combined with various atmospheric

conditions create numerous scenarios that may cause widespread or isolated Santa Ana events. Commonly, Santa Ana winds develop when a region of high pressure builds over the Great Basin (the high plateau east of the Sierra Mountains and west of the Rocky Mountains including most of Nevada and Utah). Clockwise circulation around the center of this high pressure area forces air downslope from the high plateau. The air warms as it descends toward the California coast at the rate of 5 degrees F per 1000 feet due to compressional heating. Thus, compressional heating provides the primary source of warming. The air is dry since it originated in the desert, and it dries out even more as it is heated."[17]

These regional winds typically occur from October to March, and, according to most accounts are named either for the Santa Ana River Valley where they originate or for the Santa Ana Canyon, southeast of Los Angeles, where they pick up speed.

What are Tornados?

Tornadoes are spawned when there is warm, moist air near the ground, cool air aloft, and winds that speed up and change direction. An obstruction, such as a house, in the path of the wind causes it to change direction. This change increases pressure on parts of the house, and the combination of increased pressures and fluctuating wind speeds creates stresses that frequently cause structural failures.

In order to measure the intensity and wind strength of a tornado, Dr. T. Theodore Fujita developed the Fujita Tornado Damage Scale. This scale compares the estimated wind velocity with the corresponding amount of suspected damage. The scale measures six classifications of tornadoes with increasing magnitude from an "F0" tornado to a "F6+" tornado.

Table 7-1: Fujita Tornado Damage Scale

Scale	Wind Estimate (mph)	Typical Damage
F0	< 73	**Light damage.** Some damage to chimneys and TV antennas; breaks twigs off trees; pushes over shallow-rooted trees.
F1	73-112	**Moderate damage.** Peels surface off roofs; windows broken; light trailer houses pushed or overturned; some trees uprooted or snapped; moving automobiles pushed off the road. 74 mph is the beginning of hurricane wind speed.
F2	113-157	**Considerable damage.** Roofs torn off frame houses leaving strong upright walls; weak buildings in rural areas demolished; trailer houses destroyed; large trees snapped or uprooted; railroad boxcars pushed over; light object missiles generated; cars blown off highway.

Scale	Wind Estimate (mph)	Typical Damage
F3	158-206	**Severe damage.** Roofs and some walls torn off frame houses; some rural buildings completely demolished; trains overturned; steel-framed hangar-warehouse-type structures torn; cars lifted off the ground; most trees in a forest uprooted snapped, or leveled.
F4	207-260	**Devastating damage.** Whole frame houses leveled, leaving piles of debris; steel structures badly damaged; trees debarked by small flying debris; cars and trains thrown some distances or rolled considerable distances; large missiles generated.
F5	261-318	**Incredible damage.** Whole frame houses tossed off foundations; steel-reinforced concrete structures badly damaged; automobile-sized missiles generated; trees debarked; incredible phenomena can occur.
F6-F12	319 to sonic	**Inconceivable damage.** Should a tornado with the maximum wind speed in excess of F5 occur, the extent and types of damage may not be conceived. A number of missiles such as iceboxes, water heaters, storage tanks, automobiles, etc. will create serious secondary damage on structures.
Source: http://weather.latimes.com/tornadoFAQ.asp		

Microbursts

Unlike tornados, microbursts, are strong, damaging winds which strike the ground and often give the impression a tornado has struck. They frequently occur during intense thunderstorms. The origin of a microburst is downward moving air from a thunderstorm's core. But unlike a tornado, they affect only a rather small area.

University of Chicago storm researcher Dr Ted Fujita first coined the term “downburst” to describe strong, downdraft winds flowing out of a thunderstorm cell that he believed were responsible for the crash of Eastern Airlines Flight 66 in June of 1975.[18]

A downburst is a straight-direction surface wind in excess of 39 mph caused by a small-scale, strong downdraft from the base of convective thundershowers and thunderstorms. In later investigations into the phenomena he defined two sub-categories of downbursts: the larger macrobursts and small microbursts.[19]

Macrobursts are downbursts with winds up to 117 mph which spread across a path greater than 2.5 miles wide at the surface and which last from 5 to 30 minutes. The microburst, on the other hand is confined to an even smaller area, less than 2.5 miles in diameter from the initial point of downdraft impact. An intense microburst can result in damaging winds near 270 km/hr (170 mph) and often last for less than five minutes.[20]

“Downbursts of all sizes descend from the upper regions of severe

thunderstorms when the air accelerates downward through either exceptionally strong evaporative cooling or by very heavy rain which drags dry air down with it. When the rapidly descending air strikes the ground, it spreads outward in all directions, like a fast-running faucet stream hitting the sink bottom.

When the microburst wind hits an object on the ground such as a house, garage or tree, it can flatten the buildings and strip limbs and branches from the tree. After striking the ground, the powerful outward running gust can wreak further havoc along its path. Damage associated with a microburst is often mistaken for the work of a tornado, particularly directly under the microburst. However, damage patterns away from the impact area are characteristic of straight-line winds rather than the twisted pattern of tornado damage."[21]

Tornados, like those that occur every year in the Midwest and Southeast parts of the United States, are a rare phenomenon in most of California, with most tornado-like activity coming from micro-bursts.

Local History of Windstorm Events

While the effects of Santa Ana Winds are often overlooked, it should be noted that in 2003, two deaths in Southern California were directly related to the fierce condition. A falling tree struck one woman in San Diego.[22] The second death occurred when a passenger in a vehicle was hit by a flying pickup truck cover launched by the Santa Ana Winds.[23]

Table 7-2: Santa Ana Wind Events during 2003

The following Santa Ana wind events were featured in news resources during 2003:	
January 6, 2003 OC Register	"One of the strongest Santa Ana windstorms in a decade toppled 26 power poles in Orange early today, blew over a mobile derrick in Placentia, crushing two vehicles, and delayed Metrolink rail service." This windstorm also knocked out power to thousands of people in northeastern Orange County.
January 8, 2003 CBSNEWS.com	"Santa Ana's roared into Southern California late Sunday, blowing over trees, trucks and power poles. Thousands of people lost power."
March 16, 2003 dailybulletin.com	Fire Officials Brace for Santa Ana Winds - - "The forest is now so dry and so many trees have died that fires, during relatively calm conditions, are running as fast and as far as they might during Santa Ana Winds. Now the Santa Ana season is here. Combine the literally tinder dry conditions with humidity in the single digits and 60-80 mph winds, and fire officials shudder."

Table 7-3: Major Windstorms in the Vicinity of Lynwood

Date	Location and Damage
November 5-6, 1961	Santa Ana winds. Fire in Topanga Canyon
February 10-11, 1973	Strong storm winds:. 57 mph at Riverside, 46 Newport Beach. Some 200 trees uprooted in Pacific Beach alone
October 26-27, 1993	Santa Ana winds. Fire in Laguna Hills
October 14, 1997	Santa Ana winds: gusts 87 mph in central Orange County. Large fire in Orange County
December 29, 1997	Gusts 60+ mph at Santa Ana
March 28-29, 1998	Strong storm winds in Orange County: sustained 30-40 mph. Gust 70 mph at Newport Beach, gust 60 Huntington Beach. Trees down, power out, and damage across Orange and San Diego Counties. 1 illegal immigrant dead in Jamul.
September 2, 1998	Strong winds from thunderstorms in Orange County with gusts to 40mph. Large fires in Orange County
December 6, 1998	Thunderstorm in Los Alamitos and Garden Grove: gust 50-60 mph called “almost a tornado”
December 21-22, 1999	Santa Ana winds: gust 68 mph at Campo, 53 Huntington Beach, 44 Orange. House and tree damage in Hemet.
March 5-6, 2000	Strong thunderstorm winds at the coast: gust 60 mph at Huntington Beach Property damage and trees downed along the coast
April 1, 2000	Santa Ana winds: gust 93 mph at Mission Viejo, 67 Anaheim Hills
December 25-26, 2000	Santa Ana winds: gust 87 mph at Fremont Canyon. Damage and injuries in Mira Loma, Orange and Riverside Counties
February 13, 2001	Thunderstorm gust to 89 mph in east Orange
Source:http://www.wrh.noaa.gov/sandiego/research/Guide/weatherhistory.pdf	

The following is a glimpse of major tornado-like events to hit the vicinity of Lynwood:

Table 7-4: Major Tornado-like Events in the Vicinity of Lynwood

Major Tornado-like Events in the Orange County Area 1958-2001	
Date	**Location and Damage**
April 1, 1958	Tornado: Laguna Beach
February 19, 1962	Tornado: Irvine
April 8, 1965	Tornado: Costa Mesa
November 7, 1966	Newport Beach and Costa Mesa: Property Damage
March 16, 1977	Tornado skipped from Fullerton to Brea Damage to 80 homes and injured four people
February 9, 1978	Tornado: Irvine. Property damage and 6 injured
January 31, 1979	Tornado Santa Ana Numerous power outages
November 9, 1982	Tornadoes in Garden Grove and Mission Viejo. Property damage
January 13, 1984	Tornado: Huntington Beach. Property damage
March 16, 1986	Tornado: Anaheim. Property damage
February 22-24, 1987	Tornadoes and waterspouts: Huntington Beach
January 18, 1988	Tornadoes: Mission Viejo and San Clemente. Property damage
February 28, 1991	Tornado: Tustin
March 27, 1991	Tornado: Huntington Beach
December 7, 1992	Tornadoes: Anaheim and Westminster Property damage
January 18, 1993	Tornado: Orange County Property damage
February 8, 1993	Tornado: Brea. Property damage
February 7, 1994	Tornado from Newport Beach to Tustin. Roof and window damage. Trees were also knocked down
December 13, 1994	Two waterspouts about 0.5 mile off Newport Beach
December 13, 1995	Funnel cloud near Fullerton Airport
March 13, 1996	Funnel cloud in Irvine

Major Tornado-like Events in the Orange County Area 1958-2001	
Date	**Location and Damage**
November 10-11, 1997	Waterspout came ashore at Newport Pier on the 10th and dissipated over western Costa Mesa. Tornadoes in Irvine on the 11th and a funnel cloud developed. 10th: Winds estimated at 60-70 mph. 11th: Minor power outages occurred with little property damage. A fisherman was blown from one end of Newport Pier to the other. Property and vehicle damage in Irvine from flying debris. Ten cars were thrown a few feet.
December 21, 1997	Waterspout and tornado in Huntington Beach. Damage to boats, houses, and city property
February 24, 1998	Tornado in Huntington Beach. Property damage with a power outage, roof flew ¼ mile
March 13-14, 1998	Numerous waterspouts between Long Beach, Huntington Beach, and Catalina
March 31-April 1, 1998	Numerous funnel clouds reported off Orange County coastline, two of which became waterspouts off Orange County. One waterspout briefly hit the coast off the Huntington Beach pier.
June 6, 1998	Two funnel clouds off Dana Point
December 31, 1998	Funnel clouds in Santa Ana. Waterspout off Costa Mesa coast
February 21, 2000	Tornado: Anaheim Hills. Property damage
October 28, 2000	Funnel clouds around Newport Beach and Costa Mesa
January 10, 2001	Funnel cloud at Orange County airport and Newport Beach
February 24, 2001	Tornado in Orange. Damage to warehouse, 6 structures, fences, and telephone wires.
Source: http://www.wrh.noaa.gov/sandiego/research/Guide/weatherhistory.pdf	

Windstorm Hazard Assessment

Hazard Identification

A windstorm event in the region can range from short term microburst activity lasting only minutes to a long duration Santa Ana wind condition that can last for several days as in the case of the January 2003 Santa Ana wind event. Windstorms in the City of Lynwood area can cause extensive damage including heavy tree stands, road and highway infrastructure, and critical utility facilities.

Map 7-1 shows clearly the direction of the Santa Ana winds as they travel from the stable, high-pressure weather system called the Great Basin High through the canyons and towards the low-pressure system off the Pacific. Clearly the area of the City of

Lynwood is in the direct path of the ocean-bound Santa Ana winds.

Vulnerability and Risk
With an analysis of the high wind and tornado events depicted in the "Local History" section, we can deduce the common windstorm impact areas including impacts on life, property, utilities, infrastructure and transportation. Additionally, if a windstorm disrupts power to local residential communities, the American Red Cross and City resources might be called upon for care and shelter duties. Displacing residents and utilizing City resources for shelter staffing and disaster cleanup can cause an economic hardship on the community.

Community Windstorm Issues

What is Susceptible to Windstorms?

Life and Property
Based on the history of the region, windstorm events can be expected, perhaps annually, across widespread areas of the region which can be adversely impacted during a windstorm event. This can result in the involvement of City of Lynwood emergency response personnel during a wide-ranging windstorm or microburst tornadic activity. Both residential and commercial structures with weak reinforcement are susceptible to damage. Wind pressure can create a direct and frontal assault on a structure, pushing walls, doors, and windows inward. Conversely, passing currents can create lift suction forces that pull building components and surfaces outward. With extreme wind forces, the roof or entire building can fail causing considerable damage.

Debris carried along by extreme winds can directly contribute to loss of life and indirectly to the failure of protective building envelopes, siding, or walls. When severe windstorms strike a community, downed trees, power lines, and damaged property can be major hindrances to emergency response and disaster recovery.

The Beaufort Scale below, coined and developed by Sir Francis Beaufort in 1805, illustrates the effect that varying wind speed can have on sea swells and structures:

Table 7-5: Beaufort Scale

Beaufort Force	Speed (mph)	Wind Description - State of Sea - Effects on Land
0	Less 1	Calm - Mirror-like - Smoke rises vertically
1	1-3	Light - Air Ripples look like scales; No crests of foam - Smoke drift shows direction of wind, but wind vanes do not
2	4-7	Light Breeze - Small but pronounced wavelets; Crests do not break - Wind vanes move; Leaves rustle; You can feel wind on the face

Beaufort Force	Speed (mph)	Wind Description - State of Sea - Effects on Land
3	8-12	Gentle Breeze - Large Wavelets; Crests break; Glassy foam; A few whitecaps - Leaves and small twigs move constantly; Small, light flags are extended
4	13-18	Moderate Breeze - Longer waves; Whitecaps - Wind lifts dust and loose paper; Small branches move
5	19-24	Fresh Breeze - Moderate, long waves; Many whitecaps; Some spray - Small trees with leaves begin to move
6	25-31	Strong Breeze - Some large waves; Crests of white foam; Spray - Large branches move; Telegraph wires whistle; Hard to hold umbrellas
7	32-38	Near Gale - White foam from breaking waves blows in streaks with the wind - Whole trees move; Resistance felt walking into wind
8	39-46	Gale - Waves high and moderately long; Crests break into spin drift, blowing foam in well marked streaks - Twigs and small branches break off trees; Difficult to walk
9	47-54	Strong Gale - High waves with wave crests that tumble; Dense streaks of foam in wind; Poor visibility from spray - Slight structural damage
10	55-63	Storm - Very high waves with long, curling crests; Sea surface appears white from blowing foam; Heavy tumbling of sea; Poor visibility - Trees broken or uprooted; Considerable structural damage
11	64-73	Violent Storm - Waves high enough to hide small and medium sized ships; Sea covered with patches of white foam; Edges of wave crests blown into froth; Poor visibility - Seldom experienced inland; Considerable structural damage
12	>74	Hurricane - Sea white with spray. Foam and spray render visibility almost non-existent - Widespread damage. Very rarely experienced on land.
Source: http://www.compuweather.com/decoder-charts.html		

Disruption of Critical Services
Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their services need to be functional after a windstorm event. Vulnerability of these facilities to windstorms is shown in Risk Assessment Table 4-2.

Utilities
Historically, falling trees have been the major cause of power outages in the region. Windstorms such as strong microbursts and Santa Ana Wind conditions can cause flying debris and downed utility lines. For example, tree limbs breaking in winds of only 45 mph can be thrown over 75 feet. As such, overhead power lines can be damaged even in relatively minor windstorm events. Falling trees can bring electric power lines down to the pavement, creating the possibility of lethal electric shock. Rising population growth and new infrastructure in the region creates a higher probability for damage to occur from windstorms as more life and property are exposed to risk.

Infrastructure
Windstorms can damage buildings, power lines, and other property and infrastructure due to falling trees and branches. During wet winters, saturated soils cause trees to become less stable and more vulnerable to uprooting from high winds.

Windstorms can result in collapsed or damaged buildings or blocked roads and bridges, damaged traffic signals, streetlights, and parks, among others. Roads blocked by fallen trees during a windstorm may have severe consequences to people who need access to emergency services. Emergency response operations can be complicated when roads are blocked or when power supplies are interrupted. Industry and commerce can suffer losses from interruptions in electric services and from extended road closures. They can also sustain direct losses to buildings, personnel, and other vital equipment. There are direct consequences to the local economy resulting from windstorms related to both physical damages and interrupted services.

Increased Fire Threat
Perhaps the greatest danger from windstorm activity in Southern California comes from the combination of the Santa Ana winds with the major fires that occur every few years in the urban/wildland interface. With the Santa Ana winds driving the flames, the speed and reach of the flames is even greater than in times of calm wind conditions. The higher fire hazard raised by a Santa Ana wind condition requires that even more care and attention be paid to proper brush clearances on property in the wildland/urban interface areas.

Transportation
Windstorm activity can have an impact on local transportation in addition to the problems caused by downed trees and electrical wires blocking streets and highways. During periods of extremely strong Santa Ana winds, major highways can be temporarily closed to truck and recreational vehicle traffic. However, typically these disruptions are not long lasting, nor do they carry a severe long term economic impact on the region.

Appendix A:
Master Resource Directory

The Resource Directory provides contact information for local, regional, state, and federal programs that are currently involved in hazard mitigation activities. The Natural Disaster Mitigation Committee may look to the organizations on the following pages for resources and technical assistance. The Resource Directory provides a foundation for potential partners in action item implementation.

The Committee will continue to add contact information for organizations currently engaged in hazard mitigation activities. This section may also be used by various community members interested in hazard mitigation information and projects.

American Public Works Association			
Level: National	Hazard: Multi	http://www.apwa.net	
2345 Grand Boulevard		Suite 500	
Kansas City, MO 64108-2641		Ph: 816-472-6100	Fx: 816-472-1610
Notes: The American Public Works Association is an international educational and professional association of public agencies, private sector companies, and individuals dedicated to providing high quality public works goods and services.			
Association of State Floodplain Managers			
Level: Federal	Hazard: Flood	www.floods.org	
2809 Fish Hatchery Road			
Madison, WI 53713		Ph: 608-274-0123	Fx:
Notes: The Association of State Floodplain Managers is an organization of professionals involved in floodplain management, flood hazard mitigation, the National Flood Insurance Program, and flood preparedness, warning and recovery			
Building Seismic Safety Council (BSSC)			
Level: National	Hazard: Earthquake	www.bssconline.org	
1090 Vermont Ave., NW		Suite 700	
Washington, DC 20005		Ph: 202-289-7800	Fx: 202-289-109
Notes: The Building Seismic Safety Council (BSSC) develops and promotes building earthquake risk mitigation regulatory provisions for the nation.			

California Department of Transportation (CalTrans)			
Level: State	Hazard: Multi	http://www.dot.ca.gov/	
120 S. Spring Street			
Los Angeles, CA 90012		Ph: 213-897-3656	Fx:
Notes: CalTrans is responsible for the design, construction, maintenance, and operation of the California State Highway System, as well as that portion of the Interstate Highway System within the state's boundaries. Alone and in partnership with Amtrak, Caltrans is also involved in the support of intercity passenger rail service in California.			
California Resources Agency			
Level: State	Hazard: Multi	http://resources.ca.gov/	
1416 Ninth Street		Suite 1311	
Sacramento, CA 95814		Ph: 916-653-5656	Fx:
Notes: The California Resources Agency restores, protects and manages the state's natural, historical and cultural resources for current and future generations using solutions based on science, collaboration and respect for all the communities and interests involved.			
California Division of Forestry (CDF)			
Level: State	Hazard: Multi	http://www.fire.ca.gov/php/index.php	
210 W. San Jacinto			
Perris CA 92570		Ph: 909-940-6900	Fx:
Notes: The California Department of Forestry and Fire Protection protects over 31 million acres of California's privately-owned wildlands. CDF emphasizes the management and protection of California's natural resources.			
California Division of Mines and Geology (DMG)			
Level: State	Hazard: Multi	www.consrv.ca.gov/cgs/index.htm	
801 K Street		MS 12-30	
Sacramento, CA 95814		Ph: 916-445-1825	Fx: 916-445-5718
Notes: The California Geological Survey develops and disseminates technical information and advice on California’s geology, geologic hazards, and mineral resources.			
California Environmental Resources Evaluation System (CERES)			
Level: State	Hazard: Multi	http://ceres.ca.gov/	
900 N St.		Suite 250	
Sacramento, Ca. 95814		Ph: 916-653-2238	Fx:
Notes: CERES is an excellent website for access to environmental information and websites.			

California Department of Water Resources (DWR)			
Level: State	Hazard: Flood	http://wwwdwr.water.ca.gov	
1416 9th Street			
Sacramento, CA 95814		Ph: 916-653-6192	Fx:
Notes: The Department of Water Resources manages the water resources of California in cooperation with other agencies, to benefit the State's people, and to protect, restore, and enhance the natural and human environments.			

California Department of Conservation: Southern California Regional Office			
Level: State	Hazard: Multi	www.consrv.ca.gov	
655 S. Hope Street		#700	
Los Angeles, CA 90017-2321		Ph: 213-239-0878	Fx: 213-239-0984
Notes: The Department of Conservation provides services and information that promote environmental health, economic vitality, informed land-use decisions and sound management of our state's natural resources.			

California Planning Information Network			
Level: State	Hazard: Multi	www.calpin.ca.gov	
		Ph:	Fx:
Notes: The Governor's Office of Planning and Research (OPR) publishes basic information on local planning agencies, known as the California Planners' Book of Lists. This local planning information is available on-line with new search capabilities and up-to-the- minute updates.			

EPA, Region 9			
Level: Regional	Hazard: Multi	http://www.epa.gov/region09	
75 Hawthorne Street			
San Francisco, CA 94105		Ph: 415-947-8000	Fx: 415-947-3553
Notes: The mission of the U.S. Environmental Protection Agency is to protect human health and to safeguard the natural environment through the themes of air and global climate change, water, land, communities and ecosystems, and compliance and environmental stewardship.			

Federal Emergency Management Agency, Region IX			
Level: Federal	Hazard: Multi	www.fema.gov	
1111 Broadway		Suite 1200	
Oakland, CA 94607		Ph: 510-627-7100	Fx: 510-627-7112
Notes: The Federal Emergency Management Agency is tasked with responding to, planning for, recovering from and mitigating against disasters.			
Federal Emergency Management Agency, Mitigation Division			
Level: Federal	Hazard: Multi	www.fema.gov/fima/planhowto.shtm	
500 C Street, S.W.			
Washington, D.C. 20472		Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities of which provide citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.			
Floodplain Management Association			
Level: Federal	Hazard: Flood	www.floodplain.org	
P.O. Box 50891			
Sparks, NV 89435-0891		Ph: 775-626-6389	Fx: 775-626-6389
Notes: The Floodplain Management Association is a nonprofit educational association. It was established in 1990 to promote the reduction of flood losses and to encourage the protection and enhancement of natural floodplain values. Members include representatives of federal, state and local government agencies as well as private firms.			
Gateway Cities Partnership			
Level: Regional	Hazard: Multi	www.gatewaycities.org	
7300 Alondra Boulevard		Suite 202	
Paramount, CA 90723		Ph: 562-817-0820	Fx:
Notes: Gateway Cities Partnership is a 501 C 3 non-profit Community Development Corporation for the Gateway Cities region of southeast LA County. The region comprises 27 cities that roughly speaking extends from Montebello on the north to Long Beach on the South, the Alameda Corridor on the west to the Orange County line on the east.			

Governor's Office of Emergency Services (OES)			
Level: State	Hazard: Multi	www.oes.ca.gov	
P.O. Box 419047			
Rancho Cordova, CA 95741-9047		Ph: 916 845- 8911	Fx: 916 845- 8910
Notes: The Governor's Office of Emergency Services coordinates overall state agency response to major disasters in support of local government. The office is responsible for assuring the state's readiness to respond to and recover from natural, manmade, and war-caused emergencies, and for assisting local governments in their emergency preparedness, response and recovery efforts.			

Greater Antelope Valley Economic Alliance			
Level: Regional	Hazard: Multi		
42060 N. Tenth Street West			
Lancaster, CA 93534		Ph: 661-945-2741	Fx: 661-945-7711
Notes: The Greater Antelope Valley Economic Alliance, (GA VEA) is a 501 (c)(6) nonprofit organization with a 501(c)(3) affiliated organization the Antelope Valley Economic Research and Education Foundation. GA VEA is a public-private partnership of business, local governments, education, non-profit organizations and health care organizations that was founded in 1999 with the goal of attracting good paying jobs to the Antelope Valley in order to build a sustainable economy.			

Landslide Hazards Program, USGS			
Level: Federal	Hazard: Landslide	http://landslides.usgs.gov/index.html	
12201 Sunrise Valley Drive		MS 906	
Reston, VA 20192		Ph: 703-648- 4000	Fx:
Notes: The NLIC website provides good information on the programs and resources regarding landslides. The page includes information on the National Landslide Hazards Program Information Center, a bibliography, publications, and current projects. USGS scientists are working to reduce long-term losses and casualties from landslide hazards through better understanding of the causes and mechanisms of ground failure both nationally and worldwide.			

Los Angeles County Economic Development Corporation			
Level: Regional	Hazard: Multi	www.laedc.org	
444 S. Flower Street		34th Floor	
Los Angeles, CA 90071		Ph: 213-236-4813	Fx: 213- 623-0281
Notes: The LAEDC is a private, non-profit 501 (c) 3 organization established in 1981 with the mission to attract, retain and grow businesses and jobs in the Los Angeles region. The LAEDC is widely relied upon for its Southern California Economic Forecasts and Industry Trend Reports. Lead by the renowned Jack Kyser (Sr. Vice President, Chief Economist) his team of researchers produces numerous publications to help business, media and government navigate the LA region's diverse economy.			
Los Angeles County Public Works Department			
Level: County	Hazard: Multi	http://ladpw.org	
900 S. Fremont Ave.			
Alhambra, CA 91803		Ph: 626-458-5100	Fx:
Notes: The Los Angeles County Department of Public Works protects property and promotes public safety through Flood Control, Water Conservation, Road Maintenance, Bridges, Buses and Bicycle Trails, Building and Safety, Land Development, Waterworks, Sewers, Engineering, Capital Projects and Airports			
National Wildland/Urban Interface Fire Program			
Level: Federal	Hazard: Wildfire	www.firewise.org/	
1 Batterymarch Park			
Quincy, MA 02169-7471		Ph: 617-770-3000	Fx: 617 770-0700
Notes: FIREWISE maintains a Website designed for people who live in wildfire- prone areas, but it also can be of use to local planners and decision makers. The site offers online wildfire protection information and checklists, as well as listings of other publications, videos, and conferences.			
National Resources Conservation Service			
Level: Federal	Hazard: Multi	http://www.nrcs.usda.gov/	
14th and Independence Ave., SW		Room 5105-A	
Washington, DC 20250		Ph: 202-720-7246	Fx: 202-720-7690
Notes: NRCS assists owners of America's private land with conserving their soil, water, and other natural resources, by delivering technical assistance based on sound science and suited to a customer's specific needs. Cost shares and financial incentives are available in some cases.			

National Interagency Fire Center (NIFC)			
Level: Federal	Hazard: Wildfire	www.nifc.gov	
3833 S. Development Ave.			
Boise, Idaho 83705-5354		Ph: 208-387- 5512	Fx:
Notes: The NIFC in Boise, Idaho is the nation's support center for wildland firefighting. Seven federal agencies work together to coordinate and support wildland fire and disaster operations.			

National Fire Protection Association (NFPA)			
Level: National	Hazard: Wildfire	http://www.nfpa.org/catalog/home/index.asp	
1 Batterymarch Park			
Quincy, MA 02169-7471		Ph: 617-770-3000	Fx: 617 770-0700
Notes: The mission of the international nonprofit NFPA is to reduce the worldwide burden of fire and other hazards on the quality of life by providing and advocating scientifically-based consensus codes and standards, research, training and education			

National Floodplain Insurance Program (NFIP)			
Level: Federal	Hazard: Flood	www.fema.gov/nfip/	
500 C Street, S.W.			
Washington, D.C. 20472		Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities providing citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.			

National Oceanic /Atmospheric Administration			
Level: Federal	Hazard: Multi	www.noaa.gov	
14th Street & Constitution Ave NW		Rm 6013	
Washington, DC 20230		Ph: 202-482-6090	Fx: 202-482-3154
Notes: NOAA's historical role has been to predict environmental changes, protect life and property, provide decision makers with reliable scientific information, and foster global environmental stewardship.			

National Weather Service, Office of Hydrologic Development			
Level: Federal	Hazard: Flood	http://www.nws.noaa.gov/	
1325 East West Highway		SSMC2	
Silver Spring, MD 20910		Ph: 301-713-1658	Fx: 301-713-0963
Notes: The Office of Hydrologic Development (OHD) enhances National Weather Service (NWS) products by: infusing new hydrologic science, developing hydrologic techniques for operational use, managing hydrologic development by NWS field office, providing advanced hydrologic products to meet needs identified by NWS customers			

National Weather Service			
Level: Federal	Hazard: Multi	http://www.nws.noaa.gov/	
520 North Elevar Street			
Oxnard, CA 93030		Ph: 805-988- 6615	Fx:
Notes: The National Weather Service is responsible for providing weather service to the nation. It is charged with the responsibility of observing and reporting the weather and with issuing forecasts and warnings of weather and floods in the interest of national safety and economy. Briefly, the priorities for service to the nation are: 1. protection of life, 2. protection of property, and 3. promotion of the nation's welfare and economy.			

San Gabriel Valley Economic Partnership			
Level: Regional	Hazard: Multi	www.valleynet.org	
4900 Rivergrade Road		Suite A310	
Irwindale, CA 91706		Ph: 626-856-3400	Fx: 626-856-5115
Notes: The San Gabriel Valley Economic Partnership is a non-profit corporation representing both public and private sectors. The Partnership is the exclusive source for San Gabriel Valley-specific information, expertise, consulting, products, services, and events. It is the single organization in the Valley with the mission to sustain and build the regional economy for the mutual benefit of all thirty cities, chambers of commerce, academic institutions, businesses and residents.			

Sanitation Districts of Los Angeles County			
Level: County	Hazard: Flood	http://www.lacsd.ora/	
1955 Workman Mill Road			
Whittier, CA 90607		Ph:562-699-7411 x2301	Fx:
Notes: The Sanitation Districts provide wastewater and solid waste management for over half the population of Los Angeles County and turn waste products into resources such as reclaimed water, energy, and recyclable materials.			

Santa Monica Mountains Conservancy			
Level: Regional	Hazard: Multi	http://smmc.ca.gov/	
570 West Avenue Twenty-Six		Suite 100	
Los Angeles, CA 90065		Ph: 323-221-8900	Fx:
Notes: The Santa Monica Mountains Conservancy helps to preserve over 55,000 acres of parkland in both wilderness and urban settings, and has improved more than 114 public recreational facilities throughout Southern California.			

South Bay Economic Development Partnership			
Level: Regional	Hazard: Multi	www.southbaypartnership.com	
3858 Carson Street		Suite 110	
Torrance, CA 90503		Ph: 310-792-0323	Fx: 310-543-9886
Notes: The South Bay Economic Development Partnership is a collaboration of business, labor, education and government. Its primary goal is to plan an implement an economic development and marketing strategy designed to retain and create jobs and stimulate economic growth in the South Bay of Los Angeles County.			

South Coast Air Quality Management District (AQMD)			
Level: Regional	Hazard: Multi	www.aqmd.gov	
21865 E. Copley Drive			
Diamond Bar, CA 91765		Ph: 800-CUT-SMOG	Fx:
Notes: AQMD is a regional government agency that seeks to achieve and maintain healthful air quality through a comprehensive program of research, regulations, enforcement, and communication. The AQMD covers Los Angeles and Orange Counties and parts of Riverside and San Bernardino Counties.			

Southern California Earthquake Center (SCEC)			
Level: Regional	Hazard: Earthquake	www.scec.org	
3651 Trousdale Parkway		Suite 169	
Los Angeles, CA 90089-0742		Ph: 213-740-5843	Fx: 213/740-0011
Notes: The Southern California Earthquake Center (SCEC) gathers new information about earthquakes in Southern California, integrates this information into a comprehensive and predictive understanding of earthquake phenomena, and communicates this understanding to end-users and the general public in order to increase earthquake awareness, reduce economic losses, and save lives.			

Southern California Association of Governments (SCAG)			
Level: Regional	Hazard: Multi	www.scag.ca.gov	
818 W. Seventh Street		12th Floor	
Los Angeles, CA 90017		Ph: 213-236-1800	Fx: 213-236-1825
Notes: The Southern California Association of Governments functions as the Metropolitan Planning Organization for six counties: Los Angeles, Orange, San Bernardino, Riverside, Ventura and Imperial. As the designated Metropolitan Planning Organization, the Association of Governments is mandated by the federal government to research and draw up plans for transportation, growth management, hazardous waste management, and air quality.			
State Fire Marshal (SFM)			
Level: State	Hazard: Wildfire	http://osfm.fire.ca.gov	
1131 "S" Street			
Sacramento, CA 95814		Ph: 916-445-8200	Fx: 916-445-8509
Notes: The Office of the State Fire Marshal (SFM) supports the mission of the California Department of Forestry and Fire Protection (CDF) by focusing on fire prevention. SFM regulates buildings in which people live, controls substances which may, cause injuries, death and destruction by fire; provides statewide direction for fire prevention within wildland areas; regulates hazardous liquid pipelines; reviews regulations and building standards; and trains and educates in fire protection methods and responsibilities.			
The Community Rating System (CRS)			
Level: Federal	Hazard: Flood	http://www.fema.gov/nfip/crs.shtm	
500 C Street, S.W.			
Washington, D.C. 20472		Ph: 202-566-1600	Fx:
Notes: The Community Rating System (CRS) recognizes community floodplain management efforts that go beyond the minimum requirements of the NFIP. Property owners within the County would receive reduced NFIP flood insurance premiums if the County implements floodplain management practices that qualify it for a CRS rating. For further information on the CRS, visit FEMA's website.			
United States Geological Survey			
Level: Federal	Hazard: Multi	http://www.usgs.gov/	
345 Middlefield Road			
Menlo Park, CA 94025		Ph: 650-853-8300	Fx:
Notes: The USGS provides reliable scientific information to describe and understand the Earth; minimize loss of life and property from natural disasters; manage water, biological, energy, and mineral resources; and enhance and protect our quality of life.			

U.S. Army Corps of Engineers			
Level: Federal	Hazard: Multi	http://www.usace.army.mil	
P.O. Box 532711			
Los Angeles CA 90053- 2325		Ph: 213-452- 3921	Fx:
Notes: The United States Army Corps of Engineers work in engineering and environmental matters. A workforce of biologists, engineers, geologists, hydrologists, natural resource managers and other professionals provide engineering services to the nation including planning, designing, building and operating water resources and other civil works projects.			
USDA Forest Service			
Level: Federal	Hazard: Wildfire	http://www.fs.fed.us	
1400 Independence Ave. SW			
Washington, D.C. 20250-0002		Ph: 202-205-8333	Fx:
Notes: The Forest Service is an agency of the U.S. Department of Agriculture. The Forest Service manages public lands in national forests and grasslands.			
USGS Water Resources			
Level: Federal	Hazard: Multi	www.water.usgs.gov	
6000 J Street		Placer Hall	
Sacramento, CA 95819-6129		Ph: 916-278-3000	Fx: 916-278-3070
Notes: The USGS Water Resources mission is to provide water information that benefits the Nation's citizens: publications, data, maps, and applications software.			
Western States Seismic Policy Council (WSSPC)			
Level: Regional	Hazard: Earthquake	www.wsspc.org/home.html	
125 California Avenue		Suite D201, #1	
Palo Alto, CA 94306		Ph: 650-330-1101	Fx: 650-326-1769
Notes: WSSPC is a regional earthquake consortium funded mainly by FEMA. Its website is a great resource, with information clearly categorized - from policy to engineering to education.			

Westside Economic Collaborative C/O Pacific Western Bank			
Level: Regional	Hazard: Multi	http://www.westside-Ia.or	
120 Wilshire Boulevard			
Santa Monica, CA 90401		Ph: 310-458-1521	Fx: 310-458-6479
Notes: The Westside Economic Development Collaborative is the first Westside regional economic development corporation. The Westside EDC functions as an information gatherer and resource center, as well as a forum, through bringing business, government, and residents together to address issues affecting the region: Economic Diversity, Transportation, Housing, Workforce Training and Retraining, Lifelong Learning, Tourism, and Embracing Diversity.			

Appendix B:
Public Participation

Public participation is a key component to any strategic planning process. It is very important that such broad-reaching plans not be written in isolation. Agency participation offers an opportunity for impacted departments and organizations to provide expertise and insight into the planning process. Citizen participation offers citizens the chance to voice their ideas, interests, and opinions. The Federal Emergency Management Agency also requires public input during the development of mitigation plans.

The City of Lynwood Natural Hazards Mitigation Plan integrates a cross-section of public input throughout the planning process. To accomplish this goal, the Hazard Mitigation Planning Team developed a public participation process through five components: (1) developing a Planning Team comprised of knowledgeable individuals representative of City agencies, City decision makers, and St. Francis Medical Center; (2) conducting a survey of "Levels of Concerns" to verify the primary concerns of citizens and business owners as relates to natural hazards; (3) soliciting the assistance of local media representatives and community newsletters to announce the progress of the planning activities and to announce the availability of the Draft Natural Hazards Mitigation Plan; (4) creating opportunities for the citizens and public agencies to review the Draft Natural Hazards Mitigation Plan; (5) conducting public hearings at the Planning Commission and City Council where the public had an opportunity to express their views concerning the Draft Natural Hazards Mitigation Plan.

Integrating public participation during the development of the Natural Hazards Mitigation Plan has ultimately resulted in increased public awareness. Through public involvement, the mitigation plan reflects community issues, concerns, and new ideas and perspectives on mitigation opportunities and plan action items.

Natural Disaster Mitigation Committee

Hazard mitigation in the City of Lynwood will be overseen by the Natural Disaster Mitigation Committee, which will consist of representatives from various city departments. The members have an understanding of how the community is structured and how residents, businesses, and the environment may be affected by natural hazard events. The Hazard Mitigation Planning Team guided the development of the Plan, and assisted in developing plan goals and action items, identifying stakeholders and plan reviewers, and sharing local expertise to create a more comprehensive plan. The majority of the Planning Team will also participate on the Natural Disaster Mitigation Committee.

Meetings

Meeting #1: Pre-Training April 28, 2004

The meeting was held at Lynwood City Hall. Emergency Planning Consultants delivered pre-training to the Planning Team. The pre-training consisted of the history of the Disaster Mitigation Act of 2000, the purpose and role of hazard mitigation, and the planning process. The Pre-Training lasted approximately 2 hours.

Meeting #2: Kick-Off Meeting April 28 2004

EPC facilitated a workshop where participants had an opportunity to learn about various natural hazards, assess and rank the local threats, examine hazard maps, and complete the FEMA Worksheets contained in FEMA 386-2 Understanding Your Risks. Part of the discussion included a presentation by EPC of historical disaster events across the country. Those slides served as a backdrop for discussing potential mitigation activities.

There was an extensive discussion on various methods of engaging the public in the mitigation process. The Planning Team prepared a draft media release and discussed a public opinion survey provided by EPC. EPC committed to revising the media release and survey and distributing electronic copies to each of the Planning Team entities. The Kick-Off Meeting lasted approximately 7 hours.

Meeting #3 Pre-Training: Mitigation June 9, 2004
The meeting was held at Lynwood City Hall. EPC delivered pre-training to the Planning Team. The pre-training consisted of the concepts and issues related to developing mitigation actions. The pre-training lasted approximately 1 hour.

Meeting #4 Mitigation Actions June 9, 2004
EPC delivered the Draft Hazard Analysis and the Planning Team discussed missing information, data, and maps. EPC distributed copies of the Mitigation Actions Planning Tools to assist the Team in developing Goals and Action Items appropriate to their natural hazards. The Planning Tools provided a process for collecting the mitigation actions presently in practice in the City of Lynwood, as well as identifying future mitigation actions.

A brainstorming process was then conducted to develop the goals for the Plan. The Planning Team discussed sample goal language then worked as a group to draft Plan goals and action items. It was agreed that the next meeting would focus on ranking the mitigation actions using the FEMA-recommended STAPLEE Prioritization Tool.

The next task was to examine a FEMA-approved Mitigation Plan to get an idea of how mitigation actions are written. Each of the jurisdictions was pleased to announce the broad range of mitigation actions already being practiced. The Planning Tools, developed by EPC, consisted of nearly 300 mitigation actions gathered from dozens of Mitigation Plans across the country.
The Planning Team broke into individual jurisdictions to develop their own mitigation actions, utilizing the sample plans and Planning Tools list. Because of the plan samples and Tools, the process of identifying appropriate mitigations actions was accomplished in a very efficient manner.

Meeting #5 STAPLEE Prioritization Tool July 15, 2008
Throughout the planning process, the consultant reminded the Planning Team of the importance of considering Benefit/Cost issues including: social issues, political realities, economic benefits, and environmental concerns. During Meeting #4, the consultant introduced the Planning Team to the STAPLEE Tool (Social, Technical, Administrative, Political, Legal, Economic, and Environmental) as one of many means available to

prioritize mitigation actions. Following a discussion of a range of benefit/cost issues, the Planning Team voted to cluster the action items by hazard as follows: #1 Multi-Hazard, #2 Earthquake, #3 Flooding, and #4 Windstorms. The Team was unanimous in its belief that the "Multi-Hazard" actions would yield the greatest benefit to the jurisdiction."

Public Meetings

City of Lynwood conducted three public meetings where the Draft Natural Hazard Mitigation Plan was presented and discussed. The Planning Commission and Public Safety Commission (joint meeting on September 13, 2004) and City Council (October 19, 2004) were impressed with the range of mitigation actions already in practice throughout the City. The City Council was very supportive of the overall goal established by the Hazard Mitigation Planning Team to become a Disaster Resistant Community. The results of the citizen survey were discussed and the Council commended the Planning Team for its expeditious efforts to satisfy the DMA 2000 requirements.

Following review of the Plan by California Office of Emergency Services and FEMA, minor revisions were made to the Plan. The document was submitted to the City Council on October 7, 2008 for re-adoption.

Invitation Process

The City Public Information Officer worked with the Chairperson to identify possible public notice sources. A press release was submitted to the Chambers of Commerce, local daily and weekly print media. Additionally, the chairperson sent letters of invitation to all of the City's homeowner associations. The local community access cable television channel also carried the meeting announcement. A notice was also placed in the quarterly city newsletter that is mailed to all residents.

Results

The Chairperson began the presentation by providing an overview of meeting objectives to the participants. The citizens were encouraged to present their views and make suggestions on possible mitigation actions. The City's Planning Team Chair presented the staff report on the Plan, including an overview of the Hazard Analysis, Mitigation Goals, and Mitigation Actions. The staff presentation concluded with a summary of the input received during the public review of the document. The Planning Team Chair then fielded questions from the City Council. The meeting lasted approximately 1 hour and was aired on local cable access for approximately one month.

The Planning Commission, Public Safety Commission, and City Council were unanimous in their adoption of the City of Lynwood Natural Hazards Mitigation Plan.

Appendix B - Attachment 1

Survey Results

The City of Lynwood made available a survey between the dates of September 15, 2004 and October 5, 2004 at the following locations: City Hall, Los Angeles County Library and Lynwood Unified School District. The survey asked participants to rank their concerns about the following hazards: earthquakes, flooding, and windstorms. Approximately 14 survey responses were received and yielded the following results:

	Extremely Concerned	Very Concerned	Concerned	Somewhat Concerned	Not Concerned
Earthquake		3	11		
Flooding		3	11		
Windstorm		3	11		

Appendix B – Attachment 2

City Council Resolution

RESOLUTION NO. 2008.159

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF LYNWOOD APPROVING THE HAZARDS MITIGATION PLAN

WHEREAS, the City of Lynwood is a public body, corporate and politic, established as a General law City and is governed by an elected body of five council members; and

WHEREAS, the Federal Emergency Management Administration (FEMA) enacted the Disaster Mitigation Act of 2000 requiring all local governments to adopt a Natural Hazards Mitigation Plan;

WHEREAS, the Lynwood City Council carefully considered all oral and written testimony offered at the public hearing.

NOW THEREFORE, BE IT RESOLVED, that the City Council of the City of Lynwood hereby finds, orders and resolves as follows:

Section 1. The City Council of the City of Lynwood, based upon the aforementioned findings and determinations, hereby approves the Lynwood Natural Hazards Mitigation Plan, dated October 7, 2008, presented to the City Council at its October 7, 2008 meeting, and on file with the Office of the Director of Development Services Department.

Section 2. That this Resolution becomes effective upon adoption.

PASSED, APPROVED AND ADOPTED this 7th day of October 2008.

Maria T. Santillan, Mayor

ATTEST:

Maria L. Quinonez, City Clerk

Roger L. Haley, City Manager

APPROVED AS TO FORM:

Fred Galante, City Attorney

APPROVED AS TO CONTENT:

Jonathan Colin, Director
Development Services Department

Appendix B – Attachment 3

List of Reviewers

City of Lynwood – Jonathan Colin, Development Services
City of Lynwood – Grant Taylor, Development Services
City of Lynwood – Gail Black, Human Resources
City of Lynwood – Joseph Wang, City Manager's Office
City of Lynwood – Craig Bragg, Building & Safety Department
City of Lynwood – Jim Given, Recreational Services
City of Lynwood – Donald Dove, Planning Commission
City of Lynwood – Fernando Pedroza, City Council
City of Lynwood – Alfretta Earnest, Finance
City of Lynwood – Yadi Farhadi, Environmental Services
City of Lynwood – Steve Stewart, Emergency Operations Coordinator
City of Lynwood – John Perfit, Redevelopment
City of Lynwood – Lorna Hawkins, Public Safety Commission
St. Francis Medical Center – Nelson Smith, Engineering

Appendix C:
Benefit/Cost Analysis

Benefit/Cost Analysis is a key mechanism used by the California Office of Emergency Services (OES), the Federal Emergency Management Agency, and other state and federal agencies in evaluating hazard mitigation projects, and is required by the Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93-288, as amended.

This Appendix outlines several approaches for conducting economic analysis of natural hazard mitigation projects. It describes the importance of implementing mitigation activities, different approaches to economic analysis of mitigation strategies, and methods to calculate costs and benefits associated with mitigation strategies. Information in this section is derived in part from: Federal Emergency Management Agency Publication 331, Report on Costs and Benefits of Natural Hazard Mitigation.

This section is not intended to provide a comprehensive description of benefit/cost analysis, nor is it intended to provide the details of economic analysis methods that can be used to evaluate local projects. It is intended to (1) raise benefit/cost analysis as an important issue, and (2) provide some background on how economic analysis can be used to evaluate mitigation projects.

Why Evaluate Mitigation Strategies?
Mitigation activities reduce the cost of disasters by minimizing property damage, injuries, and the potential for loss of life, and by reducing emergency response costs, which would otherwise be incurred.

Evaluating natural hazard mitigation provides decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects. Evaluating mitigation projects is a complex and difficult undertaking, which is influenced by many variables. First, natural disasters affect all segments of the communities they strike, including individuals, businesses, and public services such as fire, police, utilities, and schools.

Second, while some of the direct and indirect costs of disaster damages are measurable, some of the costs are non-financial and difficult to quantify in dollars. Third, many of the impacts of such events produce “ripple-effects” throughout the community, greatly increasing the disaster’s social and economic consequences.

While not easily accomplished, there is value, from a public policy perspective, in assessing the positive and negative impacts from mitigation activities, and obtaining an instructive benefit/cost comparison. Otherwise, the decision to pursue or not pursue various mitigation options would not be based on an objective understanding of the net benefit or loss associated with these actions.

What are Some Economic Analysis Approaches for Mitigation Strategies?
The approaches used to identify the costs and benefits associated with natural hazard

mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. The distinction between the two methods is the way in which the relative costs and benefits are measured. Additionally, there are varying approaches to assessing the value of mitigation for public sector and private sector activities.

Benefit/Cost Analysis

Benefit/Cost Analysis is used in natural hazards mitigation to show if the benefits to life and property protected through mitigation efforts exceed the cost of the mitigation activity. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster related damages later. Benefit/cost analysis is based on calculating the frequency and severity of a hazard, avoided future damages, and risk.

In benefit/cost analysis, all costs and benefits are evaluated in terms of dollars, and a net benefit/cost ratio is computed to determine whether a project should be implemented (i.e., if net benefits exceed net costs, the project is worth pursuing). A project must have a benefit/cost ratio greater than 1 in order to be funded.

Cost-Effectiveness Analysis

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. This type of analysis, however, does not necessarily measure costs and benefits in terms of dollars. Determining the economic feasibility of mitigating natural hazards can also be organized according to the perspective of those with an economic interest in the outcome. Hence, economic analysis approaches are covered for both public and private sectors as follows.

Investing in public sector mitigation activities

Evaluating mitigation strategies in the public sector is complicated because it involves estimating all of the economic benefits and costs regardless of who realizes them, and potentially to a large number of people and economic entities. Some benefits cannot be evaluated monetarily, but still affect the public in profound ways. Economists have developed methods to evaluate the economic feasibility of public decisions that involve a diverse set of beneficiaries and non-market benefits.

Investing in private sector mitigation activities

Private sector mitigation projects may occur on the basis of one of two approaches: it may be mandated by a regulation or standard, or it may be economically justified on its own merits. A building or landowner, whether a private entity or a public agency, are required to conform to a mandated standard may consider the following options:

1. Request cost sharing from public agencies;
2. Dispose of the building or land either by sale or demolition;
3. Change the designated use of the building or land and change the hazard mitigation compliance requirement; or

4. Evaluate the most feasible alternatives and initiate the most cost effective hazard mitigation alternative.

The sale of a building or land triggers another set of concerns. For example, real estate disclosure laws can be developed which require sellers of real property to

Estimating the costs and benefits of a hazard mitigation strategy can be a complex process.

Employing the services of a specialist can assist in this process.

disclose known defects and deficiencies in the property, including earthquake weaknesses and hazards to prospective purchasers. Correcting deficiencies can be expensive and time consuming, but their existence can prevent the sale of the building. Conditions of a sale regarding the deficiencies and the price of the building can be negotiated between a buyer and seller.

How can an Economic Analysis be Conducted?

Benefit/cost analysis and cost-effectiveness analysis are important tools in evaluating whether or not to implement a mitigation activity. A framework for evaluating alternative mitigation activities is outlined below:

1. Identify the Alternatives: Alternatives for reducing risk from natural hazards can include structural projects to enhance disaster resistance, education and outreach, and acquisition or demolition of exposed properties, among others. Different mitigation project can assist in minimizing risk to natural hazards, but do so at varying economic costs.

2. Calculate the Costs and Benefits: Choosing economic criteria is essential to systematically calculating costs and benefits of mitigation projects and selecting the most appropriate alternative. Potential economic criteria to evaluate alternatives include:

- **Determine the project cost.** This may include initial project development costs, and repair and operating costs of maintaining projects over time.

- **Estimate the benefits.** Projecting the benefits or cash flow resulting from a project can be difficult. Expected future returns from the mitigation effort depend on the correct specification of the risk and the effectiveness of the project, which may not be well known. Expected future costs depend on the physical durability and potential economic obsolescence of the investment. This is difficult to project. These considerations will also provide guidance in selecting an appropriate salvage value. Future tax structures and rates must be projected.

Financing alternatives must be researched, and they may include retained earnings, bond and stock issues, and commercial loans.

- Consider costs and benefits to society and the environment. These are not easily measured, but can be assessed through a variety of economic tools including existence value or contingent value theories. These theories provide quantitative data on the value people attribute to physical or social environments. Even without hard data, however, impacts of structural projects to the physical environment or to society should be considered when implementing mitigation projects.

- Determine the correct discount rate. Determination of the discount rate can just be the risk-free cost of capital, but it may include the decision maker's time preference and also a risk premium. Including inflation should also be considered.

3. Analyze and Rank the Alternatives: Once costs and benefits have been quantified, economic analysis tools can rank the alternatives. Two methods for determining the best alternative given varying costs and benefits include net present value and internal rate of return.

- Net present value. Net present value is the value of the expected future returns of an investment minus the value of expected future cost expressed in today's dollars. If the net present value is greater than the project costs, the project may be determined feasible for implementation. Selecting the discount rate, and identifying the present and future costs and benefits of the project calculates the net present value of projects.

- Internal Rate of Return. Using the internal rate of return method to evaluate mitigation projects provides the interest rate equivalent to the dollar returns expected from the project. Once the rate has been calculated, it can be compared to rates earned by investing in alternative projects. Projects may be feasible to implement when the internal rate of return is greater than the total costs of the project.

Once the mitigation projects are ranked on the basis of economic criteria, decision-makers can consider other factors, such as risk; project effectiveness; and economic, environmental, and social returns in choosing the appropriate project for implementation.

How are Benefits of Mitigation Calculated?

Economic Returns of Natural Hazard Mitigation

The estimation of economic returns, which accrue to building or land owner as a result of natural hazard mitigation, is difficult. Owners evaluating the economic feasibility of mitigation should consider reductions in physical damages and financial losses. A partial list follows:

- Building damages avoided
- Content damages avoided
- Inventory damages avoided
- Rental income losses avoided
- Relocation and disruption expenses avoided
- Proprietor's income losses avoided

These parameters can be estimated using observed prices, costs, and engineering data. The difficult part is to correctly determine the effectiveness of the hazard mitigation project and the resulting reduction in damages and losses. Equally as difficult is assessing the probability that an event will occur. The damages and losses should only include those that will be borne by the owner. The salvage value of the investment can be important in determining economic feasibility. Salvage value becomes more important as the time horizon of the owner declines. This is important because most businesses depreciate assets over a period of time.

Additional Costs from Natural Hazards

Property owners should also assess changes in a broader set of factors that can change as a result of a large natural disaster. These are usually termed "indirect" effects, but they can have a very direct effect on the economic value of the owner's building or land. They can be positive or negative, and include changes in the following:

- Commodity and resource prices
- Availability of resource supplies
- Commodity and resource demand changes
- Building and land values
- Capital availability and interest rates
- Availability of labor
- Economic structure
- Infrastructure
- Regional exports and imports
- Local, state, and national regulations and policies
- Insurance availability and rates

Changes in the resources and industries listed above are more difficult to estimate and require models that are structured to estimate total economic impacts. Total economic impacts are the sum of direct and indirect economic impacts. Total economic impact models are usually not combined with economic feasibility models. Many models exist to estimate total economic impacts of changes in an economy. Decision makers should understand the total economic impacts of natural disasters in order to calculate the benefits of a mitigation activity. This suggests that understanding the local economy is an important first step in being able to understand the potential impacts of a disaster, and the benefits of mitigation activities.

Additional Considerations

Conducting an economic analysis for potential mitigation activities can assist decision-makers in choosing the most appropriate strategy for their community to reduce risk and

prevent loss from natural hazards. Economic analysis can also save time and resources from being spent on inappropriate or unfeasible projects. Several resources and models are listed on the following page that can assist in conducting an economic analysis for natural hazard mitigation activities.

Benefit/cost analysis is complicated, and the numbers may divert attention from other important issues. It is important to consider the qualitative factors of a project associated with mitigation that cannot be evaluated economically. There are alternative approaches to implementing mitigation projects. Many communities are looking towards developing multi-objective projects. With this in mind, opportunity rises to develop strategies that integrate natural hazard mitigation with projects related to watersheds, environmental planning, community economic development, and small business development, among others. Incorporating natural hazard mitigation with other community projects can increase the viability of project implementation.

Resources

CUREe Kajima Project, Methodologies For Evaluating The Socio-Economic Consequences Of Large Earthquakes, Task 7.2 Economic Impact Analysis, Prepared by University of California, Berkeley Team, Robert A. Olson, VSP Associates, Team Leader; John M. Eidinger, G&E Engineering Systems; Kenneth A. Goettel, Goettel and Associates Inc.; and Gerald L. Horner, Hazard Mitigation Economics Inc., 1997.

Federal Emergency Management Agency, Benefit/Cost Analysis of Hazard Mitigation Projects, Riverine Flood, Version 1.05, Hazard Mitigation Economics Inc., 1996.

Federal Emergency Management Agency Report on Costs and Benefits of Natural Hazard Mitigation. Publication 331, 1996.

Goettel & Horner Inc., Earthquake Risk Analysis Volume III: The Economic Feasibility of Seismic Rehabilitation of Buildings in The City of Portland, Submitted to the Bureau of Buildings, City of Portland, August 30, 1995.

Goettel & Horner Inc., Benefit/Cost Analysis of Hazard Mitigation Projects Volume V, Earthquakes, Prepared for FEMA's Hazard Mitigation Branch, October 25, 1995.

Horner, Gerald, Benefit/Cost Methodologies for Use in Evaluating the Cost Effectiveness of Proposed Hazard Mitigation Measures, Robert Olson Associates, Prepared for Oregon State Police, Office of Emergency Management, July 1999.

Interagency Hazards Mitigation Team, State Hazard Mitigation Plan, (Oregon State Police – Office of Emergency Management, 2000).

Risk Management Solutions, Inc., Development of a Standardized Earthquake Loss Estimation Methodology, National Institute of Building Sciences, Volume I and II, 1994.

VSP Associates, Inc., A Benefit/Cost Model for the Seismic Rehabilitation of Buildings, Volumes 1 & 2, Federal Emergency Management Agency, FEMA, Publication Numbers 227 and 228, 1991.

VSP Associates, Inc., Benefit/Cost Analysis of Hazard Mitigation Projects: Section 404 Hazard Mitigation Program and Section 406 Public Assistance Program, Volume 3: Seismic Hazard Mitigation Projects, 1993.

VSP Associates, Inc., Seismic Rehabilitation of Federal Buildings: A Benefit/Cost Model, Volume 1, Federal Emergency Management Agency, FEMA, Publication Number 255, 1994.

Appendix D:
Acronyms

Federal Acronyms

AASHTO	American Association of State Highway and Transportation Officials
ATC	Applied Technology Council
b/ca	benefit/cost analysis
BFE	Base Flood Elevation
BLM	Bureau of Land Management
BSSC	Building Seismic Safety Council
CDBG	Community Development Block Grant
CFR	Code of Federal Regulations
CRS	Community Rating System
DOE	Department of Energy
EDA	Economic Development Administration
EPA	Environmental Protection Agency
ER	Emergency Relief
EWP	Emergency Watershed Protection (NRCS Program)
FAS	Federal Aid System
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FMA	Flood Mitigation Assistance (FEMA Program)
FTE	Full Time Equivalent
GIS	Geographic Information System
GNS	Institute of Geological and Nuclear Sciences (International)
GSA	General Services Administration
HAZUS	Hazards U.S.
HMGP	Hazard Mitigation Grant Program
HMST	Hazard Mitigation Survey Team
HUD	Housing and Urban Development (United States, Department of)
IBHS	Institute for Business and Home Safety
ICC	Increased Cost of Compliance
IHMT	Interagency Hazard Mitigation Team
NCDC	National Climate Data Center
NFIP	National Flood Insurance Program
NFPA	National Fire Protection Association
NHMP	Natural Hazard Mitigation Plan (also known as "409 Plan")
NIBS	National Institute of Building Sciences
NIFC	National Interagency Fire Center
NMFS	National Marine Fisheries Service
NOAA	National Oceanic and Atmospheric Administration
NPS	National Park Service
NRCS	Natural Resources Conservation Service
NWS	National Weather Service

SBA	Small Business Administration
SHMO	State Hazard Mitigation Officer
TOR	Transfer of Development Rights
UGB	Urban Growth Boundary
URM	Unreinforced Masonry
USACE	United States Army Corps of Engineers
USBR	United States Bureau of Reclamation
USDA	United States Department of Agriculture
USFA	United States Fire Administration
USFS	United States Forest Service
USGS	United States Geological Survey
WSSPC	Western States Seismic Policy Council

California Acronyms

A&W	Alert and Warning
AA	Administering Areas
AAR	After Action Report
ARC	American Red Cross
ARP	Accidental Risk Prevention
ATC20	Applied Technology Council20
ATC21	Applied Technology Council21
BCP	Budget Change Proposal
BSA	California Bureau of State Audits
CAER	Community Awareness & Emergency Response
CalARP	California Accidental Release Prevention
CalBO	California Building Officials
CalEPA	California Environmental Protection Agency
CalREP	California Radiological Emergency Plan
CALSTARS	California State Accounting Reporting System
CalTRANS	California Department of Transportation
CBO	Community Based Organization
CD	Civil Defense
CDF	California Department of Forestry and Fire Protection
CDMG	California Division of Mines and Geology
CEC	California Energy Commission
CEPEC	California Earthquake Prediction Evaluation Council
CESRS	California Emergency Services Radio System
CHIP	California Hazardous Identification Program
CHMIRS	California Hazardous Materials Incident Reporting System
CHP	California Highway Patrol
CLETS	California Law Enforcement Telecommunications System
CSTI	California Specialized Training Institute
CUEA	California Utilities Emergency Association
CUPA	Certified Unified Program Agency
DAD	Disaster Assistance Division (California Office of Emergency Services)

DFO	Disaster Field Office
DGS	California Department of General Services
DHSRHB	California Department of Health Services, Radiological Health Branch
DO	Duty Officer
DOC	Department Operations Center
DOF	California Department of Finance
DOJ	California Department of Justice
DPA	California Department of Personnel Administration
DPIG	Disaster Preparedness Improvement Grant
DR	Disaster Response
DSA	Division of the State Architect
DSR	Damage Survey Report
DSW	Disaster Service Worker
DWR	California Department of Water Resources
EAS	Emergency Alerting System
EDIS	Emergency Digital Information System
EERI	Earthquake Engineering Research Institute
EMA	Emergency Management Assistance
EMI	Emergency Management Institute
EMMA	Emergency Managers Mutual Aid
EMS	Emergency Medical Services
EOC	Emergency Operations Center
EOP	Emergency Operations Plan
EPEDAT	Early Post Earthquake Damage Assessment Tool
EPI	Emergency Public Information
EPIC	Emergency Public Information Council
ESC	Emergency Services Coordinator
FAY	Federal Award Year
FDAA	Federal Disaster Assistance Administration
FEAT	Governor's Flood Emergency Action Team
FEMA	Federal Emergency Management Agency
FFY	Federal Fiscal Year
FIR	Final Inspection Reports
FIRESCOPE	Firefighting Resources of Southern California Organized for Potential Emergencies
FMA	Flood Management Assistance
FSR	Feasibility Study Report
FY	Fiscal Year
GIS	Geographical Information System
HAZMAT	Hazardous Materials
HAZMIT	Hazardous Mitigation
HAZUS	Hazards United States (an earthquake damage assessment prediction tool)
HAD	Housing and Community Development
HEICS	Hospital Emergency Incident Command System
HEPG	Hospital Emergency Planning Guidance
HIA	Hazard Identification and Analysis Unit

HMEP	Hazardous Materials Emergency Preparedness
HMGP	Hazard Mitigation Grant Program
IDE	Initial Damage Estimate
IA	Individual Assistance
IFG	Individual & Family Grant (program)
IRG	Incident Response Geographic Information System
IPA	Information and Public Affairs (of state Office of Emergency Services)
LAN	Local Area Network
LEMMA	Law Enforcement Master Mutual Aid
LEPC	Local Emergency Planning Committee
MARAC	Mutual Aid Regional Advisory Council
MHFP	Multi-Hazard Functional Plan
MHID	Multi-Hazard Identification
MOU	Memorandum of Understanding
NBC	Nuclear, Biological, Chemical
NEMA	National Emergency Management Agency
NEMIS	National Emergency Management Information System
NFIP	National Flood Insurance Program
NOAA	National Oceanic and Atmospheric Association
NPP	Nuclear Power Plant
NSF	National Science Foundation
NWS	National Weather Service
OA	Operational Area
OASIS	Operational Area Satellite Information System
OCC	Operations Coordination Center
OCD	Office of Civil Defense
OEP	Office of Emergency Planning
OES	California Governor's Office of Emergency Services
OSHPD	Office of Statewide Health Planning and Development
OSPR	Oil Spill Prevention and Response
PA	Public Assistance
PC	Personal Computer
PDA	Preliminary Damage Assessment
PIO	Public Information Office
POST	Police Officer Standards and Training
PPA/CA	Performance Partnership Agreement/Cooperative Agreement (FEMA)
PSA	Public Service Announcement
PTAB	Planning and Technological Assistance Branch
PTR	Project Time Report
RA	Regional Administrator (OES)
RADEF	Radiological Defense (program)
RAMP	Regional Assessment of Mitigation Priorities
RAPID	Railroad Accident Prevention & Immediate Deployment
RDO	Radiological Defense Officer
RDMHC	Regional Disaster Medical Health Coordinator
REOC	Regional Emergency Operations Center

REPI	Reserve Emergency Public Information
RES	Regional Emergency Staff
RIMS	Response Information Management System
RMP	Risk Management Plan
RPU	Radiological Preparedness Unit (OES)
RRT	Regional Response Team
SAM	State Administrative Manual
SARA	Superfund Amendments & Reauthorization Act
SAVP	Safety Assessment Volunteer Program
SBA	Small Business Administration
SCO	California State Controller's Office
SEMS	Standardized Emergency Management System
SEPIC	State Emergency Public Information Committee
SLA	State and Local Assistance
SONGS	San Onofre Nuclear Generating Station
SOP	Standard Operating Procedure
SWEPC	Statewide Emergency Planning Committee
TEC	Travel Expense Claim
TRU	Transuranic
TTT	Train the Trainer
UPA	Unified Program Account
UPS	Uninterrupted Power Source
USAR	Urban Search and Rescue
USGS	United States Geological Survey
WC	California State Warning Center
WAN	Wide Area Network
WIPP	Waste Isolation Pilot Project

Appendix E:
Glossary

Acceleration	The rate of change of velocity with respect to time. Acceleration due to gravity at the earth's surface is 9.8 meters per second squared. That means that every second that something falls toward the surface of earth its velocity increases by 9.8 meters per second.
Asset	Any manmade or natural feature that has value, including, but not limited to people; buildings; infrastructure like bridges, roads, and sewer and water systems; lifelines like electricity and communication resources; or environmental, cultural, or recreational features like parks, dunes, wetlands, or landmarks.
Base Flood	Flood that has a 1 percent probability of being equaled or exceeded in any given year. Also known as the 100-year flood.
Base Flood Elevation (BFE)	Elevation of the base flood in relation to a specified datum, such as the National Geodetic Vertical Datum of 1929. The Base Flood Elevation is used as the standard for the National Flood Insurance Program.
Bedrock	The solid rock that underlies loose material, such as soil, sand, clay, or gravel.
Building	A structure that is walled and roofed, principally above ground and permanently affixed to a site. The term includes a manufactured home on a permanent foundation on which the wheels and axles carry no weight.
Coastal High Hazard Area	Area, usually along an open coast, bay, or inlet that is subject to inundation by storm surge and, in some instances, wave action caused by storms or seismic sources.
Coastal Zones	The area along the shore where the ocean meets the land as the surface of the land rises above the ocean. This land/water interface includes barrier islands, estuaries, beaches, coastal wetlands, and land areas having direct drainage to the ocean.
Community Rating System (CRS)	An NFIP program that provides incentives for NFIP communities to complete activities that reduce flood hazard risk. When the community completes specified activities, the insurance premiums of policyholders in these communities are reduced.
Computer-Aided Design And Drafting (CADD)	A computerized system enabling quick and accurate electronic 2-D and 3-D drawings, topographic mapping, site plans, and profile/cross-section drawings.
Contour	A line of equal ground elevation on a topographic (contour) map.

Critical Facility	Facilities that are critical to the health and welfare of the population and that are especially important following hazard events. Critical facilities include, but are not limited to, shelters, police and fire stations, and hospitals.
Debris	The scattered remains of assets broken or destroyed in a hazard event. Debris caused by a wind or water hazard event can cause additional damage to other assets.
Digitize	To convert electronically points, lines, and area boundaries shown on maps into x, y coordinates (e.g., latitude and longitude, universal transverse mercator (UTM), or table coordinates) for use in computer applications.
Displacement Time	The average time (in days) which the building's occupants typically must operate from a temporary location while repairs are made to the original building due to damages resulting from a hazard event.
Duration	How long a hazard event lasts.
Earthquake	A sudden motion or trembling that is caused by a release of strain accumulated within or along the edge of earth's tectonic plates.
Erosion	Wearing away of the land surface by detachment and movement of soil and rock fragments, during a flood or storm or over a period of years, through the action of wind, water, or other geologic processes.
Erosion Hazard Area	Area anticipated being lost to shoreline retreat over a given period of time. The projected inland extent of the area is measured by multiplying the average annual long-term recession rate by the number of years desired.
Essential Facility	Elements important to ensure a full recovery of a community or state following a hazard event. These would include: government functions, major employers, banks, schools, and certain commercial establishments, such as grocery stores, hardware stores, and gas stations.
Extent	The size of an area affected by a hazard or hazard event.
Extratropical Cyclone	Cyclonic storm events like Nor'easters and severe winter low-pressure systems. Both West and East coasts can experience these non-tropical storms that produce gale-force winds and precipitation in the form of heavy rain or snow. These cyclonic storms, commonly called Nor'easters on the East Coast because of the direction of the storm winds, can last for several days and can be very large – 1,000-mile wide storms are not uncommon.
Fault	A fracture in the continuity of a rock formation caused by a shifting or dislodging of the earth's crust, in which adjacent surfaces are differentially displaced parallel to the plane of fracture.

Federal Emergency Management Agency (FEMA)	Independent agency created in 1978 to provide a single point of accountability for all Federal activities related to disaster mitigation and emergency preparedness, response and recovery.
Fire Potential Index (FPI)	Developed by USGS and USFS to assess and map fire hazard potential over broad areas. Based on such geographic information, national policy makers and on-the-ground fire managers established priorities for prevention activities in the defined area to reduce the risk of managed and wildfire ignition and spread. Prediction of fire hazard shortens the time between fire ignition and initial attack by enabling fire managers to pre-allocate and stage suppression forces to high fire risk areas.
Flash Flood	A flood event occurring with little or no warning where water levels rise at an extremely fast rate.
Flood	A general and temporary condition of partial or complete inundation of normally dry land areas from (1) the overflow of inland or tidal waters, (2) the unusual and rapid accumulation or runoff of surface waters from any source, or (3) mudflows or the sudden collapse of shoreline land.
Flood Depth	Height of the flood water surface above the ground surface.
Flood Elevation	Elevation of the water surface above an established datum, e.g. National Geodetic Vertical Datum of 1929, North American Vertical Datum of 1988, or Mean Sea Level.
Flood Hazard Area	The area shown to be inundated by a flood of a given magnitude on a map.
Flood Insurance Rate Map (FIRM)	Map of a community, prepared by the Federal Emergency Management Agency that shows both the special flood hazard areas and the risk premium zones applicable to the community.
Flood Insurance Study (FIS)	A study that provides an examination, evaluation, and determination of flood hazards and, if appropriate, corresponding water surface elevations in a community or communities.
Floodplain	Any land area, including watercourse, susceptible to partial or complete inundation by water from any source.
Frequency	A measure of how often events of a particular magnitude are expected to occur. Frequency describes how often a hazard of a specific magnitude, duration, and/or extent typically occurs, on average. Statistically, a hazard with a 100-year recurrence interval is expected to occur once every 100 years on average, and would have a 1 percent chance – its probability – of happening in any given year. The reliability of this information varies depending on the kind of hazard being considered.

Fujita Scale of Tornado Intensity	Rates tornadoes with numeric values from F0 to F5 based on tornado wind speed and damage sustained. An F0 indicates minimal damage such as broken tree limbs or signs, while and F5 indicated severe damage sustained.
Functional Downtime	The average time (in days) during which a function (business or service) is unable to provide its services due to a hazard event.
Geographic Area Impacted	The physical area in which the effects of the hazard are experienced.
Geographic Information Systems (GIS)	A computer software application that relates physical features on the earth to a database to be used for mapping and analysis.
Ground Motion	The vibration or shaking of the ground during an earthquake. When a fault ruptures, seismic waves radiate, causing the ground to vibrate. The severity of the vibration increases with the amount of energy released and decreases with distance from the causative fault or epicenter, but soft soils can further amplify ground motions
Hazard	A source of potential danger or adverse condition. Hazards in this how to series will include naturally occurring events such as floods, earthquakes, tornadoes, tsunami, coastal storms, landslides, and wildfires that strike populated areas. A natural event is a hazard when it has the potential to harm people or property.
Hazard Event	A specific occurrence of a particular type of hazard.
Hazard Identification	The process of identifying hazards that threaten an area.
Hazard Mitigation	Sustained actions taken to reduce or eliminate long-term risk from hazards and their effects.
Hazard Profile	A description of the physical characteristics of hazards and a determination of various descriptors including magnitude, duration, frequency, probability, and extent. In most cases, a community can most easily use these descriptors when they are recorded and displayed as maps.
HAZUS (Hazards U.S.)	A GIS-based nationally standardized earthquake loss estimation tool developed by FEMA.

Hurricane	An intense tropical cyclone, formed in the atmosphere over warm ocean areas, in which wind speeds reach 74-miles-per-hour or more and blow in a large spiral around a relatively calm center or "eye." Hurricanes develop over the north Atlantic Ocean, northeast Pacific Ocean, or the south Pacific Ocean east of 160°E longitude. Hurricane circulation is counter-clockwise in the Northern Hemisphere and clockwise in the Southern Hemisphere.
Hydrology	The science of dealing with the waters of the earth. A flood discharge is developed by a hydrologic study.
Infrastructure	Refers to the public services of a community that have a direct impact on the quality of life. Infrastructure includes communication technology such as phone lines or Internet access, vital services such as public water supplies and sewer treatment facilities, and includes an area's transportation system such as airports, heliports; highways, bridges, tunnels, roadbeds, overpasses, railways, bridges, rail yards, depots; and waterways, canals, locks, seaports, ferries, harbors, dry docks, piers and regional dams.
Intensity	A measure of the effects of a hazard event at a particular place.
Landslide	Downward movement of a slope and materials under the force of gravity.
Lateral Spreads	Develop on gentle slopes and entail the sidelong movement of large masses of soil as an underlying layer liquefies in a seismic event. The phenomenon that occurs when ground shaking causes loose soils to lose strength and act like viscous fluid. Liquefaction causes two types of ground failure: lateral spread and loss of bearing strength.
Liquefaction	Results when the soil supporting structures liquefies. This can cause structures to tip and topple.
Lowest Floor	Under the NFIP, the lowest floor of the lowest enclosed area (including basement) of a structure.
Magnitude	A measure of the strength of a hazard event. The magnitude (also referred to as severity) of a given hazard event is usually determined using technical measures specific to the hazard.
Mitigation Plan	A systematic evaluation of the nature and extent of vulnerability to the effects of natural hazards typically present in the state and includes a description of actions to minimize future vulnerability to hazards.
National Flood Insurance Program (NFIP)	Federal program created by Congress in 1968 that makes flood insurance available in communities that enact minimum floodplain management regulations in 44 CFR §60.3.

National Geodetic Vertical Datum of 1929 (NGVD)	Datum established in 1929 and used in the NFIP as a basis for measuring flood, ground, and structural elevations, previously referred to as Sea Level Datum or Mean Sea Level. The Base Flood Elevations shown on most of the Flood Insurance Rate Maps issued by the Federal Emergency Management Agency are referenced to NGVD.
National Weather Service (NWS)	Prepares and issues flood, severe weather, and coastal storm warnings and can provide technical assistance to Federal and state entities in preparing weather and flood warning plans.
Nor'easter	An extra-tropical cyclone producing gale-force winds and precipitation in the form of heavy snow or rain.
Outflow	Follows water inundation creating strong currents that rip at structures and pound them with debris, and erode beaches and coastal structures.
Planimetric	Describes maps that indicate only man-made features like buildings.
Planning	The act or process of making or carrying out plans; the establishment of goals, policies and procedures for a social or economic unit.
Probability	A statistical measure of the likelihood that a hazard event will occur.
Recurrence Interval	The time between hazard events of similar size in a given location. It is based on the probability that the given event will be equaled or exceeded in any given year.
Repetitive Loss Property	A property that is currently insured for which two or more National Flood Insurance Program losses (occurring more than ten days apart) of at least $1000 each have been paid within any 10-year period since 1978.
Replacement Value	The cost of rebuilding a structure. This is usually expressed in terms of cost per square foot, and reflects the present-day cost of labor and materials to construct a building of a particular size, type and quality.
Richter Scale	A numerical scale of earthquake magnitude devised by seismologist C.F. Richter in 1935.
Risk	The estimated impact that a hazard would have on people, services, facilities, and structures in a community; the likelihood of a hazard event resulting in an adverse condition that causes injury or damage. Risk is often expressed in relative terms such as a high, moderate or low likelihood of sustaining damage above a particular threshold due to a specific type of hazard event. It also can be expressed in terms of potential monetary losses associated with the intensity of the hazard.
Riverine	Of or produced by a river.
Scale	A proportion used in determining a dimensional relationship; the ratio of the distance between two points on a map and the actual distance between the two points on the earth's surface.

Scarp	A steep slope.
Scour	Removal of soil or fill material by the flow of flood waters. The term is frequently used to describe storm-induced, localized conical erosion around pilings and other foundation supports where the obstruction of flow increases turbulence.
Seismicity	Describes the likelihood of an area being subject to earthquakes.
Special Flood Hazard Area (SFHA)	An area within a floodplain having a 1 percent or greater chance of flood occurrence in any given year (100-year floodplain); represented on Flood Insurance Rate Maps by darkly shaded areas with zone designations that include the letter A or V.
Stafford Act	The Robert T. Stafford Disaster Relief and Emergency Assistance Act, PL 100-107 was signed into law November 23, 1988 and amended the Disaster Relief Act of 1974, PL 93-288. The Stafford Act is the statutory authority for most Federal disaster response activities, especially as they pertain to FEMA and its programs.
State Hazard Mitigation Officer (SHMO)	The representative of state government who is the primary point of contact with FEMA, other state and Federal agencies, and local units of government in the planning and implementation of pre- and post-disaster mitigation activities.
Storm Surge	Rise in the water surface above normal water level on the open coast due to the action of wind stress and atmospheric pressure on the water surface.
Structure	Something constructed. (See also Building)
Substantial Damage	Damage of any origin sustained by a structure in a Special Flood Hazard Area whereby the cost of restoring the structure to its before-damaged condition would equal or exceeds 50 percent of the market value of the structure before the damage.
Super Typhoon	A typhoon with maximum sustained winds of 150 mph or more.
Surface Faulting	The differential movement of two sides of a fracture – in other words, the location where the ground breaks apart. The length, width, and displacement of the ground characterize surface faults.
Tectonic Plate	Torsionally rigid, thin segments of the earth's lithosphere that may be assumed to move horizontally and adjoin other plates. It is the friction between plate boundaries that cause seismic activity.
Topographic	Characterizes maps that show natural features and indicate the physical shape of the land using contour lines. These maps may also include manmade features.

Tornado	A violently rotating column of air extending from a thunderstorm to the ground.
Tropical Cyclone	A generic term for a cyclonic, low-pressure system over tropical or subtropical waters.
Tropical Depression	A tropical cyclone with maximum sustained winds of less than 39 mph.
Tropical Storm	A tropical cyclone with maximum sustained winds greater than 39 mph and less than 74 mph.
Tsunami	Great sea wave produced by submarine earth movement or volcanic eruption.
Typhoon	A special category of tropical cyclone peculiar to the western North Pacific Basin, frequently affecting areas in the vicinity of Guam and the North Mariana Islands. Typhoons whose maximum sustained winds attain or exceed 150 mph are called super typhoons.
Vulnerability	Describes how exposed or susceptible to damage an asset is. Vulnerability depends on an asset's construction, contents, and the economic value of its functions. Like indirect damages, the vulnerability of one element of the community is often related to the vulnerability of another. For example, many businesses depend on uninterrupted electrical power – if an electric substation is flooded, it will affect not only the substation itself, but a number of businesses as well. Often, indirect effects can be much more widespread and damaging than direct ones.
Vulnerability Assessment	The extent of injury and damage that may result from a hazard event of a given intensity in a given area. The vulnerability assessment should address impacts of hazard events on the existing and future built environment.
Water Displacement	When a large mass of earth on the ocean bottom sinks or uplifts, the column of water directly above it is displaced, forming the tsunami wave. The rate of displacement, motion of the ocean floor at the epicenter, the amount of displacement of the rupture zone, and the depth of water above the rupture zone all contribute to the intensity of the tsunami.
Wave Run-up	The height that the wave extends up to on steep shorelines, measured above a reference level (the normal height of the sea, corrected to the state of the tide at the time of wave arrival).
Wildfire	An uncontrolled fire spreading through vegetative fuels, exposing and possibly consuming structures.
Zone	A geographical area shown on a Flood Insurance Rate Map (FIRM) that reflects the severity or type of flooding in the area.

End Notes:

[i] http://www.gps.caltech.edu/~sieh/home.html

[2] http://www.consrv.ca.gov/CGS/rghm/ap/

[3] Ibid

[4] Burby, R. (Ed.) Cooperating with Nature: Confronting Natural Hazards with Land Use Planning for Sustainable Communities (1998), Washington D.C., Joseph Henry Press.

[5] FEMA HAZUS http://www.fema.gov/hazus/hazus2.htm (May 2001).

[6] Source: Los Angeles County Public Works Department, March 2004

[7] http://www.chamber101.com/programs_committee/natural_disasters/DisasterPreparedness/Forty.htm

[8] Institute for Business and Home Safety Resources (April 2001),

[9] http://www.seismic.ca.gov/pub/CSSC_2001-04_Hospital.pdf

10. http://www.lalc.k12.ca.us/target/units/river/tour/hist.html

11. Gumprecht, Blake, 1999, Johns Hopkins University Press, Baltimore, MD.

12. Ibid

13. http://www.usc.edu/isd/archives/la/scandals/st_francis_dam.html

14. http://www.latimes.com/news/local/surroundings/la-me-surround11dec11,0,1754871.story?coll=la-adelphia-right-rail

15. http://www.fema.gov/rrr/talkdiz/landslide.shtm#what

16http://nimbo.wrh.noaa.gov/Sandiego/snawind.html

17Ibid

18Keith C. Heidorn at http://www.suite101.com/article.cfm/13646/100918, June 1, 2003

19Ibid

20Ibid

21Ibid

22www.cbsnews.com, January 8, 2003

23www.cbsnews.com/stories/2003/01/06/national/