

City of Compton

Natural Hazards Mitigation Plan

October 26, 2004



Prepared under contract with:

*Emergency Planning Consultants
San Diego, California
Carolyn J. Harshman, President*

Special Recognition

The Disaster Management Area Coordinators (DMAC) of Los Angeles County prepared planning guidance material that was utilized by the City of Compton in preparing this Natural Hazards Mitigation Plan. The City extends special recognition to Michael Martinet, DMAC Area G Coordinator for his editing contributions to the Hazard-Specific Sections. The DMAC guidance material was based on the Mitigation Plan from Clackamas County, Oregon. The City is grateful to DMAC and the Clackamas County Natural Hazards Mitigation Committee for their contributions to this project.

Special Thanks

Multi-Jurisdictional Hazard Mitigation Planning Team:

City of Compton

- Adrian Tatum, Fire Department, Emergency Services Coordinator
- Rico L. Smith, Fire Chief
- Joseph Lim, Planning Department, Senior Planner
- Patrick Steward, Building and Safety Department, Acting Chief Building Inspector
- Gloria Falls, Community Redevelopment Agency, Deputy Director of Redevelopment
- Esmochi Enenwali, Public Works Department, Acting City Engineer
- Robert Burnett, Community Redevelopment Agency, Project Manager
- Arlene Williams, City Manager's Office, Assistant City Manager
- Charles Evans, Risk Management Department, Risk Manager
- Percy Perrodin, Municipal Law Enforcement Services, Director
- Louis McKenzie, ICMS, Street Superintendent
- Kambiz Shoghi, Water Department, General Manager
- Marilyn Horne, City Controller's Office, City Controller

City of Carson

- Rocio Lopez, Planning Division, Associate Planner
- Alex Rocco, Information Services Department, GIS Specialist
- Sean Scully, Planning Division, Senior Planner
- Lance Burkholder, Economic Development Department, Manager
- Travis Hopkins, Public Works Department, Associate Engineer
- George Rivera, Public Safety Department, Emergency Preparedness Coordinator
- Eileen Edgerton, Public Safety Department, Manager

Compton Unified School District

- Jesse Reyes, Police Department
- Clarence L. Moore, Police Department

Other Government Entities

Office of Disaster Management, Area E: Fan Abel, Coordinator

Acknowledgements

City of Compton

- Eric J. Perrodin, Mayor
- Barbara J. Calhoun, Councilwoman, District 1
- Lillie Dobson, Councilwoman, District 2
- Yvonne Arceneaux, Councilwoman, District 3
- Isadore Hall, Councilman, District 4

- Barbara Kilroy, City Manager
- Rico L. Smith, Fire Chief

Mapping

Other than Internet-sourced maps, the City of Compton provided all of the maps included in this plan.

Consulting Services

Project Management and Planning Services for this project were provided under contract by Emergency Planning Consultants-

Project Management Services: Carolyn J. Harshman, President

Planning Services: Carolyn J. Harshman, President

Daniel Robeson, Jr., Associate

Timothy W. Harshman, Intern

List of Natural Hazards Mitigation Plan Tables, Maps, and Photos

	Type of Table, Map, or Photo	Section of the Plan
Map 1-1	Base Map of City of Compton	Section 1: Introduction
Table 4-1	Federal Criteria for Risk Assessment	Section 4: Risk Assessment
Table 4-2	City of Compton Critical and Essential Facilities Vulnerable to Hazards	Section 4: Risk Assessment
Table 5-1	Earthquake Events In Southern California	Section 5: Earthquake
Figure 5-1	Causes and Characteristics of Earthquakes in Southern California	Section 5: Earthquake
Map 5-1	Seismic Zones in California	Section 5: Earthquake
Map 5-2	Major Active Surface faults in Southern California	Section 5: Earthquake
Map 5-3	City of Compton Hazard Summary	Section 5: Earthquake
Table 5-4	Partial List of the Over 200 California Laws on Earthquake Safety	Section 5: Earthquake
Map 5-5	Whittier Narrows Dam Inundation Map	Section 5: Earthquake
Map 5-6	Hansen Dam Inundation Map	Section 5: Earthquake
Map 5-7	Sepulveda Dam Inundation Map	Section 5: Earthquake
Table 6-1	Major Floods of the Los Angeles River	Section 6: Flood
Table 6-2	Tropical Cyclones of Southern California	Section 6: Flood
Map 6-1	Floodplains in the City of Compton	Section 6: Flood
Table 6-3	Dam Failures in Southern California	Section 6: Flood
Photo 6-1	Baldwin Hills Dam	Section 6: Flood
Map 6-2	Dam Inundation Areas	Section 6: Flood
Map 6-5	Whittier-Narrows Dam Inundation Map	Section 6: Flood
Map 6-6	Hansen Dam Inundation Map	Section 6: Flood
Map 6-7	Sepulveda Dam Inundation Map	Section 6: Flood
Figure 7-1	Santa Ana Winds	Section 7: Windstorm
Table 7-1	Fujita Tornado Damage Scale	Section 7: Windstorm
Table 7-2	Santa Ana Wind Events during 2003	Section 7: Windstorm
Table 7-3	Major Windstorms in the City of Compton	Section 7: Windstorm
Table 7-4	Major Tornado-like Events in Orange County	Section 7: Windstorm
Table 7-5	Beaufort Scale	Section 7: Windstorm

Note: The maps in this plan were provided by the City of Compton or were acquired from public Internet sources. Care was taken in the creation of these maps, but they are provided "as is". The City of Compton cannot accept any responsibility for any errors, omissions or positional accuracy, and therefore, there are no warranties that accompany these products (the maps). Although information from land surveys may have been used in the creation of these products, in no way does this product represent or constitute a land survey. Users are cautioned to field verify information on this product before making any decisions.

City of Compton Natural Hazards Mitigation Plan

Index

Title Page	i
Acknowledgments.....	ii
List of Maps	iii
Index	iv

Part I: Mitigation Actions

Executive Summary	
Attachment 1: Mitigation Actions Matrix	
Section 1: Introduction	
Section 2: Plan Maintenance	

Part II: Hazard Analysis

Section 3: Community Profile	
Section 4: Risk Assessment	
Section 5: Earthquake	
Section 6: Flooding	
Section 7: Windstorm	

Part III: Resources

Appendix A: Plan Resource Directory	
Appendix B: Public Participation	
Appendix C: Benefit/Cost Analysis	
Appendix D: List of Acronyms	
Appendix E: Glossary	

Executive Summary: Hazard Mitigation Action Plan

The City of Compton Natural Hazards Mitigation Plan includes resources and information to assist City residents, public and private sector organizations, and others interested in participating in planning for natural hazards. The mitigation plan provides a list of activities that may assist City of Compton in reducing risk and preventing loss from future natural hazard events. The action items address multi-hazard issues, as well as activities for earthquakes, flooding, and windstorms.

How is the Plan Organized?

The Mitigation Plan contains a Mitigation Actions Matrix, background on the purpose and methodology used to develop the mitigation plan, a profile of City of Compton, sections on three natural hazards that occur within the City, and a number of appendices. All of the sections are described in detail in Section 1, Introduction.

Who Participated in Developing the Plan?

The City of Compton Natural Hazards Mitigation Plan is the result of a collaborative planning effort between City of Compton, city of Carson, the Compton Unified School District, citizens, public agencies, non-profit organizations, the private sector, and regional and state organizations. Public participation played a key role in development of goals and action items. Information was provided to stakeholders across the City, and public outreach activities were conducted to include City of Compton residents in plan development. A Multi-Jurisdictional Planning Team guided the process of developing the plan.

The Multi-Jurisdictional Planning Team was comprised of the following representatives:

City of Compton	Adrian Tatum, Fire Department
	Joseph Lim, Planning Department
	Patrick Steward, Building and Safety Department
	Gloria Falls, Community Redevelopment Agency
	Esmochi Enenwali, Public Works Department
	Robert Burnett, Community Redevelopment Agency
	Arlene Williams, City Manager's Office
	Charles Evans, Risk Management Department
	Percy Perrodin, Municipal Law Enforcement Services
	Louis McKenzie, ICMS

	Kambiz Shoghi, Water Department
	Marilynn Horne, City Controller's Office
City of Carson	Rocio Lopez, Planning Division
	Alex Rocco, Information Services Department
	Sean Scully, Planning Division
	Lance Burkholder, Economic Development Department
	Travis Hopkins, Public Works Department
	George Rivera, Public Safety Department
	Eileen Edgerton, Public Safety Department
Compton Unified School District	Jesse Reyes, Police Department
	Clarence L. Moore, Police Department
Emergency Planning Consultants	Carolyn J. Harshman, President

What is the Plan Mission?

The mission of the City of Compton Natural Hazards Mitigation Plan is to promote sound public policy designed to protect citizens, critical facilities, infrastructure, private property, and the environment from natural hazards. This can be achieved by increasing public awareness, documenting the resources for risk reduction and loss-prevention, and identifying activities to guide the City towards building a Disaster Resistant Community.

What are the Plan Goals?

The plan goals describe the overall direction that City of Compton agencies, organizations, and citizens can take to work toward mitigating risk from natural hazards. The goals are stepping-stones between the broad direction of the mission statement and the specific recommendations outlined in the Mitigation Actions Matrix.

Protect Life and Property

Implement activities that assist in protecting lives by making homes, businesses, infrastructure, critical facilities, and other property more resistant to losses from natural hazards.

Reduce losses and repetitive damages for chronic hazard events while promoting insurance coverage for catastrophic hazards.

Improve hazard assessment information to make recommendations for discouraging new development in high hazard areas and encouraging preventative

measures for existing development in areas vulnerable to natural hazards.

Public Awareness

Develop and implement education and outreach programs to increase public awareness of the risks associated with natural hazards.

Provide information on tools; partnership opportunities, and funding resources to assist in implementing mitigation activities.

Natural Systems

Balance natural resource management, and land use planning with natural hazard mitigation to protect life, property, and the environment.

Preserve, rehabilitate, and enhance natural systems to serve natural hazard mitigation functions.

Partnerships and Implementation

Strengthen communication and coordinate participation among and within public agencies, citizens, non-profit organizations, business, and industry to gain a vested interest in implementation.

Encourage leadership within public and private sector organizations to prioritize and implement local and regional hazard mitigation activities.

Emergency Services

Establish policy to ensure mitigation projects for critical facilities, services, and infrastructure.

Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and industry.

Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.

How are the Action Items Organized?

The action items are a listing of activities in which City agencies and citizens can be engaged to reduce risk. Each action item includes an estimate of the time line for implementation (see Executive Summary, Attachment 1: Mitigation Actions Matrix).

The action items are organized within the following matrix, which lists all of the multi-hazard and hazard-specific action items included in the mitigation plan. Data collection and research and the public participation process resulted in the development of these action items (see Appendix B: Public Participation). The matrix includes the following information for each action item:

Coordinating Organization. The coordinating organization is the public agency with regulatory responsibility to address natural hazards, or that is willing and able to organize resources, find appropriate funding, or oversee activity implementation, monitoring, and evaluation. Coordinating organizations may include local, county, or regional agencies that are capable of or responsible for implementing activities and programs.

Timeline. Action items include both short and long-term activities. Each action item includes an estimate of the timeline for implementation.

Plan Goals Addressed. The plan goals addressed by each action item are included as a way to monitor and evaluate how well the mitigation plan is achieving its goals once implementation begins. The plan goals are organized into the following five areas:

Protect Life and Property
Public Awareness
Natural Systems
Partnerships and Implementation
Emergency Services

How Will the Plan be Implemented, Monitored, and Evaluated?

The Plan Maintenance Section (Section 2) of this document details the formal process that will ensure that the City of Compton Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this section includes an explanation of how the City of Compton government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City's General Plan, Capital Improvement Plans, and Building & Safety Codes.

Plan Adoption

Adoption of the Natural Hazards Mitigation Plan by the local jurisdiction's governing body is one of the prime requirements for approval of the plan. Once the plan is completed, the City Council will be responsible for adopting the City of Compton Natural Hazards Mitigation Plan. The local agency governing body has the responsibility and authority to promote sound public policy regarding natural hazards. The City Council will periodically need to re-adopt the plan as it is revised to meet changes in the natural hazard risks and exposures in the community. The approved Natural Hazard Mitigation Plan will be significant in the future growth and development of the community.

Coordinating Body

A City of Compton Natural Hazards Mitigation Committee will be responsible for coordinating implementation of Plan action items and undertaking the formal review process. The City Manager will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Planning Team members.

Convener

The City Council will adopt the Natural Hazards Mitigation Plan and the Natural Hazards Mitigation Committee will take responsibility for plan implementation. The City Manager will serve as a convener to facilitate the Natural Hazards Mitigation Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the committee. Plan implementation and evaluation will be a shared responsibility among all of the Committee members.

Implementation through Existing Programs

City of Compton addresses statewide planning goals and legislative requirements through its General Plan, Capital Improvement Plans, and City Building & Safety Codes. The Natural Hazards Mitigation Plan provides a series of recommendations that are closely related to the goals and objectives of these existing planning programs. City of Compton will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

Economic Analysis of Mitigation Projects

The Federal Emergency Management Agency's approaches to identify costs and benefits associated with natural hazard mitigation strategies or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later. Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Formal Review Process

The City of Compton Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and timeline, and identifies the local agencies and organizations participating in plan evaluation. The convener will be responsible for contacting the Committee members and organizing the annual meeting. Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the

Plan.

Continued Public Involvement

City of Compton is dedicated to involving the public directly in the continual review and updates of the Mitigation Plan. Copies of the plan will be catalogued and made available at City Hall. The existence and location of these copies will be publicized in the Compton Bulletin. The Plan also includes the address and the phone number of the City Clerk's Office, responsible for keeping track of public comments on the Plan. In addition, copies of the Plan and any proposed changes will be posted on the City website. This site will also contain an email address and phone number to which people can direct their comments and concerns.

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
Multi-Hazard Action Items								
MH #1-1	Integrate the goals and action items from the City of Compton Natural Hazards Mitigation Plan into existing regulatory documents and programs, where appropriate.	Natural Hazards Mitigation Committee	Ongoing				X	
MH #1-2	Identify and pursue funding opportunities to develop and implement mitigation activities.	Natural Hazards Mitigation Committee	Ongoing				X	
MH #1-3	Establish a formal role for the Natural Hazards Mitigation Committee to develop a sustainable process for implementing, monitoring, and evaluating citywide mitigation activities.	Natural Hazards Mitigation Committee	Ongoing				X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-4	Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to avoid activity that increases risk to natural hazards.	Natural Hazards Mitigation Committee	Ongoing	X	X		X	
MH #1-5	Develop public and private partnerships to foster natural hazard mitigation program coordination and collaboration in the City.	Natural Hazards Mitigation Committee	Ongoing				X	
MH #1-6	Develop inventories of at-risk buildings and infrastructure and prioritize mitigation projects.	Natural Hazards Mitigation Committee	1-2 Years	X			X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-7	Strengthen emergency services preparedness and response by linking emergency services with natural hazard mitigation programs and enhancing public education on a regional scale.	Natural Hazards Mitigation Committee	Ongoing					X
MH #1-8	Develop, enhance, and implement education programs aimed at mitigating natural hazards, and reducing the risk to citizens, public agencies, private property owners, businesses, and schools.	Natural Hazards Mitigation Committee	Ongoing		X			
MH #1-9	Establish policy to ensure mitigation measures are in place to safeguard critical facilities.	Natural Hazards Mitigation Committee	2 years	X				
MH #1-10	Partner with other organizations and agencies with similar goals to promote building codes that are more disaster resistant at the local level.	Building & Safety Department	Ongoing				X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-11	Develop policy for government to determine what reconstruction criteria should be applied to structures damaged during a disaster.	Building & Safety Department, Planning Department	3 years	X				
MH #1-12	Develop plans for temporary protection of contents of a damaged building to protect against further damage.	Building & Safety Department	2 years	X				
MH #1-13	Develop and implement programs to coordinate maintenance and mitigation activities to reduce risk to public infrastructure from severe weather events.	Public Works Department	1 year	X				
MH #1-14	Coordinate and integrate natural hazard mitigation activities, where appropriate, with emergency operations plans and procedures.	City's Office of Emergency Services	2 years	X				X

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-15	Identify, improve, and sustain collaborative programs focusing on the real estate and insurance industries, public and private sector organizations, and individuals to avoid activity that increases risk to natural hazards.	City Council, City Manager	3 years				X	
MH #1-16	Develop public and private partnerships to foster natural hazard mitigation program coordination and collaboration in county.	City's Office of Emergency Services	2 years				X	
MH #1-17	Identify bridges at risk from flood or earthquake hazards, identify enhancements, and implement projects needed to reduce the risks.	Public Works	1 year	X				
MH #1-18	Encourage the development of unifying organizations to ensure communication and dissemination	Natural Hazards Mitigation Committee	1 year		X			

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
	of natural hazard mitigation information.							
MH #1-19	Improve communication between DOT and city/county road departments to work together to prioritize and identify strategies to deal with road problems.	Public Works	Ongoing	X			X	
MH #1-20	Strengthen emergency operations by increasing collaboration and coordination among public agencies, non-profit organizations, business, and industry.	Natural Hazard Mitigation Committee	2 years		X		X	
MH #1-21	Develop a Preliminary Damage Assessment (PDA) process and review PDA data to identify concerns.	Natural Hazards Mitigation Committee	2 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-22	Develop activities that protect and enhance the quality of surface waters such as vegetative buffer zones along streams to filter polluted runoff from existing development, storm water detention of sufficient capacity to hold the first inch of rainfall.	Public Works	2 years			X		
MH #1-23	Compile a directory of out-of-area contractors to help with repairs/reconstruction so that restoration occurs in a timely manner	Building & Safety	1 year	X				
MH #1-24	Mandate the avoidance of development in designated high hazard areas.	City Council	4 years	X				
MH #1-25	Conduct a study to determine sufficient information to identify disaster-prone areas such as floodplains, earthquake fault lines,	Natural Hazards Mitigation Committee	3 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
	storm surge zones, etc.							
MH #1-26	Work with Office of Planning & Zoning and Municipal Planning Offices to review regulations pertaining to the jurisdictions to make sure that adequate zoning regulations are in place to reduce future development in high hazard areas.	Planning Department	1 year	X				
MH #1-27	In coordination with Caltrans, retrofit of highway bridges/tunnels	Public Works	5 years	X			X	
MH #1-28	In coordination with Caltrans, retrofit of railway bridges/facilities	Public Works	5 years	X			X	
MH #1-29	Retrofit of Hospitals	Building & Safety Department	5 years	X				
MH #1-30	Install and improve back-up power in critical facilities.	General Services Department, Fire Department	2 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-31	Integrate the City's Mitigation Plan into current Capital Improvement Plans to ensure that development does not encroach on known hazard areas.	Public Works	2 years	X				X
MH #1-32	Create a database with information to track the status of repair or reconstruction.	Information Technology Systems	3 years				X	
MH #1-33	Identify safe evacuation routes in high-risk debris flow and landslide areas.	Public Works	2 years	X				
MH #1-34	Identify which types of repairs and/or reconstruction, if any, would be exempt from local codes, particularly zoning and land development codes.	Planning Department	3 years	X				
MH #1-35	Comply with the ongoing research efforts of the Federal Insurance Administration (FIA) and the U.S. Army Corps of Engineers (COE).	Public Works	2 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-36	Determine who the stakeholders are in the recovery reconstruction process.	Natural Hazards Mitigation Committee	2 years				X	
MH #1-37	Determine which codes and/or standards should be applied to the General Reconstruction Policy.	Planning Department, Building & Safety Department	3 years	X				
MH #1-38	Identify which types of repairs and/or reconstruction, if any, would be exempt from local codes, particularly zoning and land development codes.	Planning Department	3 years	X				
MH #1-39	Improve water quality, protect wildlife habitats, encourage waterfront revitalization, enhance recreational opportunities, and balance public and private property rights.	Public Works	5 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-40	Purchase a complete GIS/GPS setup and provide training on said setup to all pertinent community personnel.	Planning Department	5 years	X				
MH #1-41	Utility and communications systems supporting emergency services operations will be retrofitted or relocated to withstand the impacts of disasters.	Building & Safety Department	5 years	X				
MH #1-42	In conjunction with Los Angeles County, public and private medical and health care facilities in the community will be retrofitted or relocated to withstand the impacts of disasters.	Building & Safety Department	4 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-43	Conduct interim planning to locate, set up, and manage temporary sites where business and government functions can continue their operations during recovery.	Community Redevelopment Agency, Building & Safety Department, Fire Department	2 years	X				
MH #1-44	Determine 'abandoned structure' policy to determine in what instances government will demolish structures and what the process will be to accomplish this task.	Building & Safety Department	1 year	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-45	Determine temporary protection measures; install plastic sheeting on roofs, cover exterior openings such as windows or doors, draining trapped water in ceilings or draining accumulated flood waters, temporary shoring to avoid imminent building collapse or damage.	General Services	Ongoing	X				
MH #1-46	Conduct site plan review to determine new constructions, repair and reconstruction of damaged structures.	Building & Safety Department, Planning Department	Ongoing	X				
MH #1-47	Inventory alternative firefighting water sources and encourage the development of additional sources.	Water Department, Fire Department	3 years	X				
MH #1-48	Determine locations and arrangements for business resumption and housing.	City's Office of Emergency Services	3 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-49	Partner with other organizations and agencies in the community to identify grant programs and foundations that may support mitigation activities.	Economic & Resource Development	2 years				X	
MH #1-50	Develop incentives for local governments, citizens, and businesses to pursue hazard mitigation projects.	Economic & Resource Development	2 years					
MH #1-51	Identify all organizations within the jurisdiction that have programs or interests in natural hazards mitigation.	City's Office of Emergency Services	2 years		X		X	
MH #1-52	Educate agency personnel on federal cost-share and grant programs, Fire Protection Agreements, and other related federal programs so the full array of assistance available is understood.	Fire Department	3 years				X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-53	Incorporate a pre-disaster program under which the President may provide technical and financial assistance to local governments that are determined to have identified their natural hazards and to have demonstrated the ability to form effective public-private partnerships.	City's Office of Emergency Services	2 years	X				X
MH #1-54	Ensure repairs or construction funded by Federal disaster assistance conform to applicable codes and standards.	Building & Safety Department	2 years	X				
MH #1-55	Promote hazard mitigation as a public value in recognition of its importance to the health, safety, and welfare of the population.	City Council	2 years		X			

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-56	Write and administer appropriate grants to enhance all agencies/departments' incident response capabilities.	Economic & Resource Development	3 years	X				
MH #1-57	Promote public education to increase awareness of hazards and opportunities for mitigation.	City's Office of Emergency Services	1 year		X			
MH #1-58	Educate the public about emergency sheltering and evacuation procedures.	City's Office of Emergency Services	2 years		X			
MH #1-59	Hold a town-sponsored hazard mitigation seminar for the community residents.	Natural Hazards Mitigation Committee	2 years		X			
MH #1-60	Post the community's Hazard Mitigation Plan on the website.	Information/Technology Systems	1 year		X			
MH #1-61	Distribute via water bill, maps of evacuation routes that will facilitate the community's safe evacuation.	Water Department	Annually beginning 1/2006		X			

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-62	Send news releases to local newspapers and radio stations about pre-disaster information. Design to reach all areas of the City.	City's Office of Emergency Services	2 Years		X			
MH #1-63	Inclusion of disaster preparedness information on the City's website.	City's Office of Emergency Services, Information/Technology Systems	1 year		X			
MH #1-64	Hold workshops about hazard mitigation and family disaster planning with the boys and girls clubs, scouting organizations, County churches, PTA, Red Cross Youth Corps, VOAD, Chamber of Commerce, Rotary, Kiwanis, and Lions Clubs.	Fire Department	5 years		X		X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-65	Distribution of information on fire safety, smoke alarms and sprinkler systems to homeowners of structures built before 1980. (As depicted in the 2003 Hazard Vulnerability Analysis)	Building & Safety Department	2 years		X			
MH #1-66	Train EMS, fire fighters, law enforcement, public works, healthcare providers and other support personnel in unified command using the Incident Management System (IMS) model. By understanding the role of each discipline will result in a cohesive performance of their assigned tasks yielding an overall emergency response that is not only effective, but rapid with optimal outcome.	Fire Department, Natural Hazards Mitigation Committee	3 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-67	Establishment of an alternate EOC to be used in case the primary one becomes unusable.	City's Office of Emergency Services	Completed					X
MH #1-68	Ensure that when completed, there is a capability to communicate with all EOC agencies with redundant backups in voice and data communications.	Fire Department, Information/Technology Systems, Public Works	2 years					X
MH #1-69	Enhance disaster response and EOC operations via expansion of City's GIS/GPS.	Fire Department, Planning Department	2 years					X
MH #1-70	Familiarize public officials of requirements regarding public assistance for disaster response.	City Manager	1 year				X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-71	Establish a formal role for the City Natural Hazards Mitigation committee to develop a sustainable process for implementing, monitoring, and evaluating the City's mitigation activities.	City Manager's Office	1 Year				X	
MH #1-72	Coordinate the maintenance of emergency transportation routes through communication among the various roads department, neighboring jurisdictions and Caltrans.	Public Works	1 year					X
MH #1-73	Determine what kinds of minor repairs and temporary protection activities (e.g., temporary roofing, protect against loss of life/injury, shoring, protect contents) can be done in the immediate aftermath of a disaster.	Public Works	5 years	X				X

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
MH #1-74	In conjunction with the Sheriff's Department, enhance response capability of county and municipal fire, police, and emergency medical services personnel to special populations.	Fire Department, Municipal Law Enforcement	5 years	X			X	X
Earthquake Action Items								
EQ #2-1	Integrate earthquake hazard mapping data for Los Angeles County and improve technical analysis of earthquake hazards.	Natural Hazards Mitigation Committee	2 years	X			X	
EQ #2-2	Identify funding sources for structural and nonstructural retrofitting of structures that are identified as seismically vulnerable.	Natural Hazards Mitigation Committee	Ongoing	X	X			
EQ #2-3	Educate the public on the California Earthquake Insurance Program.	Natural Hazards Mitigation Committee	Ongoing	X	X			

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
EQ #2-4	Encourage seismic strength evaluations of critical facilities in the City to identify vulnerabilities for mitigation of schools and university, public infrastructure, and critical facilities to meet current seismic standards.	Natural Hazards Mitigation Committee	Ongoing	X	X			
EQ #2-5	Encourage reduction of nonstructural and structural earthquake hazards in homes, schools, businesses, and government offices.	Natural Hazards Mitigation Committee	Ongoing	X	X			
EQ #2-6	Encourage reduction of nonstructural and structural earthquake hazards in homes, schools, businesses, and government offices.	Natural Hazards Mitigation Committee	1 year	X	X			

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
EQ #2-7	Encourage seismic strength evaluations of critical facilities in the City to identify vulnerabilities for mitigation of schools and universities, public infrastructure, and critical facilities to meet current seismic standards.	General Services	2 years	X				
EQ #2-8	Identify funding sources for structural and nonstructural retrofitting of structures that are identified as seismically vulnerable.	Economic & Resource Development	2 years	X				
EQ #2-9	Encourage purchase of earthquake hazard insurance.	City Council, City Manager			X			
Flood Action Items								
FLD #3-1	Analyze each repetitive flood area within Compton and identify feasible mitigation options.	Natural Hazards Mitigation Committee	1-2 years	X			X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
FLD #3-2	Develop better flood warning systems.	Natural Hazards Mitigation Committee	1-2 years	X				X
FLD #3-3	Identify surface water drainage obstructions for all parts of the City.	Natural Hazards Mitigation Committee	5 years	X				
FLD #3-4	Inventory and map data in the City on flood-prone areas.	Natural Hazards Mitigation Committee	3 years	X				X
FLD #3-5	Develop site plans that will result in a building that is inherently safe from flood damages.	Building & Safety Department	Ongoing	X				
FLD #3-6	Ensure compliance of regulations that require that any building that has been substantially damaged, for any reason, must be brought into compliance with the NFIP regulations.	Building & Safety Department	Ongoing	X				
FLD #3-7	Recommend revisions to requirements for development within the floodplain, where appropriate.	Building & Safety	3 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
FLD #3-8	Analyze each repetitive flood property within the City and identify feasible mitigation options.	Building & Safety	3 years	X				
FLD #3-9	Enhance data and mapping for floodplain information within the City and identify and map flood-prone areas outside of designated floodplains.	Public Works	3 years	X		X		
FLD #3-10	Identify surface water drainage obstructions for all parts of the unincorporated county.	Public Works	4 years	X			X	
FLD #3-11	Establish a framework to compile and coordinate surface water management plans and data throughout the county.	Public Works	4 years	X		X	X	
FLD #3-12	Enact a local ordinance that prohibits draining, filling, or construction of buildings, roads, or other infrastructure in designated wetlands.	Building & Safety	2 years	X		X		

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
FLD #3-13	Comply with the ongoing research efforts of the Federal Insurance Administration (FIA) and the U.S. Army Corps of Engineers (COE).	Public Works	2 years	X				
FLD #3-14	Record all structures within the floodplain, as well as, areas of repetitive losses due to flooding.	Public Works	3 years	X				
FLD #3-15	Revise the Zoning and Subdivision Ordinance to require the utilization of various pervious surfaces within the floodplain in order to reduce storm water runoff. This should include utilizing the use of various pervious surfaces in parking lots in recreational areas near the floodplain.	Planning Department	5 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
FLD #3-16	In conjunction with Los Angeles Flood Control District, promote the wise use of floodplains to reduce flood losses, and protect the natural and cultural resources and functions of floodplains.	Public Works Department	3 years				X	
FLD #3-17	In conjunction with Los Angeles County Flood Control District, identify structures to be demolished by the government.	Public Works	3 years				X	
FLD #3-18	Develop restoration of degraded wetlands to reestablish their natural functions.	Public Works Department, Planning Department	5 years				X	
FLD #3-19	Protect surrounding surface water and ecosystems from pollutants often associated with flooding and storm water runoff.	Public Works Department	3 years	X				

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
Windstorm Action Items								
WS #4-1	Develop and implement programs to keep trees from threatening lives, property, and public infrastructure during windstorm events.	Natural Hazards Mitigation Committee	2 years				X	X
WS #4-2	Enhance strategies for debris management for windstorm events.	Natural Hazards Mitigation Committee	2 years				X	X
WS #4-3	Map and publicize locations around the city that have the highest incidence of extreme windstorms.	Natural Hazards Mitigation Committee	5 years	X	X		X	
WS #4-4	Support/encourage electrical utilities to use underground construction methods where possible to reduce power outages from windstorms.	Natural Hazards Mitigation Committee	5 years			X	X	

City of Compton Mitigation Actions Matrix

Natural Hazard	Action Item	Coordinating Organization	Timeline	Plan Goals Addressed				
				Protect Life and Property	Public Awareness	Natural Systems	Partnerships and Implementation	Emergency Services
WS #4-5	Increase public awareness of windstorm mitigation activities.	Natural Hazards Mitigation Committee	Ongoing	X	X			
WS #4-6	Encourage development and enforcement of wind-resistant building siting and construction codes.	Natural Hazards Mitigation Committee	Ongoing	X	X			
WS #4-7	Encourage development and enforcement of wind-resistant building sites and construction codes.	Building & Safety Department	5 years	X				
WS #4-8	Support/encourage electrical utilities to use underground construction methods where possible to reduce power outages from windstorms.	Public Works, City Manager, City Council	4 years				X	
WS #4-9	Develop and implement programs to keep trees from threatening lives, property, and public infrastructure during windstorm events.	Public Works	3 years	X				

City of Compton Mitigation Actions Matrix

Section 1

Introduction

Throughout history, the residents of City of Compton have dealt with the various natural hazards affecting the area. Photos, journal entries, and newspapers show that the residents of the area dealt with earthquakes, flooding, and windstorms.

Although there were fewer people in the area, the natural hazards adversely affected the lives of those who depended on the land and climate conditions for food and welfare. As the population of the City continues to increase, the exposure to natural hazards creates an even higher risk than previously experienced.

The City of Compton is located in south-central Los Angeles County, and offers the benefits of living in a Mediterranean type of climate. The City is characterized by the unique and attractive landscape that makes the area so popular. However, the potential impacts of natural hazards associated with the terrain make the environment and population vulnerable to natural disasters.

The City is subject to earthquakes, flooding, and windstorms. It is impossible to predict exactly when these disasters will occur, or the extent to which they will affect the City. However, with careful planning and collaboration among public agencies, private sector organizations, and citizens within the community, it is possible to minimize the losses that can result from these natural disasters.

City of Compton most recently experienced large-scale destruction during a flood in 2003. On November 12, 2003 at approximately 4:00pm the City of Compton experienced heavy rainfall and hail that resulted in more than six inches of floodwater throughout the city. Although a presidential disaster was not declared, there was \$268,700 damage to public facilities.

Why Develop a Mitigation Plan?

As the cost of damage from natural disasters continues to increase, the community realizes the importance of identifying effective ways to reduce vulnerability to disasters. Natural hazard mitigation plans assist communities in reducing risk from natural hazards by identifying resources, information, and strategies for risk reduction, while helping to guide and coordinate mitigation activities throughout the City.

The plan provides a set of action items to reduce risk from natural hazards through education and outreach programs and to foster the development of partnerships, and implementation of preventative activities such as land use programs that restrict and control development in areas subject to damage from natural hazards.

The resources and information within the Mitigation Plan:

- (1) Establish a basis for coordination and collaboration among agencies and the public in City of Compton;


- (2) Identify and prioritize future mitigation projects; and
- (3) Assist in meeting the requirements of federal assistance programs.

The mitigation plan works in conjunction with other City plans, including the Multi-Hazard Functional Plan.

Whom Does the Mitigation Plan Affect?

The City of Compton Natural Hazards Mitigation Plan affects the entire city. Map 1-1 shows major roads in the City of Compton. This plan provides a framework for planning for natural hazards. The resources and background information in the plan is applicable City-wide, and the goals and recommendations can lay groundwork for other local mitigation plans and partnerships.

Map 1-1: City of Compton (Source: City of Compton)



Natural Hazard Land Use Policy in California

Planning for natural hazards should be an integral element of any city’s land use planning program. All California cities and counties have General Plans and the implementing

ordinances that are required to comply with the statewide planning regulations.

The continuing challenge faced by local officials and state government is to keep the network of local plans effective in responding to the changing conditions and needs of California's diverse communities, particularly in light of the very active seismic region in which we live.

This is particularly true in the case of planning for natural hazards where communities must balance development pressures with detailed information on the nature and extent of hazards.

Planning for natural hazards, calls for local plans to include inventories, policies, and ordinances to guide development in hazard areas. These inventories should include the compendium of hazards facing the community, the built environment at risk, the personal property that may be damaged by hazard events and most of all, the people who live in the shadow of these hazards.

Support for Natural Hazard Mitigation

All mitigation is local, and the primary responsibility for development and implementation of risk reduction strategies and policies lies with local jurisdictions. Local jurisdictions, however, are not alone. Partners and resources exist at the regional, state and federal levels. Numerous California state agencies have a role in natural hazards and natural hazard mitigation. Some of the key agencies include:

- The Governor's Office of Emergency Services (OES) is responsible for disaster mitigation, preparedness, response, recovery, and the administration of federal funds after a major disaster declaration;
- The Southern California Earthquake Center (SCEC), gathers information about earthquakes, integrates this information on earthquake phenomena, and communicates this to end-users and the general public to increase earthquake awareness, reduce economic losses, and save lives.
- The California Division of Forestry (CDF) is responsible for all aspects of wildland fire protection on private, state, and administers forest practices regulations, including landslide mitigation, on non-federal lands.
- The California Division of Mines and Geology (DMG) is responsible for geologic hazard characterization, public education, the development of partnerships aimed at reducing risk, and exceptions (based on science-based refinement of tsunami inundation zone delineation) to state mandated tsunami zone restrictions; and
- The California Division of Water Resources (DWR) plans, designs, constructs, operates, and maintains the State Water Project; regulates dams; provides flood protection and assists in emergency management. It also educates the public, serves

local water needs by providing technical assistance.

Plan Methodology

Information in the Mitigation Plan is based on research from a variety of sources. Staff from the City of Compton conducted data research and analysis, facilitated Planning Team meetings and public outreach activities, and developed the final mitigation plan. The research methods and various contributions to the plan include:

Input from the Planning Team:

The Multi-Jurisdictional Planning Team convened four times to guide development of the Mitigation Plan. The Team played an integral role in developing the mission, goals, and action items for the Mitigation Plan. The Team consisted of representatives of three local government agencies, including:

City of Compton

City of Carson

Compton Unified School District

Stakeholder Interviews:

City staff distributed copies of the Plan to agencies and specialists from organizations interested in natural hazards planning. The data and support gained from the review process was very valuable to the overall planning effort. A complete listing of all stakeholders (reviewers) is located in Appendix B: Public Participation.

State and federal guidelines and requirements for mitigation plans:

Following are the Federal requirements for approval of a Natural Hazards Mitigation Plan:

- * Open public involvement, with public meetings that introduce the process and project requirements
- * The public must be afforded opportunities for involvement in: identifying and assessing risk, drafting a plan, and public involvement in approval stages of the plan.
- * Community cooperation, with opportunity for other local government agencies, the business community, educational institutions, and non-profits to participate in the process.
- * Incorporation of local documents, including the local General Plan, the Zoning Ordinance, the Building Codes, and other pertinent documents.

The following components must be part of the planning process:

- * Complete documentation of the planning process
- * A detailed risk assessment on hazard exposures in the community
- * A comprehensive mitigation strategy, which describes the goals & objectives, including proposed strategies, programs & actions to avoid long-term vulnerabilities.

- * A plan maintenance process, which describes the method and schedule of monitoring, evaluating and updating the plan and integration of the Natural Hazards Mitigation Plan into other planning mechanisms.
- * Formal adoption by the City Council.
- * Plan Review by both State OES and FEMA

These requirements are spelled out in greater detail in the following plan sections and supporting documentation.

Public participation opportunities were created through use of local media, the City's website, distribution of a natural hazards questionnaire, and the City Council public hearing. In addition, the makeup of a multi-jurisdictional planning team insured a constant exchange of data and input from outside organizations.

Through its consultant, Emergency Planning Consultants, the City had access to numerous existing mitigation plans from around the country, as well as current FEMA hazard mitigation planning standards (386 series).

Other reference materials consisted of county and city mitigation plans, including:

- Clackamas County (Oregon) Natural Hazards Mitigation Plan
- Six County (Utah) Association of Governments
- Upper Arkansas Area Risk Assessment and Hazard Mitigation Plan
- Urbandale-Polk County, Iowa Plan
- Hamilton County, Ohio Plan

Natural Hazard Planning Guidebook from Butler County, Ohio

Hazard specific research: City of Compton staff collected data and compiled research on three hazards: earthquakes, flooding, and windstorms. Research materials came from the City General Plan, the City's Threat Assessment contained in the Multi-Hazard Functional Plan, and state agencies including OES and CDF.

The City of Compton staff identified current mitigation activities, resources and programs, and potential action items from research materials and stakeholder interviews.

Public Input

The City of Compton encouraged public participation and input in the Natural Hazards Mitigation Plan by posting its activities in the media. During the review period for the Draft Plan, copies of the Plan were distributed to interested citizens. Citizens were encouraged to review public copies of the Plan Draft and participate in the City Council public meeting which was held on October 12, 2004. Following is a summary of the public comments gathered during the City Council meeting:

The resources and information cited in the mitigation plan provide a strong local perspective and help identify strategies and activities to make City of Compton more disaster resistant.

How Is the Plan Used?

Each section of the mitigation plan provides information and resources to assist people in understanding the City and the hazard-related issues facing citizens, businesses, and the environment. Combined, the sections of the plan work together to create a document that guides the mission to reduce risk and prevent loss from future natural hazard events.

The structure of the plan enables people to use a section of interest to them. It also allows City government to review and update sections when new data becomes available. The ability to update individual sections of the mitigation plan places less of a financial burden on the City. Decision-makers can allocate funding and staff resources to selected pieces in need of review, thereby avoiding a full update, which can be costly and time-consuming. New data can be easily incorporated, resulting in a natural hazards mitigation plan that remains current and relevant to City of Compton. The mitigation plan is organized into three parts. Part I contains an executive summary, Mitigation Actions Matrix, introduction, and plan maintenance. Part II contains a city profile, risk assessment, and hazard-specific sections. Part III includes the appendices. Each section of the plan is described below.

Part I: Mitigation Actions

Executive Summary: Hazard Mitigation Action Plan

The Hazard Mitigation Action Plan provides an overview of the mitigation plan mission, goals, and action items.

Attachment 1: Mitigation Actions Matrix

The plan action items are included in this section, and address multi-hazard issues, as well as hazard-specific activities that can be implemented to reduce risk and prevent loss from future natural hazard events.

Section 1: Introduction

The Introduction describes the background and purpose of developing the

mitigation plan for City of Compton.

Section 2: Plan Maintenance

This section provides information plan implementation, monitoring and evaluation.

Part II: Hazard Analysis

Section 3: Community Profile

This section presents the history, geography, demographics, and socioeconomics of the City of Compton. It serves as a tool to provide an historical perspective of natural hazards in the City.

Section 4: Risk Assessment

Sections 5-7: Hazard-Specific Sections

Hazard-Specific Sections on the three chronic hazards is addressed in this plan. Chronic hazards occur with some regularity and may be predicted through historic evidence and scientific methods. The chronic hazards addressed in the plan include:

- Section 5: Earthquakes
- Section 6: Flooding
- Section 7: Windstorms

Each of the hazard-specific sections includes information on the history, hazard causes and characteristics, and hazard assessment.

Part III: Resources

The plan appendices are designed to provide users of the City of Compton Natural Hazards Mitigation Plan with additional information to assist them in understanding the contents of the mitigation plan, and potential resources to assist them with implementation.

Appendix A: Plan Resource Directory

The resource directory includes City, regional, state, and national resources and programs that may be of technical and/or financial assistance to City of Compton during plan implementation.

Appendix B: Public Participation

This appendix includes specific information on the various public processes used

during development of the plan.

Appendix C: Benefit/Cost Analysis

This section describes FEMA's requirements for benefit cost analysis in natural hazards mitigation, as well as various approaches for conducting economic analysis of proposed mitigation activities.

Appendix D: List of Acronyms

This section provides a list of acronyms for City, regional, state, and federal agencies and organizations that may be referred to within the City of Compton Natural Hazards Mitigation Plan.

Appendix E: Glossary

This section provides a glossary of terms used throughout the plan.

Section 2:

Plan Maintenance

The Plan Maintenance Section of this document details the formal process that will ensure that the Natural Hazards Mitigation Plan remains an active and relevant document. The plan maintenance process includes a schedule for monitoring and evaluating the Plan annually and producing a plan revision every five years. This section describes how the City will integrate public participation throughout the plan maintenance process. Finally, this Section includes an explanation of how the City of Compton government intends to incorporate the mitigation strategies outlined in this Plan into existing planning mechanisms such as the City's General Plan, Capital Improvement Plans, and Building and Safety Codes.

Monitoring and Implementing the Plan

Plan Adoption

The City Council will be responsible for adopting the Natural Hazards Mitigation Plan. This governing body has the authority to promote sound public policy regarding natural hazards. Once the plan has been adopted, the City's Emergency Services Coordinator will be responsible for submitting it to the State Hazard Mitigation Officer at The Governor's Office of Emergency Services. The Governor's Office of Emergency Services will then submit the plan to the Federal Emergency Management Agency (FEMA) for review. This review will address the federal criteria outlined in FEMA Interim Final Rule 44 CFR Part 201. Upon acceptance by FEMA, the City will gain eligibility for Hazard Mitigation Grant Program funds.

Coordinating Body

The City's Natural Hazards Mitigation Committee will be responsible for coordinating implementation of plan action items and undertaking the formal review process. The City Manager (or designee) will assign representatives from City agencies, including, but not limited to, the current Hazard Mitigation Planning Team members. The City has formed a Hazard Mitigation Advisory Committee that consists of members from City agencies including:

City of Compton	Adrian Tatum, Fire Department
	Joseph Lim, Planning Department
	Patrick Steward, Building and Safety Department
	Gloria Falls, Community Redevelopment Agency
	Esmochi Enenwali, Public Works Department
	Robert Burnett, Community Redevelopment

	Agency
	Arlene Williams, City Manager's Office
	Charles Evans, Risk Management Department
	Percy Perrodin, Municipal Law Enforcement Services
	Louis McKenzie, ICMS
	Kambiz Shoghi, Water Department
	Marilynn Horne, City Controller's Office

In order to make this Committee as broad and useful as possible, the City Manager will engage other relevant organizations and agencies in hazard mitigation. Other potential additions to the Natural Hazards Mitigation Committee could include:

- An elected official
- A representative from the Chamber of Commerce
- An insurance company representative
- Community Planning Organization representatives
- A representative from the City Manager's Office
- Representation from professional organizations such as the Home Builders Association

The Committee will meet no less than quarterly. Meeting dates will be scheduled once the final Committee has been established. These meetings will provide an opportunity to discuss the progress of the action items and maintain the partnerships that are essential for the sustainability of the mitigation plan.

Convener

The City Council will adopt the Natural Hazards Mitigation Plan, and the Committee will take responsibility for plan implementation. The City Manager (or designee) will serve as a convener to facilitate the Committee meetings, and will assign tasks such as updating and presenting the Plan to the members of the Committee. Plan implementation and evaluation will be a shared responsibility among all of the Committee members.

Implementation through Existing Programs

The City addresses statewide planning goals and legislative requirements through its General Plan, Capital Improvement Plans, and City Building and Safety Codes. The Natural Hazards Mitigation Plan provides a series of recommendations - many of which are closely related to the goals and objectives of existing planning programs. The City will have the opportunity to implement recommended mitigation action items through existing programs and procedures.

The City's Building & Safety Department is responsible for administering the Building & Safety Codes. In addition, the Natural Hazards Mitigation Committee will work with other agencies at the state level to review, develop and ensure Building & Safety Codes that are adequate to mitigate or prevent damage by natural hazards. This is to ensure that life-safety criteria are met for new construction.

The goals and action items in the mitigation plan may be achieved through activities recommended in the City's Capital Improvement Plans (CIP). Various City departments develop CIP plans, and review them on an annual basis. Upon annual review of the CIPs, the Committee will work with the City departments to identify action items in the Natural Hazards Mitigation Plan consistent with CIP planning goals and integrate them where appropriate.

Within six months of formal adoption of the Mitigation Plan, the recommendations listed above will be incorporated into the process of existing planning mechanisms at the City level. The meetings of the Natural Hazards Mitigation Committee will provide an opportunity for Committee members to report back on the progress made on the integration of mitigation planning elements into the City's planning documents and procedures.

Economic Analysis of Mitigation Projects

FEMA's approaches to identify the costs and benefits associated with natural hazard mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis.

Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster-related damages later.

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. Determining the economic feasibility of mitigating natural hazards can provide decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects.

Given federal funding, the Hazard Mitigation Advisory Committee will use a FEMA-approved benefit/cost analysis approach to identify and prioritize mitigation action items. For other projects and funding sources, the Committee will use other approaches to understand the costs and benefits of each action item and develop a prioritized list. For more information regarding economic analysis of mitigation action items, please see Appendix C: Benefit/Cost Analysis.

Evaluating and Updating the Plan

Formal Review Process

The Natural Hazards Mitigation Plan will be evaluated on an annual basis to determine the effectiveness of programs, and to reflect changes in land development or programs that may affect mitigation priorities. The evaluation process includes a firm schedule and timeline, and identifies the local agencies and organizations participating in plan evaluation. The convener or designee will be responsible for contacting the Committee members and organizing the annual meeting.

Committee members will be responsible for monitoring and evaluating the progress of the mitigation strategies in the Plan.

The Committee will review the goals and action items to determine their relevance to changing situations in the City, as well as changes in State or Federal policy, and to ensure they are addressing current and expected conditions. The Committee will also review the Risk Assessment portion of the Plan to determine if this information should be updated or modified, given any new available data. The coordinating organizations responsible for the various action items will report on the status of their projects, the success of various implementation processes, difficulties encountered, success of coordination efforts, and which strategies should be revised.

The convener will assign the duty of updating the plan to one or more of the Committee members. The designated Committee members will have three months to make appropriate changes to the Plan before submitting it to the Committee members, and presenting it to the City Council (or other authority). The Committee will also notify all holders of the City's Plan when changes have been made. Every five years the updated Plan will be submitted to the State Hazard Mitigation Officer and the Federal Emergency Management Agency for review.

Continued Public Involvement

The City is dedicated to involving the public directly in review and updates of the Natural Hazards Mitigation Plan. The Committee members are responsible for the annual review and update of the plan.

The public will also have the opportunity to provide feedback about the Plan. Copies of the Plan will be catalogued and kept at all of the appropriate agencies in the City. The existence and location of these copies will be publicized in the City's newspaper of record and any extant city newsletter that reaches every household in the City. The plan also includes the address and the phone number of the City Planning Division, responsible for keeping track of public comments on the Plan.

In addition, copies of the Plan and any proposed changes will be posted on the City's Website. This site will also contain an email address and phone number to which people

can direct their comments and concerns. A public meeting will also be held after each annual evaluation or as deemed necessary by the Natural Hazards Mitigation Committee. The meetings will provide the public a forum for which they can express its concerns, opinions, or ideas about the Plan. The Committee will be responsible for using City resources to publicize the annual public meetings and maintain public involvement through the public access cable channel, Website, and local newspapers.

Section 3:

Community Profile

Why Plan for Natural Hazards in City of Compton?

Natural hazards impact citizens, property, the environment, and the economy of City of Compton. Earthquakes, flooding, and windstorms have exposed City of Compton residents and businesses to the financial and emotional costs of recovering after natural disasters. The risk associated with natural hazards increases as more people move to areas affected by natural hazards.

Even in those communities that are essentially “built-out” i.e., have little or no vacant land remaining for development; population density continues to increase when low density housing is replaced with medium and high density development projects.

The inevitability of natural hazards, and the growing population and activity within the City create an urgent need to develop strategies, coordinate resources, and increase public awareness to reduce risk and prevent loss from future natural hazard events. Identifying the risks posed by natural hazards, and developing strategies to reduce the impact of a hazard event can assist in protecting life and property of citizens and communities. Local residents and businesses can work together with the City to create a natural hazards mitigation plan that addresses the potential impacts of hazard events.

Geography and the Environment

City of Compton has an area of 10.2 square miles and is located in south-central Los Angeles County.

Elevations in the City range from a high of 75 feet to a low of 60 feet. The terrain of the city is flat and almost completely urbanized.

Community Profile

The City of Compton is as rich in history. The area comprising the City of Compton was first settled in the 1800s and the City itself was incorporated in 1888.

The City is served by Interstate 710 (running north-south through the eastern portion of the city), and Highway 91 (running east-west through the southern portion of the city).

According to the city’s General Plan, there are two Southern Pacific Transportation Company railroad lines that travel north-south through the middle of Compton. Additionally the Los Angeles Metro Rail Blue Line operates on these tracks.

Major Rivers

According to the city's General Plan, the most likely significant flooding event in the city would be a 100-year flood caused by the Los Angeles River overflowing. The Los Angeles River flows north-south through the eastern portion of the city. The river channel is part of the County Flood Control District and the City is protected by a levee wall to a height of 30 feet. Additionally, the east and west fork of Compton Creek flow through the city.

Climate

Average temperatures in the City of Compton range from 45 degrees in the winter months to 100 degrees in the summer months. However the temperatures can vary over a wide range, particularly when the Santa Ana winds blow, bringing higher temperatures and very low humidity.

Rainfall in the city averages 17 inches of rain per year. But the term "average" means very little in this region as the annual rainfall during this time period has ranged from only 4.35 inches in 2001-2002 to 38.2 inches in 1883-1884. The largest rainfall recorded for the city was over six inches in 2003.

Furthermore, actual rainfall in Southern California tends to fall in large amounts during sporadic and often heavy storms rather than consistently over storms at somewhat regular intervals. In short, rainfall in Southern California might be characterized as feast or famine within a single year. Because the metropolitan basin is largely built out, water originating in higher elevation communities can have a sudden impact on adjoining communities that have a lower elevation.

Minerals and Soils

The characteristics of the minerals and soils present in City of Compton indicate that potential types of hazards that may occur. Rock hardness and soil characteristics can determine whether or not an area will be prone to geologic hazards such as earthquakes, liquefaction and landslides.

Urbanization and construction have over time replaced and disturbed soils. Mineral deposits are limited to clay deposits used for bricks. According to the city's General Plan, portions of the eastern section of the city have sandy soils mixed with shallow groundwater making it susceptible to liquefaction.

Other Significant Geologic Features

City of Compton, like most of the Los Angeles Basin, lie over the area of one or more known earthquake faults, and potentially many more unknown faults, particularly so-called lateral or blind thrust faults.

As identified in the City's General Plan, the major faults that have the potential to affect the greater Los Angeles Basin, and therefore the City of Compton are the:

- San Andreas
- San Jacinto
- Whittier-Elsinore
- Newport Inglewood
- San Fernando
- Sierra Madre

The Los Angeles Basin has a history of powerful and relatively frequent earthquakes, dating back to the powerful 8.0+ San Andreas earthquake of 1857 which did substantial damage to the relatively few buildings that existed at the time. Paleoseismological research indicates that large (8.0+) earthquakes occur on the San Andreas fault at intervals between 45 and 332 years with an average interval of 140 years¹. Other lesser faults have also caused very damaging earthquakes since 1857. Notable earthquakes include the 1933 Long Beach Earthquake, the 1971 San Fernando Earthquake, the 1987 Whittier Earthquake and the 1994 Northridge Earthquake.

In addition, many areas in the Los Angeles Basin have sandy soils that are subject to liquefaction. The City of Compton has liquefaction zones and is discussed in Section 5: Earthquake.

The City of Compton also has areas with landslide potential. Currently there is active landslide activity in the southwest portion of the city.

Population and Demographics

City of Compton has a population of about 93,493 in an area of 10.2 square miles.

The increase of people living in City of Compton creates more community exposure, and changes how agencies prepare for and respond to natural hazards. For example, more people living on the urban fringe can increase risk of fire. Wildfire has an increased chance of starting due to human activities in the urban/rural interface, and has the potential to injure more people and cause more property damage. But an urban/wildland fire is not the only exposure to the City of Compton. In the 1987 publication, Fire Following Earthquake issued by the All Industry Research Advisory Council, Charles Scawthorn explains how a post-earthquake urban conflagration would develop. The conflagration would be started by fires resulting from earthquake damage, but made much worse by the loss of pressure in the fire mains, caused by either lack of electricity to power water pumps, and /or loss of water pressure resulting from broken fire mains. Furthermore, increased density can affect risk. For example, narrower streets are more difficult for emergency service vehicles to navigate, the higher ratio of residents to emergency responders affects response times, and homes located closer together increase

¹ Peacock, Simon M.,
<http://aamc.geo.lsa.umich.edu/eduQuakes/EQpredLab/EQprediction.peacock.html>

the chances of fires spreading.

The City of Compton is experiencing a great deal of in-fill building, which is increasing the population density creating greater service loads on the built infrastructure, including roads, water supply, sewer services and storm drains.

Natural hazards do not discriminate, but the impacts in terms of vulnerability and the ability to recover vary greatly among the population. According to Peggy Stahl of the Federal Emergency Management Agency (FEMA) Preparedness, Training, and Exercise Directorate, 80% of the disaster burden falls on the public, and within that number, a disproportionate burden is placed upon special needs groups: women, children, minorities, and the poor.²

According to the 2000 census figures, the demographic make up of the city is as follows:

	City of Compton
African American	40.3%
Hispanic or Latino	56.8%
Native Hawaiian and other Pacific Islander	1.1%
White	1.00%
Native American	.7%

The ethnic and cultural diversity suggests a need to address multi-cultural needs and services.

The percentage of citizens living in poverty in the City of Compton is about 28% according to the 2000 Census. Of those, 35.6% are under 18 years old, and 14.7% are over 65.

Vulnerable populations, including seniors, disabled citizens, women, and children, as well as those people living in poverty, may be disproportionately impacted by natural hazards.

Examining the reach of hazard mitigation policies to special needs populations may assist in increasing access to services and programs. FEMA's Office of Equal Rights addresses this need by suggesting that agencies and organizations planning for natural disasters identify special needs populations, make recovery centers more accessible, and review practices and procedures to remedy any discrimination in relief application or assistance.

The cost of natural hazards recovery can place an unequal financial responsibility on the general population when only a small proportion may benefit from governmental funds

² www.fema.gov

used to rebuild private structures. Discussions about natural hazards that include local citizen groups, insurance companies, and other public and private sector organizations can help ensure that all members of the population are a part of the decision-making processes.

Land and Development

Development in Southern California from the earliest days was a cycle of boom and bust. The Second World War however dramatically changed that cycle. Military personnel and defense workers came to Southern California to fill the logistical needs created by the war effort. The available housing was rapidly exhausted and existing commercial centers proved inadequate for the influx of people. Immediately after the war, construction began on the freeway system, and the face of Southern California was forever changed. Home developments and shopping centers sprung up everywhere and within a few decades the central basin of Los Angeles County was virtually built out. This pushed new development further and further away from the urban center.

The City of Compton General Plan addresses the use and development of private land, including residential and commercial areas. This plan is one of the City's most important tools in addressing environmental challenges including transportation and air quality; growth management; conservation of natural resources; clean water and open spaces.

The environment of most Los Angeles County cities is nearly identical with that of their immediate neighbors and the transition from one incorporated municipality to another is seamless to most people. Seamless too are the exposures to the natural hazards that affect all of Southern California.

Housing and Community Development

	City of Compton
Development Type (Source: City General Plan)	
Residential	2,683 acres
Transportation	1,397 acres
Industrial	954 acres
Housing Type (source: 2000 Census)	
Single-Family	66.5%
Multi-Residential (3 or 4 units)	6.3%
Multi-Residential (5 to 9 units)	5.2%
Housing Statistics (source: 2000 Census)	
Total Available Housing	23,795 units

Units	
Owner-Occupied Housing	56.3%
Average Household Size	4.16 persons
Median Home Value	\$136,200

**Employment and Industry
City of Compton**

Principal Employment Activities

(source: 2000 Census)

Production, Transportation, and Material Moving	32.4%
Sales and Office Occupations	25.1%
Service Occupations	17.9%
Management (professional and related occupations)	15%
Construction, Extraction, and Maintenance	9.2%

Major Industries

(Source: 2000 Census)

Manufacturing	23.3%
Education, Health & Social Services	18.1%
Retail Trade	9.8%
Professional, Scientific, Management, Administrative, and Waste Management Services	8.4%
Transportation, Warehousing, and Utilities	8%

Mitigation activities are needed at the business level to ensure the safety and welfare of workers and limit damage to industrial infrastructure. Employees are highly mobile, commuting from surrounding areas to industrial and business centers. This creates a greater dependency on roads, communications, accessibility and emergency plans to reunite people with their families. Before a natural hazard event, large and small businesses can develop strategies to prepare for natural hazards, respond efficiently, and prevent loss of life and property.

Transportation and Commuting Patterns

Private automobiles are the dominant means of transportation in Southern California and in the City of Compton. However, the Metropolitan Transportation Authority (MTA)

operates a bus system throughout Los Angeles County with multiple stops in the City of Compton. Gardena Bus Lines also serves the City. In addition, The City's Renaissance paratransit system operates supplemental bus routes. The MTA also operates light rail lines throughout Los Angeles County and the blue line passes through the city with service to downtown Los Angeles.

According to the 2000 Census, the City has a population of 93,493. The mean travel time to work for the residents of the City of Compton is 29 minutes.

As stated in the city's General Plan, the City is served by Interstate 710 (running north-south through the eastern portion of the city), and Highway 91 (running east-west through the southern portion of the city). The City's 300 mile road system includes 35 miles of arterial highways and 12 bridges.

Localized flooding can render roads unusable. A severe winter storm has the potential to disrupt the daily driving routine of hundreds of thousands of people. Natural hazards can disrupt automobile traffic and shut down local and regional transit systems.

Section 4:

Risk Assessment

What is a Risk Assessment?

Conducting a risk assessment can provide information: on the location of hazards, the value of existing land and property in hazard locations, and an analysis of risk to life, property, and the environment that may result from natural hazard events. Specifically, the three levels of a risk assessment are as follows:

1) Hazard Identification

This is the description of the geographic extent, potential intensity and the probability of occurrence of a given hazard. Maps are frequently used to display hazard identification data. The City of Compton identified three major hazards that affect this geographic area. These hazards - earthquakes, flooding, and windstorms - were identified through an extensive process that utilized input from the Hazard Mitigation Planning Team. The geographic extent of each of the identified hazards has been identified by the City of Compton utilizing the maps contained in the City's General Plan and the MHFP Threat Assessment, and are illustrated in the tables, maps, and photos listed on page iv.

2) Profiling Hazard Events

The maps help to describe the causes and characteristics of each hazard and what part of the City's population, infrastructure, and environment may be vulnerable to each specific hazard. A profile of each hazard discussed in this plan is provided in each hazard section. For a full description of the history of hazard specific events, please see the appropriate hazard chapter.

3) Vulnerability Assessment/Inventorying Assets

This is a combination of hazard identification with an inventory of the existing (or planned) property development(s) and population(s) exposed to a hazard. Critical facilities are of particular concern because the facilities provide critical products and services to the general public that are necessary to preserve the welfare and quality of life in the City and fulfill important public safety, emergency response, and/or disaster recovery functions. The critical facilities have been identified and are illustrated in Table 4-2. A description of the critical facilities in the City is also provided in this section. In addition, these tables indicate vulnerabilities to the various identified hazards.

4) Risk Analysis

Estimating potential losses involves assessing the damage, injuries, and financial costs likely to be sustained in a geographic area over a given period of time. This level of analysis involves using mathematical models. The two measurable components of risk analysis are magnitude of the harm that may result and the likelihood of the harm occurring. Describing vulnerability in terms of dollar losses provides the community and

the state with a common framework in which to measure the effects of hazards on assets. For each hazard where data was available, quantitative estimates for potential losses have been included in the hazard assessment.

5) Assessing Vulnerability/ Analyzing Development Trends

This step provides a general description of land uses and development trends within the community so that mitigation options can be considered in land use planning and future land use decisions. This plan provides comprehensive description of the character of City of Compton in the Community Profile. This description includes the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns. Analyzing these components of City of Compton can help in identifying potential problem areas, and can serve as a guide for incorporating the goals and ideas contained in this mitigation plan into other community development plans.

Hazard assessments are subject to the availability of hazard-specific data. Gathering data for a hazard assessment requires a commitment of resources on the part of participating organizations and agencies. Each hazard-specific section of the plan includes a section on hazard identification using data and information from City, County or State agency sources.

Regardless of the data available for hazard assessments, there are numerous strategies the City can take to reduce risk. These strategies are described in the action items detailed in each hazard section of this Plan. Mitigation strategies can further reduce disruption to critical services, reduce the risk to human life, and alleviate damage to personal and public property and infrastructure. Action items throughout the hazard sections provide recommendations to collect further data to map hazard locations and conduct hazard assessments.

Federal Requirements for Risk Assessment

Recent federal regulations for hazard mitigation plans outlined in 44 CFR Part 201 include a requirement for risk assessment. This risk assessment requirement is intended to provide information that will help communities to identify and prioritize mitigation activities that will reduce losses from the identified hazards. There are three hazards profiled in the mitigation plan, including earthquakes, flooding, and windstorms. The Federal criteria for risk assessment and information on how the City of Compton Natural Hazards Mitigation Plan meets those criteria is outlined in Table 4-1 below.

Table 4-1: Federal Criteria for Risk Assessment

Section 322 Plan Requirement	How is this addressed?
Identifying Hazards	Each hazard section includes an inventory of the best available data sources that identify hazard areas. To the extent data are available; the existing maps identifying the location of the hazard were utilized. The Executive Summary and the Risk Assessment sections of the plan include a list of the hazard maps.
Profiling Hazard Events	Each hazard section includes documentation of the history, and causes and characteristics of the hazard in the City.
Assessing Vulnerability: Identifying Assets	Where data is available, the vulnerability assessment for each hazard addressed in the mitigation plan includes an inventory of all publicly owned land within hazardous areas. Each hazard section provides information on vulnerable areas in the City in the Community Issues section. Each hazard section also identifies potential mitigation strategies.
Assessing Vulnerability: Estimating Potential Losses:	The Risk Assessment Section of this mitigation plan identifies key critical facilities in the City and includes a map of these facilities. Vulnerability assessments have been completed for the hazards addressed in the plan, and quantitative estimates were made for each hazard where data was available.
Assessing Vulnerability: Analyzing Development Trends	The Community Profile Section of this plan provides a description of the development trends in the City, including the geography and environment, population and demographics, land use and development, housing and community development, employment and industry, and transportation and commuting patterns.

Critical and Essential Facilities

Critical facilities are those critical to government response and recovery activities (i.e., life safety and property and environmental protection) include: 911 centers, emergency operations centers, police and fire stations, public works facilities, communications centers, sewer and water facilities, hospitals, bridges and roads, shelters, and shelters. Also, facilities that, if damaged, could cause serious secondary impacts may also be considered "critical." A hazardous material facility is one example of this type of secondary impact critical facility.

Essential facilities are those facilities that are vital to the continued delivery of key government services or that may significantly impact the public’s ability to recover from

the emergency. These facilities may include: buildings such as the jail, law enforcement center, public services building, community corrections center, the courthouse, and juvenile services building and other public facilities such as schools. The following table illustrates the critical and essential facilities serving the City of Compton.

Table 4-2: City of Compton Critical and Essential Facilities Vulnerable to Hazards

Earthquakes	Flooding	Windstorms	Facility	Address
X	X	X	Fire Station #1 (Headquarters)	201 South Acacia Ave.
X	X	X	Fire Station #2	1323 East Palmer
X	X	X	Fire Station #3	1133 West Rosecrans
X	X	X	Fire Station #4	950 West Walnut
X	X	X	Police Dept. Bldg. (Sheriff)	301 S. Willowbrook Ave.
X	X	X	Emergency Operations Center	1133 West Rosecrans Ave.
X	X	X	City Hall	205 S. Willowbrook Ave

Summary

Natural hazard mitigation strategies can reduce the impacts concentrated at large employment and industrial centers, public infrastructure, and critical facilities. Natural hazard mitigation for industries and employers may include developing relationships with emergency management services and their employees before disaster strikes, and establishing mitigation strategies together. Collaboration among the public and private sector to create mitigation plans and actions can reduce the impacts of natural hazards.

Section 5: Earthquake Hazards in the City of Compton

Why Are Earthquakes a Threat to the City of Compton?

The most recent significant earthquake event affecting Southern California was the January 17th 1994 Northridge Earthquake. At 4:31 A.M. on Monday, January 17, a moderate but very damaging earthquake with a magnitude of 6.7 struck the San Fernando Valley. In the following days and weeks, thousands of aftershocks occurred, causing additional damage to affected structures.

57 people were killed and more than 1,500 people seriously injured. For days afterward, thousands of homes and businesses were without electricity; tens of thousands had no gas; and nearly 50,000 had little or no water. Approximately 15,000 structures were moderately to severely damaged, which left thousands of people temporarily homeless. 66,500 buildings were inspected. Nearly 4,000 were severely damaged and over 11,000 were moderately damaged. Several collapsed bridges and overpasses created commuter havoc on the freeway system. Extensive damage was caused by ground shaking, but earthquake triggered liquefaction and dozens of fires also caused additional severe damage. This extremely strong ground motion in large portions of Los Angeles County resulted in record economic losses.

However, the earthquake occurred early in the morning on a holiday. This circumstance considerably reduced the potential effects. Many collapsed buildings were unoccupied, and most businesses were not yet open. The direct and indirect economic losses ran into the 10's of billions of dollars.

Historical and geological records show that California has a long history of seismic events. Southern California is probably best known for the San Andreas Fault, a 400 mile long fault running from the Mexican border to a point offshore, west of San Francisco. "Geologic studies show that over the past 1,400 to 1,500 years large earthquakes have occurred at about 130 year intervals on the southern San Andreas Fault. As the last large earthquake on the Southern San Andreas occurred in 1857, that section of the fault is considered a likely location for an earthquake within the next few decades."¹

But San Andreas is only one of dozens of known earthquake faults that crisscross Southern California. Some of the better known faults include the Newport-Inglewood, Whittier, Chatsworth, Elsinore, Hollywood, Los Alamitos, Puente Hills, and Palos Verdes Faults. Beyond the known faults, there are a potentially large number of "blind" faults that underlie the surface of Southern California. One such blind fault was involved in the 1987 Whittier Narrows Earthquake.

Although the most famous of the faults, the San Andreas, is capable of producing an earthquake with a magnitude of 8+ on the Richter Scale, some of the "lesser" faults have the potential to inflict greater damage on the urban core of the Los Angeles Basin. Seismologists believe that a 6.0 earthquake on the Newport-Inglewood Fault would result in far more death and destruction than a "great" quake on the San Andreas Fault, because the San Andreas Fault is relatively remote from the urban centers of Southern California.

For decades, partnerships have flourished between the USGS, Cal Tech, the California Geological Survey and universities to share research and educational efforts with Californians. Tremendous earthquake mapping and mitigation efforts have been made in California in the past two decades, and public awareness has risen remarkably during this time. Major federal, state, and local government agencies and private organizations support earthquake risk reduction, and have made significant contributions in reducing the adverse impacts of earthquakes. Despite the progress, the majority of California communities remain unprepared because there is a general lack of understanding regarding earthquake hazards among Californians.

Table 5-1: Earthquake Events in the Southern California Region

Southern California Region Earthquakes with a Magnitude 5.0 or Greater			
1769	Los Angeles Basin	1916	Tejon Pass Region
1800	San Diego Region	1918	San Jacinto
1812	Wrightwood	1923	San Bernardino Region
1812	Santa Barbara Channel	1925	Santa Barbara
1827	Los Angeles Region	1933	Long Beach
1855	Los Angeles Region	1941	Carpenteria
1857	Great Fort Tejon Earthquake	1952	Kern County
1858	San Bernardino Region	1954	W. of Wheeler Ridge
1862	San Diego Region	1971	San Fernando
1892	San Jacinto or Elsinore Fault	1973	Point Mugu
1893	Pico Canyon	1986	North Palm Springs
1894	Lytle Creek Region	1987	Whittier Narrows
1894	E. of San Diego	1992	Landers
1899	Lytle Creek Region	1992	Big Bear
1899	San Jacinto and Hemet	1994	Northridge
1907	San Bernardino Region	1999	Hector Mine
1910	Glen Ivy Hot Springs		

Source:

http://geology.about.com/gi/dynamic/offsite.htm?site=http%3A%2F%2Fpasadena.wr.usgs.gov%2Finfo%2Fcahist_earthqs.html

To better understand the earthquake hazard, the scientific community has looked at historical records and accelerated research on those faults that are the sources of the earthquakes occurring in the Southern California region. Historical earthquake records can generally be divided into records of the pre-instrumental period and the instrumental

period. In the absence of instrumentation, the detection of earthquakes is based on observations and felt reports, and is dependent upon population density and distribution. Since California was sparsely populated in the 1800s, the detection of pre-instrumental earthquakes is relatively difficult. However, two very large earthquakes, the Fort Tejon in 1857 (7.9) and the Owens Valley in 1872 (7.6) are evidence of the tremendously damaging potential of earthquakes in Southern California. In more recent times two 7.3 earthquakes struck Southern California, in Kern County (1952) and Landers (1992). The damage from these four large earthquakes was limited because they occurred in areas which were sparsely populated at the time they happened. The seismic risk is much more severe today than in the past because the population at risk is in the millions, rather than a few hundred or a few thousand persons.


History of Earthquake Events in Southern California

Since seismologists started recording and measuring earthquakes, there have been tens of thousands of recorded earthquakes in Southern California, most with a magnitude below three. No community in Southern California is beyond the reach of a damaging earthquake. Figure 5-1 describes the historical earthquake events that have affected Southern California.

Figure 5-1: Causes and Characteristics of Earthquakes in Southern California


Earthquake Faults

A fault is a fracture along between blocks of the earth's crust where either side moves relative to the other along a parallel plane to the fracture.




Strike-slip

Strike-slip faults are vertical or almost vertical rifts where the earth's plates move mostly horizontally. From the observer's perspective, if the opposite block looking across the fault moves to the right, the slip style is called a right lateral fault; if the block moves left, the shift is called a left lateral fault.



Dip-slip

Dip-slip faults are slanted fractures where the blocks mostly shift vertically. If the earth above an inclined fault moves down, the fault is called a normal fault, but when the rock above the fault moves up, the fault is called a reverse fault. Thrust faults have a reverse fault with a dip of 45 ° or less.



Dr. Kerry Sieh of Cal Tech has investigated the San Andreas Fault at Palmett Creek. "The record at Palmett Creek shows that rupture has recurred about every 130 years, on average, over the past 1500 years. But actual intervals have varied greatly, from less than 50 years

to more than 300. The physical cause of such irregular recurrence remains unknown.”² Damage from a great quake on the San Andreas would be widespread throughout Southern California.

Earthquake Related Hazards

Ground shaking, landslides, liquefaction, and amplification are the specific hazards associated with earthquakes. The severity of these hazards depends on several factors, including soil and slope conditions, proximity to the fault, earthquake magnitude, and the type of earthquake.

Ground Shaking

Ground shaking is the motion felt on the earth's surface caused by seismic waves generated by the earthquake. It is the primary cause of earthquake damage. The strength of ground shaking depends on the magnitude of the earthquake, the type of fault, and distance from the epicenter (where the earthquake originates). Buildings on poorly consolidated and thick soils will typically see more damage than buildings on consolidated soils and bedrock.

Earthquake-Induced Landslides


Earthquake-induced landslides are secondary earthquake hazards that occur from ground shaking. They can destroy the roads, buildings, utilities, and other critical facilities necessary to respond and recover from an earthquake. Many communities in Southern California have a high likelihood of encountering such risks, especially in areas with steep slopes.

Liquefaction

Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures. Many communities in Southern California are built on ancient river bottoms and have sandy soil. In some cases this ground may be subject to liquefaction, depending on the depth of the water table.

Amplification

Soils and soft sedimentary rocks near the earth's surface can modify ground shaking caused by earthquakes. One of these modifications is amplification. Amplification increases the magnitude of the seismic waves generated by the earthquake. The amount of amplification is influenced by the thickness of geologic materials and their physical properties. Buildings and structures built on soft and unconsolidated soils can face greater risk.³ Amplification can also occur in areas with deep sediment filled basins and on ridge tops.



Map 5-1: Seismic Zones in California

Darker Shaded Areas indicate Greater Potential Shaking

Source: USGS Website


Earthquake Hazard Assessment

Hazard Identification

In California, many agencies are focused on seismic safety issues: the State's Seismic Safety Commission, the Applied Technology Council, Governor's Office of Emergency Services, United States Geological Survey, Cal Tech, the California Geological Survey as well as a number of universities and private foundations.

These organizations, in partnership with other state and federal agencies, have undertaken a rigorous program in California to identify seismic hazards and risks including active fault identification, bedrock shaking, tsunami inundation zones, ground motion amplification, liquefaction, and earthquake induced landslides. Seismic hazard maps have been published and are available for many communities in California through the State Division of Mines and Geology. Map 5-2 illustrates the known earthquake faults in Southern California.

Map 5-2: Major Active Surface Faults in Southern California
(Source: City of Compton General Plan)



As identified in the City's General Plan, the major faults that have the potential to affect the greater Los Angeles Basin, and therefore the City of Compton are the:

- San Andreas
- San Jacinto
- Whittier-Elsinore
- Newport Inglewood
- San Fernando
- Sierra Madre

In California, each earthquake is followed by revisions and improvements in the Building Codes. The 1933 Long Beach Earthquake resulted in the Field Act, affecting school construction. The 1971 Sylmar Earthquake brought another set of increased structural standards. Similar re-evaluations occurred after the 1989 Loma Prieta and 1994 Northridge Earthquakes. These code changes have resulted in stronger and more earthquake resistant structures.

The Alquist-Priolo Earthquake Fault Zoning Act was passed in 1972 to mitigate the hazard of surface faulting to structures for human occupancy. This state law was a direct result of the 1971 San Fernando Earthquake, which was associated with extensive surface fault ruptures that damaged numerous homes, commercial buildings, and other structures. Surface rupture is the most easily avoided seismic hazard.⁴

The Seismic Hazards Mapping Act, passed in 1990, addresses non-surface fault rupture earthquake hazards, including liquefaction and seismically induced landslides.⁵ The State Department of Conservation operates the Seismic Mapping Program for California. Extensive information is available at their website:
<http://gmw.consrv.ca.gov/shmp/index.htm>


Vulnerability Assessment

The effects of earthquakes span a large area, and large earthquakes occurring in many parts of the Southern California region would probably be felt throughout the region. However, the degree to which the earthquakes are felt, and the damages associated with them may vary. At risk from earthquake damage are large stocks of old buildings and bridges; many high tech and hazardous materials facilities; extensive sewer, water, and natural gas pipelines; earth dams; petroleum pipelines; and other critical facilities and private property located in the county. The relative or secondary earthquake hazards, which are liquefaction, ground shaking, amplification, and earthquake-induced landslides, can be just as devastating as the earthquake.

The California Geological Survey has identified areas most vulnerable to liquefaction. Liquefaction occurs when ground shaking causes wet granular soils to change from a solid state to a liquid state. This results in the loss of soil strength and the soil's ability to support weight. Buildings and their occupants are at risk when the ground can no longer support these buildings and structures.

The City of Compton has liquefaction zones as shown on Map 5-3: City of Compton Hazards Summary. The majority of the liquefaction prone areas are located in the eastern portion of the city.

Map 5-3: City of Compton Hazards Summary
 (Source: City of Compton General Plan)



Southern California has many active landslide areas, and a large earthquake could trigger accelerated movement in these slide areas, in addition to jarring loose other unknown areas of landslide risk.

Risk Analysis

Risk analysis is the third phase of a hazard assessment. Risk analysis involves estimating the damage and costs likely to be experienced in a geographic area over a period of time.⁶ Factors included in assessing earthquake risk include population and property distribution in the hazard area, the frequency of earthquake events, landslide susceptibility, buildings, infrastructure, and disaster preparedness of the region. This type of analysis can generate estimates of the damages to the region due to an earthquake event in a specific location. FEMA's software program, HAZUS, uses mathematical formulas and information about building stock, local geology and the location and size of potential earthquakes, economic data, and other information to estimate losses from a potential earthquake.⁷ The HAZUS software is available from FEMA at no cost.

For greater Southern California there are multiple worst case scenarios, depending on which fault might rupture, and which communities are in proximity to the fault. But damage will not necessarily be limited to immediately adjoining communities. Depending on the hypocenter of the earthquake, seismic waves may be transmitted through the ground to unsuspecting communities. In the Northridge 1994 Earthquake, Santa Monica suffered extensive damage, even though there was a range of mountains between it and the origin of the earthquake.

Damages for a large earthquake almost anywhere in Southern California are likely to run into the billions of dollars. Although building codes are some of the most stringent in the world, ten's of thousands of older existing buildings were built under much less rigid codes. California has laws affecting unreinforced masonry buildings (URM's) and although many building owners have retrofitted their buildings, hundreds of pre-1933 buildings still have not been brought up to current standards. According to the city's General Plan, there were twenty-eight unreinforced masonry buildings in 1990. Non-structural bracing of equipment and contents is often the most cost-effective type of seismic mitigation. Inexpensive bracing and anchoring may be the most cost effective way to protect expensive equipment. Non-structural bracing of equipment and furnishings will also reduce the chance of injury for the occupants of a building.

Community Earthquake Issues

What is Susceptible to Earthquakes?

Earthquake damage occurs because humans have built structures that cannot withstand severe shaking. Buildings, airports, schools, and lifelines (highways and utility lines) suffer damage in earthquakes and can cause death or injury to humans. The welfare of homes, major businesses, and public infrastructure is very important. Addressing the reliability of buildings, critical facilities, and infrastructure, and understanding the

potential costs to government, businesses, and individuals as a result of an earthquake, are challenges faced by the city.

Dams

There are a total of 103 dams in Los Angeles County, owned by 23 agencies or organizations, ranging from the Federal government to Homeowner's Associations.⁸ These dams hold billions of gallons of water in reservoirs. Releases of water from the major reservoirs are designed to protect Southern California from flood waters and to store domestic water. Seismic activity can compromise the dam structures, and the resultant flooding could cause catastrophic flooding. Following the 1971 Sylmar Earthquake the Lower Van Norman Dam showed signs of structural compromise, and tens of thousands of persons had to be evacuated until the dam could be drained. The dam has never been refilled.

Compton's Multi-Hazard Functional Plan, states there are a total of three dams that pose a potential threat to the city in the event of a dam failure. These are the Whittier Narrows Dam, Hansen Dam, and Sepulveda Dam.

The Whittier Narrows Dam is located eleven miles upstream from the City of Compton. Should a breach occur flood waters would reach the city in fifteen hours at a depth of four feet. The dam inundation areas for the Whittier Narrows in the city include Dominguez High School and a par three golf course. Map 5-4: Whittier Narrows Dam Inundation Map illustrates the area of the City of Compton that would become inundated should dam failure occur.


Map 5-4: Whittier Narrows Dam Inundation Map
(Source: City of Compton Multi-Hazard Functional Plan)

DAM INUNDATION MAP WHITTIER NARROWS DAM



Hansen Dam is located thirty miles upstream from the City of Compton. Should this dam fail, the floodwaters would reach the city within twenty hours at a depth of approximately one foot. The waters would inundate the northern section of the city first and move through the rest of the city. The inundation areas include commercial, industrial, schools, and residential areas. Map 5-5: Hansen Dam Inundation Map illustrates the area of the City of Compton that would become inundated should dam failure occur.


Map 5-5: Hansen Dam Inundation Map
(Source: City of Compton Multi-Hazard Functional Plan)



Sepulveda Dam is located twenty-nine miles upstream from the City of Compton. Should this dam fail, the floodwaters would reach the city within eleven hours at a depth of one foot. The inundation areas include commercial, industrial, schools, and residential areas. Map 5-6: Sepulveda Dam Inundation Map illustrates the area of the City of Compton that would become inundated should dam failure occur.

Map 5-6: Sepulveda Dam Inundation Map
(Source: City of Compton Multi-Hazard Functional Plan)

DAM INUNDATION MAP
SEPULVEDA DAM



Buildings

The built environment is susceptible to damage from earthquakes. Buildings that collapse can trap and bury people. Lives are at risk and the cost to clean up the damages is great. In most California communities, including the City of Compton, many buildings were built before 1993 when building codes were not as strict. In addition, retrofitting is not required except under certain conditions and can be expensive. Therefore, the number of buildings at risk remains high. The California Seismic Safety Commission makes annual reports on the progress of the retrofitting of unreinforced masonry buildings.

Infrastructure and Communication

Residents in the City of Compton commute frequently by automobiles and public transportation such as buses and light rail. An earthquake can greatly damage bridges and roads, hampering emergency response efforts and the normal movement of people and goods. Damaged infrastructure strongly affects the economy of the community because it disconnects people from work, school, food, and leisure, and separates businesses from their customers and suppliers.

Bridge Damage

Even modern bridges can sustain damage during earthquakes, leaving them unsafe for use. Some bridges have failed completely due to strong ground motion. Bridges are a vital transportation link - with even minor damages making some areas inaccessible. Because bridges vary in size, materials, location and design, any given earthquake will affect them differently. Bridges built before the mid-1970's have a significantly higher risk of suffering structural damage during a moderate to large earthquake compared with those built after 1980 when design improvements were made.

Much of the interstate highway system was built in the mid to late 1960's. The bridges in the City of Compton are state, county or privately owned (including railroad bridges). Caltrans has retrofitted most bridges on the freeway systems; however there are still some county maintained bridges that are not retrofitted. The FHWA requires that bridges on the National Bridge Inventory be inspected every 2 years. Caltrans checks when the bridges are inspected because they administer the Federal funds for bridge projects.

Damage to Lifelines

Lifelines are the connections between communities and outside services. They include water and gas lines, transportation systems, electricity, and communication networks. Ground shaking and amplification can cause pipes to break open, power lines to fall, roads and railways to crack or move, and radio and telephone communication to cease. Disruption to transportation makes it especially difficult to bring in supplies or services. Lifelines need to be usable after earthquake to allow for rescue, recovery, and rebuilding efforts and to relay important information to the public.

Disruption of Critical Services

Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their

services need to be functional after an earthquake event. Many critical facilities are housed in older buildings that are not up to current seismic codes. See Table 4-2 in the Risk Assessment Section for critical and essential facilities vulnerable to earthquakes.

Businesses

Seismic activity can cause great loss to businesses, both large-scale corporations and small retail shops. When a company is forced to stop production for just a day, the economic loss can be tremendous, especially when its market is at a national or global level. Seismic activity can create economic loss that presents a burden to large and small shop owners who may have difficulty recovering from their losses.

Forty percent of businesses do not reopen after a disaster and another twenty-five percent fail within one year according to the Federal Emergency Management Agency (FEMA). Similar statistics from the United States Small Business Administration indicate that over ninety percent of businesses fail within two years after being struck by a disaster.⁹

Individual Preparedness

Because the potential for earthquake occurrences and earthquake related property damage is relatively high in the City of Compton, increasing individual preparedness is a significant need. Strapping down heavy furniture, water heaters, and expensive personal property, as well as being earthquake insured, and anchoring buildings to foundations are just a few steps individuals can take to prepare for an earthquake.

Death and Injury

Death and injury can occur both inside and outside of buildings due to collapsed buildings falling equipment, furniture, debris, and structural materials. Downed power lines and broken water and gas lines can also endanger human life.

Fire

Downed power lines or broken gas mains may trigger fires. When fire stations suffer building or lifeline damage, quick response to extinguish fires is less likely. Furthermore, major incidents will demand a larger share of resources, and initially smaller fires and problems will receive little or insufficient resources in the initial hours after a major earthquake event. Loss of electricity may cause a loss of water pressure in some communities, further hampering fire fighting ability.

Debris

After damage to a variety of structures, much time is spent cleaning up bricks, glass, wood, steel or concrete building elements, office and home contents, and other materials. Developing a strong debris management strategy is essential in post-disaster recovery. Disasters do not exempt the City of Compton from compliance with AB 939 regulations.

Existing Mitigation Activities

Existing mitigation activities include current mitigation programs and activities that are being implemented by county, regional, state, or federal agencies or organizations.

City of Compton Codes

Implementation of earthquake mitigation policy most often takes place at the local government level. The City of Compton Department of Building and Safety enforces building codes pertaining to earthquake hazards.

Identify the applicable code sections that apply to earthquake hazard mitigation

Example: The following sections of the UBC address the earthquake hazard:

- 1605.1 (Distribution of Horizontal Shear);
- 1605.2 (Stability against Overturning);
- 1626 (Seismic);
- 1605.3 (Anchorage); and
- 1632, 1633, 1633.9 deal with specific earthquake hazards.

The City of Compton Planning Department enforces the zoning and land use regulations relating to earthquake hazards.

Generally, these codes seek to discourage development in areas that could be prone to flooding, landslide, wildfire and/or seismic hazards; and where development is permitted, that the applicable construction standards are met. Developers in hazard-prone areas may be required to retain a qualified professional engineer to evaluate level of risk on the site and recommend appropriate mitigation measures.

Coordination among Building Officials

The City of Compton Building Code sets the minimum design and construction standards for new buildings. In July of 2003, the City of Compton adopted the most recent seismic standards in its building code, which requires that new buildings be built at a higher seismic standard.

Since July 2003, the City of Compton also requires that site-specific seismic hazard investigations be performed for new essential facilities, major structures, hazardous facilities, and special occupancy structures such as schools, hospitals, and emergency response facilities.

Businesses/Private Sector

Natural hazards have a devastating impact on businesses. In fact, of all businesses which close following a disaster, more than forty-three percent never reopen, and an additional twenty-nine percent close for good within the next two years.¹⁰ The Institute of Business and Home Safety has developed “Open for Business”, which is a disaster planning toolkit to help guide businesses in preparing for and dealing with the adverse affects natural hazards. The kit integrates protection from natural disasters into the company's risk reduction measures to safeguard employees, customers, and the investment itself. The guide helps businesses secure human and physical resources during disasters, and helps to develop strategies to maintain business continuity before, during, and after a disaster occurs.

Hospitals

“The Alfred E. Alquist Hospital Seismic Safety Act (“Hospital Act”) was enacted in 1973 in response to the moderate Magnitude 6.6 1971 Sylmar Earthquake when four major hospital campuses were severely damaged and evacuated. Two hospital buildings collapsed killing forty seven people. Three others were killed in another hospital that nearly collapsed.

In approving the Act, the Legislature noted that: “Hospitals, that house patients who have less than the capacity of normally healthy persons to protect themselves, and that must be reasonably capable of providing services to the public after a disaster, shall be designed and constructed to resist, insofar as practical, the forces generated by earthquakes, gravity and winds.” (Health and Safety Code Section 129680)

When the Hospital Act was passed in 1973, the State anticipated that, based on the regular and timely replacement of aging hospital facilities, the majority of hospital buildings would be in compliance with the Act’s standards within 25 years. However, hospital buildings were not, and are not, being replaced at that anticipated rate. In fact, the great majority of the State’s urgent care facilities are now more than 40 years old.

The moderate Magnitude 6.7 1994 Northridge Earthquake caused \$3 billion in hospital-related damage and evacuations. Twelve hospital buildings constructed before the Act were cited (red tagged) as unsafe for occupancy after the earthquake. Those hospitals that had been built in accordance with the 1973 Hospital Act were very successful in resisting structural damage. However, nonstructural damage (for example, plumbing and ceiling systems) was still extensive in those post-1973 buildings.

Senate Bill 1953 (“SB 1953”), enacted in 1994 after the Northridge Earthquake, expanded the scope of the 1973 Hospital Act. Under SB 1953, all hospitals are required, as of January 1, 2008, to survive earthquakes without collapsing or posing the threat of significant loss of life. The 1994 Act further mandates that all existing hospitals be seismically evaluated, and retrofitted, if needed, by 2030, so that they are in substantial compliance with the Act (which requires that the hospital buildings be reasonably capable of providing services to the public after disasters). SB 1953 applies to all urgent care facilities (including those built prior to the 1973 Hospital Act) and affects approximately 2,500 buildings on 475 campuses.

SB 1953 directed the Office of Statewide Health Planning and Development (“OSHPD”), in consultation with the Hospital Building Safety Board, to develop emergency regulations including “...earthquake performance categories with sub gradations for risk to life, structural soundness, building contents, and nonstructural systems that are critical to providing basic services to hospital inpatients and the public after a disaster.” (Health and Safety Code Section 130005)

The Seismic Safety Commission Evaluation of the State’s Hospital Seismic Safety Policies

In 2001, recognizing the continuing need to assess the adequacy of policies, and the application of advances in technical knowledge and understanding, the California Seismic Safety Commission created an Ad Hoc Committee to re-examine the compliance with the Alquist Hospital Seismic Safety Act. The formation of the Committee was also prompted by the recent evaluations of hospital buildings reported to OSHPD that revealed that a large percentage (40%) of California’s operating hospitals are in the highest category of collapse risk.”¹¹

California Earthquake Mitigation Legislation

California is painfully aware of the threats it faces from earthquakes. Dating back to the 19th Century, Californians have been killed, injured, and lost property as a result of earthquakes. As the State’s population continues to grow, and urban areas become even more densely developed, the risk will continue to increase. For decades the legislature has passed laws to strengthen the built environment and protect the citizens. Table 5-4 provides a sampling of some of the 200 plus laws in the State’s codes.

Table 5-4: Partial List of the Over 200 California Laws on Earthquake Safety

Government Code Section 8870-8870.95	Creates Seismic Safety Commission.
Government Code Section 8876.1-8876.10	Established the California Center for Earthquake Engineering Research.
Public Resources Code Section 2800-2804.6	Authorized a prototype earthquake prediction system along the Central San Andreas Fault near the City of Parkfield.
Public Resources Code Section 2810-2815	Continued the Southern California Earthquake Preparedness Project and the Bay Area Regional Earthquake Preparedness Project.
Health and Safety Code Section 16100-16110	The Seismic Safety Commission and State Architect, will develop a state policy on acceptable levels of earthquake risk for new and existing state-owned buildings.
Government Code Section 8871-8871.5	Established the California Earthquake Hazards Reduction Act of 1986.
Health and Safety Code Section 130000-130025	Defined earthquake performance standards for hospitals.
Public Resources Code Section 2805-2808	Established the California Earthquake Education Project.
Government Code Section 8899.10-8899.16	Established the Earthquake Research Evaluation Conference.
Public Resources Code Section 2621-2630 2621.	Established the Alquist-Priolo Earthquake Fault Zoning Act.
Government Code Section 8878.50-8878.52 8878.50.	Created the Earthquake Safety and Public Buildings Rehabilitation Bond Act of 1990.
Education Code Section 35295-35297 35295.	Established emergency procedure systems in kindergarten through grade 12 in all the public or private schools.
Health and Safety Code Section 19160-19169	Established standards for seismic retrofitting of unreinforced masonry buildings.
Health and Safety Code Section 1596.80-1596.879	Required all child day care facilities to include an Earthquake Preparedness Checklist as an attachment to their disaster plan.
Source: http://www.leginfo.ca.gov/calaw.html	

Earthquake Education

Earthquake research and education activities are conducted at several major universities in the Southern California region, including Cal Tech, USC, UCLA, UCSB, UCI, and UCSB. The local clearinghouse for earthquake information is the Southern California Earthquake Center located at the University of Southern California, Los Angeles, CA 90089, Telephone: (213) 740-5843, Fax: (213) 740-0011, Email: SCEinfo@usc.edu, Website: <http://www.scec.org>. The Southern California Earthquake Center (SCEC) is a community of scientists and specialists who actively coordinate research on earthquake hazards at nine core institutions, and communicate earthquake information to the public. SCEC is a National Science Foundation (NSF) Science and Technology Center and is co-funded by the United States Geological Survey (USGS).

In addition, Los Angeles County along with other Southern California counties, sponsors the Emergency Survival Program (ESP), an educational program for learning how to prepare for earthquakes and other disasters. Many school districts have very active emergency preparedness programs that include earthquake drills and periodic disaster response team exercises.

End Notes

- ¹ <http://pubs.usgs.gov/gip/earthq3/when.html>
- ² <http://www.gps.caltech.edu/~sieh/home.html>
- ³ Planning for Natural Hazards: The California Technical Resource Guide, Department of Land Conservation and Development (July 2000)
- ⁴ <http://www.consrv.ca.gov/CGS/rghm/ap/>
- ⁵ Ibid
- ⁶ Burby, R. (Ed.) Cooperating with Nature: Confronting Natural Hazards with Land Use Planning for Sustainable Communities (1998), Washington D.C., Joseph Henry Press.
- ⁷ FEMA HAZUS <http://www.fema.gov/hazus/hazus2.htm> (May 2001).
- ⁸ Source: Los Angeles County Public Works Department, March 2004
- ⁹ http://www.chamber101.com/programs_committee/natural_disasters/DisasterPreparedness/Forty.htm
- ¹⁰ Institute for Business and Home Safety Resources (April 2001),
- ¹¹ http://www.seismic.ca.gov/pub/CSSC_2001-04_Hospital.pdf

Section 6: Flooding Hazards in the City of Compton

Why are Floods a Threat to the City of Compton?

According to the city’s General Plan, the most likely significant flooding event in the city would be a 100-year flood caused by the Los Angeles River overflowing. The Los Angeles River flows north-south through the eastern portion of the city. Additionally, the east and west fork of Compton Creek flow through the city. Flooding poses a threat to life and safety, and can cause severe damage to public and private property. As stated in the city’s General Plan, the eastern two-thirds of the city would flood in the event that the Los Angeles River overflows.

City of Compton most recently experienced large-scale destruction during a flood in 2003. On November 12, 2003 at approximately 4:00pm the City of Compton experienced heavy rainfall and hail that resulted in more than six inches of floodwater throughout the city. Although a presidential disaster was not declared, there was \$268,700 damage to public facilities.

History of Flooding in the City of Compton

As stated in the City’s General Plan, the City of Compton is susceptible to flooding from the Los Angeles River and the Compton Creek. Major floods have affected the citizens of the city since as early as 1811 in the vicinity of Compton.

There are a number of rivers in the Southern California region, but the river with the best recorded history is the Los Angeles River. The flood history of the Los Angeles River is generally indicative of the flood history of much of Southern California.

Historic Flooding in Los Angeles County

Records show that since 1811, the Los Angeles River has flooded 30 times, on average once every 6.1 years. But averages are deceiving, for the Los Angeles basin goes through periods of drought and then periods of above average rainfall. Between 1889 and 1891 the river flooded every year, and from 1941 to 1945, the river flooded 5 times. Conversely, from 1896 to 1914, a period of 18 years, and again from 1944 to 1969, a period of 25 years, the river did not have serious floods.¹

Table 6-1: Major Floods of the Los Angeles River

Major Floods of the Los Angeles River	
1811	Flooding
1815	Flooding
1825	L.A. River changed its course back from the Ballona wetlands to San Pedro
1832	Heavy flooding
1861-62	Heavy flooding. Fifty inches of rain falls during December and January.
1867	Floods create a large, temporary lake out to Ballona Creek.
1876	The Novician Deluge

1884	Heavy flooding causes the river to change course again, turning east to Vernon and then southward to San Pedro.
1888-1891	Annual floods
1914	Heavy flooding. Great damage to the harbor.
1921	Flooding
1927	Moderate flood
1934	Moderate flood starting January 1. Forty dead in La Canada.
1938	Great County-wide flood with 4 days of rain. Most rain on day 4.
1941-44	L.A. River floods five times.
1952	Moderate flooding
1969	One heavy flood after 9 day storm. One moderate flood.
1978	Two moderate floods
1979	Los Angeles experiences severe flooding and mudslides.
1980	Flood tops banks of river in Long Beach. Sepulveda Basin spillway almost opened.
1983	Flooding kills six people.
1992	15 year flood. Motorists trapped in Sepulveda basin. Six people dead.
1994	Heavy flooding
Sources: http://www.lalc.k12.ca.us/target/units/river/tour/hist.html and (http://www.losangelesalmanac.com/topics/History/hi01i.htm)	

The Los Angeles River runs through the eastern portion of the City of Compton making it susceptible to the heavy rains that flood the Los Angeles. In addition, the towering mountains that give the Los Angeles region its spectacular views also wring a great deal of rain out of the storm clouds that pass through. Because the mountains are so steep, the rainwater moves rapidly down the slopes and across the coastal plains on its way to the ocean.

“The Santa Monica, Santa Susana and Verdugo Mountains, which surround three sides of the valley, seldom reach heights above three thousand feet. The Western San Gabriel Mountains, in contrast, have elevations of more than seven thousand feet. These higher ridges often trap eastern-moving winter storms. Although downtown Los Angeles averages just fifteen inches of rain a year, some mountain peaks in the San Gabriels receive more than forty inches of precipitation annually”²

Naturally, this rainfall moves rapidly down stream, often with severe consequences for anything in its path. In extreme cases, flood-generated debris flows will roar down a canyon at speeds near 40 miles per hour with a wall of mud, debris and water tens of feet

high.

In Southern California, stories of floods, debris flows, persons buried alive under tons of mud and rock and persons swept away to their death in a river flowing at thirty-five miles an hour are without end.

What Factors Create Flood Risk?

Flooding occurs when climate, geology, and hydrology combine to create conditions where water flows outside of its usual course. In the City of Compton, geography and climate combine to create chronic seasonal flooding conditions. Also, the accumulation of trash and debris at catch basins contribute to problems associated with urban flooding.

Winter Rainfall

Over the last 125 years, the average annual rainfall in Los Angeles is 14.9 inches. But the term “average” means very little as the annual rainfall during this time period has ranged from only 4.35 inches in 2001-2002 to 38.2 inches in 1883-1884. In fact, in only fifteen of the past 125 years, has the annual rainfall been within plus or minus 10% of the 14.9 inch average. And in only 38 years has the annual rainfall been within plus or minus 20% of the 14.9 inch average. This makes the Los Angeles basin a land of extremes in terms of annual precipitation.

Monsoons

Another relatively regular source for heavy rainfall, particularly in the mountains and adjoining cities is from summer tropical storms. Table 6-2 lists tropical storms that have had significant rainfall in the past century, and the general areas affected by these storms. These tropical storms usually coincide with El Niño years.

Table 6-2: Tropical Cyclones of Southern California

Tropical cyclones that have affected Southern California during the 20th Century			
Month-Year	Date(s)	Area(s) Affected	Rainfall
July 1902	20th & 21 st	Deserts & Southern Mountains	up to 2"
Aug. 1906	18th & 19th	Deserts & Southern Mountains	up to 5"
Sept. 1910	15th	Mountains of Santa Barbara County	2"
Aug. 1921	20th & 21st	Deserts & Southern Mountains	up to 2"
Sept. 1921	30th	Deserts	up to 4"
Sept. 1929	18th	Southern Mountains & Deserts	up to 4"
Sept. 1932	28 th - Oct 1st	Mountains & Deserts, 15 Fatalities	up to 7"
Aug. 1935	25th	Southern Valleys, Mountains & Deserts	up to 2"
Sept. 1939	4th - 7th	Southern Mountains, Southern & Eastern Deserts	up to 7"
	11th & 12th	Deserts, Central & Southern Mountains	up to 4"
	19th - 21st	Deserts, Central & Southern Mountains	up to 3"

Tropical cyclones that have affected Southern California during the 20th Century			
	25th	Long Beach, W/ Sustained Winds of 50 Mph	5"
		Surrounding Mountains	6 to 12"
Sept. 1945	9th & 10th	Central & Southern Mountains	up to 2"
Sept. 1946	30 th - Oct 1 st	Southern Mountains	up to 4"
Aug. 1951	27th - 29th	Southern Mountains & Deserts	2 to 5"
Sept. 1952	19th - 21st	Central & Southern Mountains	up to 2"
July 1954	17th - 19th	Deserts & Southern Mountains	up to 2"
July 1958	28th & 29th	Deserts & Southern Mountains	up to 2"
Sept. 1960	9th & 10th	Julian	3.40"
Sept. 1963	17th - 19th	Central & Southern Mountains	up to 7"
Sept. 1967	1st - 3rd	Southern Mountains & Deserts	2"
Oct. 1972	6th	Southeast Deserts	up to 2"
Sept. 1976	10th & 11th	Central & Southern Mountains. Ocotillo, CA was Destroyed 3 Fatalities	6 to 12"
Aug. 1977	n/a	Los Angeles	2"
		Mountains	up to 8"
Oct. 1977	6th & 7th	Southern Mountains & Deserts	up to 2"
Sept. 1978	5th & 6th	Mountains	3"
Sept. 1982	24th - 26th	Mountains	up to 4"
Sept. 1983	20th & 21st	Southern Mountains & Deserts	up to 3"
http://www.fema.gov/nwz97/el_n_scal.shtm			

Geography and Geology

The greater Los Angeles Basin is the product of rainstorms and erosion for millennia. "Most of the mountains that ring the valleys and coastal plain are deeply fractured faults and, as they (the mountains) grew taller, their brittle slopes were continually eroded. Rivers and streams carried boulders, rocks, gravel, sand, and silt down these slopes to the valleys and coastal plain....In places these sediments are as much as twenty thousand feet thick"³

Much of the coastal plain rests on the ancient rock debris and sediment washed down from the mountains. This sediment can act as a sponge, absorbing vast quantities of rain in those years when heavy rains follow a dry period. But like a sponge that is near saturation, the same soil fills up rapidly when a heavy rain follows a period of relatively wet weather. So even in some years of heavy rain, flooding is minimal because the ground is relatively dry. The same amount of rain following a wet period of time can cause extensive flooding.

The greater Los Angeles basin is for all intents and purposes developed. This leaves precious little open land to absorb rainfall. This lack of open ground forces water to remain on the surface and rapidly accumulate. If it were not for the massive flood control system with its concrete lined river and stream beds, flooding would be a much more common occurrence. And the tendency is towards even less and less open land. In-fill building is becoming a much more common practice in many areas. Developers tear down an older home which typically covers up to 40% of the lot size and replacing it with three or four town homes or apartments which may cover 90-95% of the lot.

Another potential source of flooding is “asphalt creep.” The street space between the curbs of a street is a part of the flood control system. Water leaves property and accumulates in the streets, where it is directed towards the underground portion of the flood control system. The carrying capacity of the street is determined by the width of the street and the height of the curbs along the street. Often, when streets are being resurfaced, a one to two inch layer of asphalt is laid down over the existing asphalt. This added layer of asphalt subtracts from the rated capacity of the street to carry water. Thus the original engineered capacity of the entire storm drain system is marginally reduced over time. Subsequent re-paving of the street will further reduce the engineered capacity even more.

Flood Terminology


Floodplain

A floodplain is a land area adjacent to a river, stream, lake, estuary, or other water body that is subject to flooding. This area, if left undisturbed, acts to store excess flood water. The floodplain is made up of two sections: the floodway and the flood fringe.

100-Year Flood

The 100-year flooding event is the flood having a one percent chance of being equaled or exceeded in magnitude in any given year. Contrary to popular belief, it is not a flood occurring once every 100 years. The 100-year floodplain is the area adjoining a river, stream, or watercourse covered by water in the event of a 100-year flood. As stated in the city’s General Plan, the eastern two-thirds of the city would flood in the event that the Los Angeles River overflows. The Multi-Hazard Functional Plan states that the City of Compton is identified mostly as “Zone AE” by the Flood Insurance Rate Map. Map 6-1 illustrates the 100-year floodplain in the City of Compton.

**Map 6-1: Floodplains in the City of Compton
(Source: City of Compton General Plan)**



Floodway

The floodway is one of two main sections that make up the floodplain. Floodways are defined for regulatory purposes. Unlike floodplains, floodways do not reflect a recognizable geologic feature. For NFIP purposes, floodways are defined as the channel of a river or stream, and the overbank areas adjacent to the channel. The floodway carries the bulk of the flood water downstream and is usually the area where water velocities and forces are the greatest. NFIP regulations require that the floodway be kept open and free from development or other structures that would obstruct or divert flood flows onto other properties.

The City of Compton regulations prohibit all development in the floodway. The NFIP floodway definition is "the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the base flood without cumulatively increasing the water surface elevation more than one foot. Floodways are mapped for all rivers and streams.

Flood Fringe

The flood fringe refers to the outer portions of the floodplain, beginning at the edge of the floodway and continuing outward. The City of Compton's Zoning and Development Ordinance (Zoning Ordinance), the flood fringe is defined as "the land area, which is outside of the stream flood way, but is subject to periodic inundation by regular flooding." This is the area where development is most likely to occur, and where precautions to protect life and property need to be taken.

Development

For floodplain ordinance purposes, development is broadly defined by the City of Compton Zoning Ordinance to mean "any manmade change to improved or unimproved real estate, including but not limited to buildings or other structures, mining, dredging, filling, grading, paving, excavation, or drilling operations located within the area of special flood hazard." The definition of development for floodplain purposes is generally broader and includes more activities than the definition of development used in other sections of local land use ordinances.

Base Flood Elevation (BFE)

The term "Base Flood Elevation" refers to the elevation (normally measured in feet above sea level) that the base flood is expected to reach. Base flood elevations can be set at levels other than the 100-year flood. Some communities choose to use higher frequency flood events as their base flood elevation for certain activities, while using lower frequency events for others. For example, for the purpose of storm water management, a 25-year flood event might serve as the base flood elevation; while the 500-year flood event may serve as base flood elevation for the tie down of mobilehomes. The regulations of the NFIP focus on development in the 100-year floodplain.

Characteristics of Flooding

Two types of flooding primarily affect the City of Compton: riverine flooding and urban flooding (see descriptions below). In addition, any low-lying area has the potential to

flood. The flooding of developed areas may occur when the amount of water generated from rainfall and runoff exceeds a storm water system's capability to remove it.

Riverine Flooding

Riverine flooding is the overbank flooding of rivers and streams. The natural processes of riverine flooding add sediment and nutrients to fertile floodplain areas. Flooding in large river systems typically results from large-scale weather systems that generate prolonged rainfall over a wide geographic area, causing flooding in hundreds of smaller streams, which then drain into the major rivers. Map 6-1 shows the various river basins (or flood zones) in the City of Compton.

Shallow area flooding is a special type of riverine flooding. FEMA defines shallow flood hazards as areas that are inundated by the 100-year flood with flood depths of only one to three feet. These areas are generally flooded by low velocity sheet flows of water.

Urban Flooding

As land is converted from fields or woodlands to roads and parking lots, it loses its ability to absorb rainfall. Urbanization of a watershed changes the hydrologic systems of the basin. Heavy rainfall collects and flows faster on impervious concrete and asphalt surfaces. The water moves from the clouds, to the ground, and into streams at a much faster rate in urban areas. Adding these elements to the hydrological systems can result in flood waters that rise very rapidly and peak with violent force.

The City of Compton has a high concentration of impermeable surfaces that either collect water, or concentrate the flow of water in unnatural channels. During periods of urban flooding, streets can become swift moving rivers and basements can fill with water. Storm drains often back up with vegetative debris causing additional, localized flooding.

Dam Failure Flooding

Loss of life and damage to structures, roads, and utilities may result from a dam failure. Economic losses can also result from a lowered tax base and lack of utility profits. These effects would certainly accompany the failure of one of the major dams affecting the City of Compton. Because dam failure can have severe consequences, FEMA requires that all dam owners develop Emergency Action Plans (EAP) for warning, evacuation, and post-flood actions. Although there may be coordination with county officials in the development of the EAP, the responsibility for developing potential flood inundation maps and facilitation of emergency response is the responsibility of the dam owner. For more detailed information regarding dam failure flooding, and potential flood inundation zones for a particular dam in the country, refer to the Facility's Emergency Action Plan.

The City's Multi-Hazard Functional Plan, states there are a total of three dams that pose a potential threat to the city in the event of a dam failure. These are the Whittier Narrows Dam, Hansen Dam, and Sepulveda Dam (see Section 5: Earthquakes for Dam Inundation Maps).

The Whittier Narrows Dam is located eleven miles upstream from the City of Compton.

Should a breach occur flood waters would reach the city in fifteen hours at a depth of four feet. The dam inundation areas for the Whittier Narrows in the city include Dominguez High School and a par three golf course.

Hansen Dam is located thirty miles upstream from the City of Compton. Should this dam fail, the floodwaters would reach the city within twenty hours at a depth of approximately one foot. The waters would inundate the northern section of the city first and move through the rest of the city. The inundation areas include commercial, industrial, schools, and residential areas.

Sepulveda Dam is located twenty-nine miles upstream from the City of Compton. Should this dam fail, the floodwaters would reach the city within eleven hours at a depth of one foot. The inundation areas include commercial, industrial, schools, and residential areas.

There have been a total of 45 dam failures in California, since the 19th century. The significant dam failures in Southern California are listed in Table 6-3.

Table 6-3: Dam Failures in Southern California

Dam Failures in Southern California			
Sheffield	Santa Barbara	1925	Earthquake slide
Puddingstone	Pomona	1926	Overtopping during construction
Lake Hemet	Palm Springs	1927	Overtopping
Saint Francis	San Francisquito Canyon	1928	Sudden failure at full capacity through foundation, 426 deaths
Cogswell	Monrovia	1934	Breaching of concrete cover
Baldwin Hills	Los Angeles	1963	Leak through embankment turned into washout, 3 deaths
http://cee.engr.ucdavis.edu/faculty/lund/dams/Dam_History_Page/Failures.htm			

The two most significant dam failures are the St. Francis Dam in 1928 and the Baldwin Hills Dam in 1963.

“The failure of the St. Francis Dam, and the resulting loss of over 500 lives in the path of a roaring wall of water, was a scandal that resulted in the almost complete destruction of the reputation of its builder, William Mulholland.

Mulholland was an immigrant from Ireland who rose up through the ranks of the city's water department to the position of chief engineer. It was he

who proposed, designed, and supervised the construction of the Los Angeles Aqueduct, which brought water from the Owens Valley to the city. The St. Francis Dam, built in 1926, was 180 feet high and 600 feet long; it was located near Saugus in the San Francisquito Canyon.

The dam gave way on March 12, 1928, three minutes before midnight. Its waters swept through the Santa Clara Valley toward the Pacific Ocean, about 54 miles away. 65 miles of valley was devastated before the water finally made its way into the ocean between Oxnard and Ventura. At its peak the wall of water was said to be 78 feet high; by the time it hit Santa Paula, 42 miles south of the dam, the water was estimated to be 25 feet deep. Almost everything in its path was destroyed: livestock, structures, railways, bridges, and orchards. By the time it was over, parts of Ventura County lay under 70 feet of mud and debris. Over 500 people were killed and damage estimates topped \$20 million.”⁴

The Baldwin Hills dam failed during the daylight hours, and was one of the first disaster events documented by a live helicopter broadcast.

“The Baldwin Hills Dam collapsed with the fury of a thousand cloudbursts, sending a 50-foot wall of water down Cloverdale Avenue and slamming into homes and cars on Dec. 14, 1963.

Five people were killed. Sixty-five hillside houses were ripped apart, and 210 homes and apartments were damaged. The flood swept northward in a V-shaped path roughly bounded by La Brea Avenue and Jefferson and La Cienega Boulevards.

Photo 6-1: Baldwin Hills Dam



Baldwin Hills Dam - Dark spot in upper right hand quadrant shows the beginning of the break in the dam.

The earthen dam that created a 19-acre reservoir to supply drinking water for West Los Angeles residents ruptured at 3:38 p.m. As a pencil-thin crack widened to a 75-foot gash, 292 million gallons surged out. It took 77 minutes for the lake to empty. But it took a generation for the neighborhood below to recover. And two decades passed before the Baldwin Hills ridge top was reborn.

The cascade caused an unexpected ripple effect that is still being felt in Los Angeles and beyond. It foreshadowed the end of urban-area earthen dams as a major element of the Department of Water and Power's water storage system. It prompted a tightening of Division of Safety of Dams control over reservoirs throughout the state.

The live telecast of the collapse from a KTLA-TV helicopter is considered the precursor to airborne news coverage that is now routine everywhere.”⁵

Debris Flows

Another flood related hazard that can affect certain parts of the Southern California region are debris flows. Most typically debris flows occur in mountain canyons and the foothills against the San Gabriel Mountains. However, any hilly or mountainous area with intense rainfall and the proper geologic conditions may experience one of these very sudden and devastating events.

“Debris flows, sometimes referred to as mudslides, mudflows, lahars, or debris avalanches, are common types of fast-moving landslides. These flows generally occur during periods of intense rainfall or rapid snow melt. They usually start on steep hillsides as shallow landslides that liquefy and accelerate to speeds that are typically about 10 miles per hour, but can exceed 35 miles per hour. The consistency of debris flow ranges from watery mud to thick, rocky mud that can carry large items such as boulders, trees, and cars. Debris flows from many different sources can combine in channels, and their destructive power may be greatly increased. They continue flowing down hills and through channels, growing in volume with the addition of water, sand, mud, boulders, trees, and other materials. When the flows reach flatter ground, the debris spreads over a broad area, sometimes accumulating in thick deposits that can wreak havoc in developed areas.”⁶

Coastal Flooding

Low lying coastal communities of Southern California have one other source of flooding, coastal flooding. This occurs most often during storms which bring higher than normal tides. Storms, the time of year and the tidal cycle can sometimes work to bring much higher than normal tides which cause flooding in low lying coastal areas. This hazard however is limited to those areas.

What is the Effect of Development on Floods?

When structures or fill are placed in the floodway or floodplain water is displaced. Development raises the river levels by forcing the river to compensate for the flow space obstructed by the inserted structures and/or fill. When structures or materials are added to the floodway or floodplain and no fill is removed to compensate, serious problems can arise. Flood waters may be forced away from historic floodplain areas. As a result, other existing floodplain areas may experience flood waters that rise above historic levels. Local governments must require engineer certification to ensure that proposed developments will not adversely affect the flood carrying capacity of the Special Flood Hazard Area (SFHA). Displacement of only a few inches of water can mean the difference between no structural damage occurring in a given flood event, and the inundation of many homes, businesses, and other facilities. Careful attention should be given to development that occurs within the floodway to ensure that structures are prepared to withstand base flood events. In highly urbanized areas, increased paving can lead to an increase in volume and velocity of runoff after a rainfall event, exacerbating the potential flood hazards. Care should be taken in the development and implementation of storm water management systems to ensure that these runoff waters are dealt with effectively.

How are Flood-Prone Areas Identified?

Flood maps and Flood Insurance Studies (FIS) are often used to identify flood-prone areas. The NFIP was established in 1968 as a means of providing low-cost flood insurance to the nation's flood-prone communities. The NFIP also reduces flood losses through regulations that focus on building codes and sound floodplain management. In the City of Compton, the NFIP and related building code regulations went into effect on January 11, 2002. NFIP regulations (44 Code of Federal Regulations (CFR) Chapter 1, Section 60, 3) require that all new construction in floodplains must be elevated at or above base flood level.

Flood Insurance Rate Maps (FIRM) and Flood Insurance Studies (FIS) Floodplain maps are the basis for implementing floodplain regulations and for delineating flood insurance purchase requirements. A Flood Insurance Rate Map (FIRM) is the official map produced by FEMA which delineates SFHA in communities where NFIP regulations apply. FIRMs are also used by insurance agents and mortgage lenders to determine if flood insurance is required and what insurance rates should apply.

Water surface elevations are combined with topographic data to develop FIRMs. FIRMs illustrate areas that would be inundated during a 100-year flood, floodway areas, and elevations marking the 100-year-flood level. In some cases they also include base flood elevations (BFEs) and areas located within the 500-year floodplain. Flood Insurance Studies and FIRMs produced for the NFIP provide assessments of the probability of flooding at a given location. FEMA conducted many Flood Insurance Studies in the late 1970s and early 1980s. These studies and maps represent flood risk at the point in time when FEMA completed the studies. However, it is important to note that not all 100-year or 500-year floodplains have been mapped by FEMA.

FEMA flood maps are not entirely accurate. These studies and maps represent flood risk at the point in time when FEMA completed the studies, and does not incorporate planning for floodplain changes in the future due to new development. Although FEMA is considering changing that policy, it is optional for local communities. The FEMA FIRM map for the City of Compton was completed in 2002. Man-made and natural changes to the environment have changed the dynamics of storm water run-off since then.

Flood Mapping Methods and Techniques

Although many communities rely exclusively on FIRMs to characterize the risk of flooding in their area, there are some flood-prone areas that are not mapped but remain susceptible to flooding. These areas include locations next to small creeks, local drainage areas, and areas susceptible to manmade flooding. All of the flood-related damage from past floods in the City of Compton has been located outside the boundaries of the FEMA's FIRMs.

Hazard Assessment

Hazard Identification

Hazard identification is the first phase of flood-hazard assessment. Identification is the process of estimating: (1) the geographic extent of the floodplain (i.e., the area at risk from flooding); (2) the intensity of the flooding that can be expected in specific areas of the floodplain; and (3) the probability of occurrence of flood events. This process usually results in the creation of a floodplain map. Floodplain maps provide detailed information that can assist jurisdictions in making policies and land-use decisions.

Data Sources

FEMA mapped the 100 -year and 500-year floodplains through the Flood Insurance Study (FIS) in conjunction with the United States Army Corps of Engineers (USACE) most recently in January 2002.

Vulnerability Assessment

Vulnerability assessment is the second step of flood-hazard assessment. It combines the floodplain boundary, generated through hazard identification, with an inventory of the property within the floodplain. Understanding the population and property exposed to natural hazards will assist in reducing risk and preventing loss from future events. Because site-specific inventory data and inundation levels given for a particular flood event (10-year, 25-year, 50-year, 100-year, and 500-year) are not readily available, calculating a community's vulnerability to flood events is not straightforward. The amount of property in the floodplain, as well as the type and value of structures on those properties, should be calculated to provide a working estimate for potential flood losses.

Disruption of Critical Services

Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their

services need to be functional after a flooding event. Vulnerability of these facilities is indicated on Table 4-2 in Section 2, Risk Assessment.

Risk Analysis

Risk analysis is the third and most advanced phase of a hazard assessment. It builds upon the hazard identification and vulnerability assessment. A flood risk analysis for the City of Compton should include two components: (1) the life and value of property that may incur losses from a flood event (defined through the vulnerability assessment); and (2) the number and type of flood events expected to occur over time. Within the broad components of a risk analysis, it is possible to predict the severity of damage from a range of events. Flow velocity models can assist in predicting the amount of damage expected from different magnitudes of flood events. The data used to develop these models is based on hydrological analysis of landscape features. Changes in the landscape, often associated with human development, can alter the flow velocity and the severity of damage that can be expected from a flood event.

Community Flood Issues

What is Susceptible to Damage during a Flood Event?

The largest impact on communities from flood events is the loss of life and property. During certain years, property losses resulting from flood damage are extensive. Development in the floodplains of the City of Compton will continue to be at risk from flooding because flood damage occurs on a regular basis throughout the county. Property loss from floods strikes both private and public property. Losses in the City of Compton over the past 25 years have totaled approximately \$1,200,000.

Property Loss Resulting from Flooding Events

The type of property damage caused by flood events depends on the depth and velocity of the flood waters. Faster moving flood waters can wash buildings off their foundations and sweep cars downstream. Pipelines, bridges, and other infrastructure can be damaged when high waters combine with flood debris. Extensive damage can be caused by basement flooding and landslide damage related to soil saturation from flood events. Most flood damage is caused by water saturating materials susceptible to loss (i.e. wood, insulation, wallboard, fabric, furnishings, floor coverings, and appliances). In many cases, flood damage to homes renders them unlivable.

Mobilehomes

Statewide, the 1996 floods destroyed 156 housing units. Of those units, 61% were mobilehomes and trailers. Many older mobilehome parks are located in floodplain areas. Mobilehomes have a lower level of structural stability than stick-built homes and must be anchored to provide additional structural stability during flood events. Because of confusion in the late 1980s resulting from multiple changes in NFIP regulations, there are some communities that do not actively enforce anchoring requirements. Lack of enforcement of mobilehome construction standards in floodplains can contribute to severe damages from flood events.

Business/Industry

Flood events impact businesses by damaging property and by interrupting business. Flood events can cut off customer access to a business as well as close a business for repairs. A quick response to the needs of businesses affected by flood events can help a community maintain economic vitality in the face of flood damage. Responses to business damages can include funding to assist owners in elevating or relocating flood-prone business structures.

Public Infrastructure

Publicly owned facilities are a key component of daily life for all citizens of the county. Damage to public water and sewer systems, transportation networks, flood control facilities, emergency facilities, and offices can hinder the ability of the government to deliver services. Government can take action to reduce risk to public infrastructure from flood events, as well as craft public policy that reduces risk to private property from flood events.

Roads

During natural hazard events, or any type of emergency or disaster, dependable road connections are critical for providing emergency services. Roads systems in the City of Compton are maintained by multiple jurisdictions. Federal, state, county, and city governments all have a stake in protecting roads from flood damage. Road networks often traverse floodplain and floodway areas. Transportation agencies responsible for road maintenance are typically aware of roads at risk from flooding.

Bridges

Bridges are key points of concern during flood events because they are important links in road networks, river crossings, and they can be obstructions in watercourses, inhibiting the flow of water during flood events. The bridges in the City of Compton are state, county, city, or privately owned. A state-designated inspector must inspect all state, county, and city bridges every two years; but private bridges are not inspected, and can be very dangerous. The inspections are rigorous, looking at everything from seismic capability to erosion and scour.

Storm Water Systems

As stated in the City's General Plan, the County of Los Angeles Department of Public Works maintains the flood control system in the City of Compton. The storm drainage facilities within the city are typically sufficient to meet drainage needs.

There is a Drainage Master Plan, and City of Compton Public Works staff is aware of local drainage threats. The problems are often present where storm water runoff enters culverts or goes underground into storm sewers. Inadequate maintenance can also contribute to the flood hazard in urban areas.

Water/Wastewater Treatment Facilities

As stated in the city's General Plan, the entire City of Compton is located within the Los Angeles County Sanitation District. Wastewater from the city is treated at the joint water

pollution control plant in the City of Carson. There are three water service companies that have facilities within the city. The City of Compton Municipal Water Department supplies water to approximately 85% of the city.

Water Quality

Environmental quality problems include bacteria, toxins, and pollution.

Flood Endnotes

1. <http://www.lalc.k12.ca.us/target/units/river/tour/hist.html>
2. Gumprecht, Blake, 1999, Johns Hopkins University Press, Baltimore, MD.
3. Ibid
4. http://www.usc.edu/isd/archives/la/scandals/st_francis_dam.html
5. <http://www.latimes.com/news/local/surroundings/la-me-surround11dec11,0,1754871.story?coll=la-adelphia-right-rail>
6. <http://www.fema.gov/rrr/talkdiz/landslide.shtm#what>

Section 7: Windstorm Hazards in the City of Compton

Why are Severe Windstorms a Threat to the City of Compton?

Severe wind storms pose a significant risk to life and property in the region by creating conditions that disrupt essential systems such as public utilities, telecommunications, and transportation routes. High winds can and do occasionally cause tornado-like damage to local homes and businesses. Severe windstorms can present a very destabilizing effect on the dry brush that covers local hillsides and urban wildland interface areas. High winds can have destructive impacts, especially to trees, power lines, and utility services.

Figure 7-1: Santa Ana Winds (Source: NASA's "Observatorium")



Santa Ana Winds and Tornado-Like Wind Activity

Based on local history, most incidents of high wind in the City of Compton are the result of the Santa Ana wind conditions. While high impact wind incidents are not frequent in the area, significant Santa Ana Wind events and sporadic tornado activity have been known to negatively impact the local community.

What are Santa Ana Winds?

“Santa Ana winds are generally defined as warm, dry winds that blow from the east or northeast (offshore). These winds occur below the passes and canyons of the coastal ranges of Southern California and in the Los Angeles basin. Santa Ana winds often blow with exceptional speed in the Santa Ana Canyon (the canyon from which it derives its name). Forecasters at the National Weather Service offices in Oxnard and San Diego usually place speed minimums on these winds and reserve the use of "Santa Ana" for winds greater than 25 knots.”¹ These winds accelerate to speeds of 35 knots as they move through canyons and passes, with gusts to 50 or even 60 knots.

“The complex topography of Southern California combined with various atmospheric conditions create numerous scenarios that may cause widespread or isolated Santa Ana events. Commonly, Santa Ana winds develop when a region of high pressure builds over the Great Basin (the high plateau east of the Sierra Mountains and west of the Rocky Mountains including most of Nevada and Utah). Clockwise circulation around the center of this high pressure area forces air downslope from the high plateau. The air warms as it descends toward the California coast at the rate of 5 degrees F per 1000 feet due to compressional heating. Thus, compressional heating provides the primary source of warming. The air is dry since it originated in the desert, and it dries out even more as it is heated.”²

These regional winds typically occur from October to March, and, according to most accounts are named either for the Santa Ana River Valley where they originate or for the Santa Ana Canyon, southeast of Los Angeles, where they pick up speed.

What are Tornadoes?

Tornadoes are spawned when there is warm, moist air near the ground, cool air aloft, and winds that speed up and change direction. An obstruction, such as a house, in the path of the wind causes it to change direction. This change increases pressure on parts of the house, and the combination of increased pressures and fluctuating wind speeds creates stresses that frequently cause structural failures.

In order to measure the intensity and wind strength of a tornado, Dr. T. Theodore Fujita developed the Fujita Tornado Damage Scale. This scale compares the estimated wind velocity with the corresponding amount of suspected damage. The scale measures six classifications of tornadoes with increasing magnitude from an “F0” tornado to a “F6+” tornado.

Table 7-1: Fujita Tornado Damage Scale

Scale	Wind Estimate (mph)	Typical Damage
F0	< 73	Light damage. Some damage to chimneys and TV antennas; breaks twigs off trees; pushes over shallow-rooted trees.
F1	73-112	Moderate damage. Peels surface off roofs; windows broken; light trailer houses pushed or overturned; some trees uprooted or snapped; moving automobiles pushed off the road. 74 mph is the beginning of hurricane wind speed.
F2	113-157	Considerable damage. Roofs torn off frame houses leaving strong upright walls; weak buildings in rural areas demolished; trailer houses destroyed; large trees snapped or uprooted; railroad boxcars pushed over; light object missiles generated; cars blown off highway.
F3	158-206	Severe damage. Roofs and some walls torn off frame houses; some rural buildings completely demolished; trains overturned; steel-framed hangar-warehouse-type structures torn; cars lifted off the ground; most trees in a forest uprooted snapped, or leveled.
F4	207-260	Devastating damage. Whole frame houses leveled, leaving piles of debris; steel

		structures badly damaged; trees debarked by small flying debris; cars and trains thrown some distances or rolled considerable distances; large missiles generated.
F5	261-318	Incredible damage. Whole frame houses tossed off foundations; steel-reinforced concrete structures badly damaged; automobile-sized missiles generated; trees debarked; incredible phenomena can occur.
F6-F12	319 to sonic	Inconceivable damage. Should a tornado with the maximum wind speed in excess of F5 occur, the extent and types of damage may not be conceived. A number of missiles such as iceboxes, water heaters, storage tanks, automobiles, etc. will create serious secondary damage on structures.
Source: http://weather.latimes.com/tornadoFAQ.asp		

Microbursts

Unlike tornados, microbursts, are strong, damaging winds which strike the ground and often give the impression a tornado has struck. They frequently occur during intense thunderstorms. The origin of a microburst is downward moving air from a thunderstorm's core. But unlike a tornado, they affect only a rather small area.

University of Chicago storm researcher Dr Ted Fujita first coined the term “downburst” to describe strong, downdraft winds flowing out of a thunderstorm cell that he believed were responsible for the crash of Eastern Airlines Flight 66 in June of 1975.³

A downburst is a straight-direction surface wind in excess of 39 mph caused by a small-scale, strong downdraft from the base of convective thundershowers and thunderstorms. In later investigations into the phenomena he defined two sub-categories of downbursts: the larger macrobursts and small microbursts.⁴

Macrobursts are downbursts with winds up to 117 mph which spread across a path greater than 2.5 miles wide at the surface and which last from 5 to 30 minutes. The microburst, on the other hand is confined to an even smaller area, less than 2.5 miles in diameter from the initial point of downdraft impact. An intense microburst can result in damaging winds near 270 km/hr (170 mph) and often last for less than five minutes.⁵

“Downbursts of all sizes descend from the upper regions of severe thunderstorms when the air accelerates downward through either exceptionally strong evaporative cooling or by very heavy rain which drags dry air down with it. When the rapidly descending air strikes the ground, it spreads outward in all directions, like a fast-running faucet stream hitting the sink bottom.

When the microburst wind hits an object on the ground such as a house, garage or tree, it can flatten the buildings and strip limbs and branches from the tree. After striking the ground, the powerful outward running gust can wreak further havoc along its path. Damage associated with a microburst is often mistaken for the work of a tornado, particularly directly under the microburst. However, damage patterns away from the impact area are characteristic of straight-line winds rather than the twisted pattern of tornado damage.”⁶

Tornados, like those that occur every year in the Midwest and Southeast parts of the United States, are a rare phenomenon in most of California, with most tornado-like activity coming from micro-bursts.

Local History of Windstorm Events

While the effects of Santa Ana Winds are often overlooked, it should be noted that in 2003, two deaths in Southern California were directly related to the fierce condition. A falling tree struck one woman in San Diego.⁷ The second death occurred when a passenger in a vehicle was hit by a flying pickup truck cover launched by the Santa Ana Winds.⁸

Table 7-2: Santa Ana Wind Events during 2003

The following Santa Ana wind events were featured in news resources during 2003:	
January 6, 2003 OC Register	“One of the strongest Santa Ana windstorms in a decade toppled 26 power poles in Orange early today, blew over a mobile derrick in Placentia, crushing two vehicles, and delayed Metrolink rail service.” This windstorm also knocked out power to thousands of people in northeastern Orange County.
January 8, 2003 CBSNEWS.com	“Santa Ana’s roared into Southern California late Sunday, blowing over trees, trucks and power poles. Thousands of people lost power.”
March 16, 2003 dailybulletin.com	Fire Officials Brace for Santa Ana Winds - - “The forest is now so dry and so many trees have died that fires, during relatively calm conditions, are running as fast and as far as they might during Santa Ana Winds. Now the Santa Ana season is here. Combine the literally tinder dry conditions with humidity in the single digits and 60-80 mph winds, and fire officials shudder.”

Table 7-3: Major Windstorms in the vicinity of the City of Compton

Date	Location and Damage
November 5-6, 1961	Santa Ana winds. Fire in Topanga Canyon
February 10-11, 1973	Strong storm winds: 57 mph at Riverside, 46 Newport Beach. Some 200 trees uprooted in Pacific Beach alone
October 26-27, 1993	Santa Ana winds. Fire in Laguna Hills
October 14, 1997	Santa Ana winds: gusts 87 mph in central Orange County. Large fire in Orange County
December 29, 1997	Gusts 60+ mph at Santa Ana
March 28-29, 1998	Strong storm winds in Orange County: sustained 30-40 mph. Gust 70 mph at Newport Beach, gust 60 Huntington Beach. Trees down, power out, and damage across Orange and San Diego Counties. 1 illegal immigrant dead in Jamul.
September 2, 1998	Strong winds from thunderstorms in Orange County with gusts to 40mph. Large fires in Orange County

December 6, 1998	Thunderstorm in Los Alamitos and Garden Grove: gust 50-60 mph called "almost a tornado"
December 21-22, 1999	Santa Ana winds: gust 68 mph at Campo, 53 Huntington Beach, 44 Orange. House and tree damage in Hemet.
March 5-6, 2000	Strong thunderstorm winds at the coast: gust 60 mph at Huntington Beach Property damage and trees downed along the coast
April 1, 2000	Santa Ana winds: gust 93 mph at Mission Viejo, 67 Anaheim Hills
December 25-26, 2000	Santa Ana winds: gust 87 mph at Fremont Canyon. Damage and injuries in Mira Loma, Orange and Riverside Counties
February 13, 2001	Thunderstorm gust to 89 mph in east Orange
Source: http://www.wrh.noaa.gov/sandiego/research/Guide/weatherhistory.pdf	

The following is a glimpse of major tornado-like events to hit in the vicinity of the City of Compton:

Table 7-4: Major Tornado-like Events in the vicinity of Compton

Major Tornado-like Events in the Orange County Area 1958-2001	
Date	Location and Damage
April 1, 1958	Tornado: Laguna Beach
February 19, 1962	Tornado: Irvine
April 8, 1965	Tornado: Costa Mesa
November 7, 1966	Newport Beach and Costa Mesa: Property Damage
March 16, 1977	Tornado skipped from Fullerton to Brea Damage to 80 homes and injured four people
February 9, 1978	Tornado: Irvine. Property damage and 6 injured
January 31, 1979	Tornado Santa Ana Numerous power outages
November 9, 1982	Tornadoes in Garden Grove and Mission Viejo. Property damage
January 13, 1984	Tornado: Huntington Beach. Property damage
March 16, 1986	Tornado: Anaheim. Property damage
February 22-24, 1987	Tornadoes and waterspouts: Huntington Beach
January 18, 1988	Tornadoes: Mission Viejo and San Clemente. Property damage
February 28, 1991	Tornado: Tustin
March 27, 1991	Tornado: Huntington Beach
December 7, 1992	Tornadoes: Anaheim and Westminster Property damage
January 18, 1993	Tornado: Orange County Property damage
February 8, 1993	Tornado: Brea. Property damage

February 7, 1994	Tornado from Newport Beach to Tustin. Roof and window damage. Trees were also knocked down
December 13, 1994	Two waterspouts about 0.5 mile off Newport Beach
December 13, 1995	Funnel cloud near Fullerton Airport
March 13, 1996	Funnel cloud in Irvine
November 10-11, 1997	Waterspout came ashore at Newport Pier on the 10 th and dissipated over western Costa Mesa. Tornadoes in Irvine on the 11 th and a funnel cloud developed. 10 th : Winds estimated at 60-70 mph. 11 th : Minor power outages occurred with little property damage. A fisherman was blown from one end of Newport Pier to the other. Property and vehicle damage in Irvine from flying debris. Ten cars were thrown a few feet.
December 21, 1997	Waterspout and tornado in Huntington Beach. Damage to boats, houses, and city property
February 24, 1998	Tornado in Huntington Beach. Property damage with a power outage, roof flew ¼ mile
March 13-14, 1998	Numerous waterspouts between Long Beach, Huntington Beach, and Catalina
March 31-April 1, 1998	Numerous funnel clouds reported off Orange County coastline, two of which became waterspouts off Orange County. One waterspout briefly hit the coast off the Huntington Beach pier.
June 6, 1998	Two funnel clouds off Dana Point
December 31, 1998	Funnel clouds in Santa Ana. Waterspout off Costa Mesa coast
February 21, 2000	Tornado: Anaheim Hills. Property damage
October 28, 2000	Funnel clouds around Newport Beach and Costa Mesa
January 10, 2001	Funnel cloud at Orange County airport and Newport Beach
February 24, 2001	Tornado in Orange. Damage to warehouse, 6 structures, fences, and telephone wires.
Source: http://www.wrh.noaa.gov/sandiego/research/Guide/weatherhistory.pdf	

Windstorm Hazard Assessment

Hazard Identification

A windstorm event in the region can range from short term microburst activity lasting only minutes to a long duration Santa Ana wind condition that can last for several days as in the case of the January 2003 Santa Ana wind event. Windstorms in the City of Compton area can cause extensive damage including heavy tree stands, road and highway infrastructure, and critical utility facilities.

The map shows clearly the direction of the Santa Ana winds as they travel from the stable, high-pressure weather system called the Great Basin High through the canyons and towards the low-pressure system off the Pacific. Clearly the area of the City of Compton is in the direct path of the ocean-bound Santa Ana winds.

Vulnerability and Risk

With an analysis of the high wind and tornado events depicted in the “Local History” section, we can deduce the common windstorm impact areas including impacts on life, property, utilities, infrastructure and transportation. Additionally, if a windstorm disrupts power to local residential communities, the American Red Cross and City resources might be called upon for care and shelter duties. Displacing residents and utilizing City resources for shelter staffing and disaster cleanup can cause an economic hardship on the community.

Community Windstorm Issues

What is Susceptible to Windstorms?

Life and Property

Based on the history of the region, windstorm events can be expected, perhaps annually, across widespread areas of the region which can be adversely impacted during a windstorm event. This can result in the involvement of City of Compton emergency response personnel during a wide-ranging windstorm or microburst tornadic activity. Both residential and commercial structures with weak reinforcement are susceptible to damage. Wind pressure can create a direct and frontal assault on a structure, pushing walls, doors, and windows inward. Conversely, passing currents can create lift suction forces that pull building components and surfaces outward. With extreme wind forces, the roof or entire building can fail causing considerable damage.

Debris carried along by extreme winds can directly contribute to loss of life and indirectly to the failure of protective building envelopes, siding, or walls. When severe windstorms strike a community, downed trees, power lines, and damaged property can be major hindrances to emergency response and disaster recovery.

The Beaufort Scale below, coined and developed by Sir Francis Beaufort in 1805, illustrates the effect that varying wind speed can have on sea swells and structures:

Table 7-5: Beaufort Scale

BEAUFORT SCALE		
Beaufort Force	Speed (mph)	Wind Description - State of Sea - Effects on Land
0	Less 1	Calm - Mirror-like - Smoke rises vertically
1	1-3	Light - Air Ripples look like scales; No crests of foam - Smoke drift shows direction of wind, but wind vanes do not
2	4-7	Light Breeze - Small but pronounced wavelets; Crests do not break - Wind vanes move; Leaves rustle; You can feel wind on the face

3	8-12	Gentle Breeze - Large Wavelets; Crests break; Glassy foam; A few whitecaps - Leaves and small twigs move constantly; Small, light flags are extended
4	13-18	Moderate Breeze - Longer waves; Whitecaps - Wind lifts dust and loose paper; Small branches move
5	19-24	Fresh Breeze - Moderate, long waves; Many whitecaps; Some spray - Small trees with leaves begin to move
6	25-31	Strong Breeze - Some large waves; Crests of white foam; Spray - Large branches move; Telegraph wires whistle; Hard to hold umbrellas
7	32-38	Near Gale - White foam from breaking waves blows in streaks with the wind - Whole trees move; Resistance felt walking into wind
8	39-46	Gale - Waves high and moderately long; Crests break into spin drift, blowing foam in well marked streaks - Twigs and small branches break off trees; Difficult to walk
9	47-54	Strong Gale - High waves with wave crests that tumble; Dense streaks of foam in wind; Poor visibility from spray - Slight structural damage
10	55-63	Storm - Very high waves with long, curling crests; Sea surface appears white from blowing foam; Heavy tumbling of sea; Poor visibility - Trees broken or uprooted; Considerable structural damage
11	64-73	Violent Storm - Waves high enough to hide small and medium sized ships; Sea covered with patches of white foam; Edges of wave crests blown into froth; Poor visibility - Seldom experienced inland; Considerable structural damage
12	>74	Hurricane - Sea white with spray. Foam and spray render visibility almost non-existent - Widespread damage. Very rarely experienced on land.

Source: <http://www.compuweather.com/decoder-charts.html>

Disruption of Critical Services

Critical facilities include police stations, fire stations, hospitals, shelters, and other facilities that provide important services to the community. These facilities and their services need to be functional after a windstorm event.

Utilities

Historically, falling trees have been the major cause of power outages in the region. Windstorms such as strong microbursts and Santa Ana Wind conditions can cause flying debris and downed utility lines. For example, tree limbs breaking in winds of only 45 mph can be thrown over 75 feet. As such, overhead power lines can be damaged even in relatively minor windstorm events. Falling trees can bring electric power lines down to the pavement, creating the possibility of lethal electric shock. Rising population growth and new infrastructure in the region creates a higher probability for damage to occur from windstorms as more life and property are exposed to risk.

Infrastructure

Windstorms can damage buildings, power lines, and other property and infrastructure due

to falling trees and branches. During wet winters, saturated soils cause trees to become less stable and more vulnerable to uprooting from high winds.

Windstorms can result in collapsed or damaged buildings or blocked roads and bridges, damaged traffic signals, streetlights, and parks, among others. Roads blocked by fallen trees during a windstorm may have severe consequences to people who need access to emergency services. Emergency response operations can be complicated when roads are blocked or when power supplies are interrupted. Industry and commerce can suffer losses from interruptions in electric services and from extended road closures. They can also sustain direct losses to buildings, personnel, and other vital equipment. There are direct consequences to the local economy resulting from windstorms related to both physical damages and interrupted services.

Increased Fire Threat

Perhaps the greatest danger from windstorm activity in Southern California comes from the combination of the Santa Ana winds with the major fires that occur every few years in the urban/wildland interface. With the Santa Ana winds driving the flames, the speed and reach of the flames is even greater than in times of calm wind conditions. The higher fire hazard raised by a Santa Ana wind condition requires that even more care and attention be paid to proper brush clearances on property in the wildland/urban interface areas.

Transportation

Windstorm activity can have an impact on local transportation in addition to the problems caused by downed trees and electrical wires blocking streets and highways. During periods of extremely strong Santa Ana winds, major highways can be temporarily closed to truck and recreational vehicle traffic. However, typically these disruptions are not long lasting, nor do they carry a severe long term economic impact on the region.

End Notes:

1<http://nimbo.wrh.noaa.gov/Sandiego/snawind.html>

2Ibid

3Keith C. Heidorn at <http://www.suite101.com/article.cfm/13646/100918>, June 1, 2003

4Ibid

5Ibid

6Ibid

7www.cbsnews.com, January 8, 2003

8www.cbsnews.com/stories/2003/01/06/national/

Appendix A: Master Resource Directory

The Resource Directory provides contact information for local, regional, state, and federal programs that are currently involved in hazard mitigation activities. The Natural Hazards Mitigation Committee may look to the organizations on the following pages for resources and technical assistance. The Resource Directory provides a foundation for potential partners in action item implementation.

The Committee will continue to add contact information for organizations currently engaged in hazard mitigation activities. This section may also be used by various community members interested in hazard mitigation information and projects.

American Public Works Association			
Level: National	Hazard: Multi	http://www.apwa.net	
2345 Grand Boulevard		Suite 500	
Kansas City, MO 64108-2641		Ph: 816-472-6100	Fx: 816-472-1610
Notes: The American Public Works Association is an international educational and professional association of public agencies, private sector companies, and individuals dedicated to providing high quality public works goods and services.			
Association of State Floodplain Managers			
Level: Federal	Hazard: Flood	www.floods.org	
2809 Fish Hatchery Road			
Madison, WI 53713		Ph: 608-274-0123	Fx:
Notes: The Association of State Floodplain Managers is an organization of professionals involved in floodplain management, flood hazard mitigation, the National Flood Insurance Program, and flood preparedness, warning and recovery			
Building Seismic Safety Council (BSSC)			
Level: National	Hazard: Earthquake	www.bssconline.org	
1090 Vermont Ave., NW		Suite 700	
Washington, DC 20005		Ph: 202-289-7800	Fx: 202-289-109
Notes: The Building Seismic Safety Council (BSSC) develops and promotes building earthquake risk mitigation regulatory provisions for the nation.			

California Department of Transportation (CalTrans)		
Level: State	Hazard: Multi	http://www.dot.ca.gov/
120 S. Spring Street		
Los Angeles, CA 90012	Ph: 213-897-3656	Fx:
Notes: CalTrans is responsible for the design, construction, maintenance, and operation of the California State Highway System, as well as that portion of the Interstate Highway System within the state's boundaries. Alone and in partnership with Amtrak, Caltrans is also involved in the support of intercity passenger rail service in California.		
California Resources Agency		
Level: State	Hazard: Multi	http://resources.ca.gov/
1416 Ninth Street		Suite 1311
Sacramento, CA 95814	Ph: 916-653-5656	Fx:
Notes: The California Resources Agency restores, protects and manages the state's natural, historical and cultural resources for current and future generations using solutions based on science, collaboration and respect for all the communities and interests involved.		
California Division of Forestry (CDF)		
Level: State	Hazard: Multi	http://www.fire.ca.gov/php/index.php
210 W. San Jacinto		
Perris CA 92570	Ph: 909-940-6900	Fx:
Notes: The California Department of Forestry and Fire Protection protects over 31 million acres of California's privately-owned wildlands. CDF emphasizes the management and protection of California's natural resources.		
California Division of Mines and Geology (DMG)		
Level: State	Hazard: Multi	www.consrv.ca.gov/cgs/index.htm
801 K Street		MS 12-30
Sacramento, CA 95814	Ph: 916-445-1825	Fx: 916-445-5718
Notes: The California Geological Survey develops and disseminates technical information and advice on California's geology, geologic hazards, and mineral resources.		
California Environmental Resources Evaluation System (CERES)		
Level: State	Hazard: Multi	http://ceres.ca.gov/
900 N St.		Suite 250
Sacramento, Ca. 95814	Ph: 916-653-2238	Fx:
Notes: CERES is an excellent website for access to environmental information and websites.		

California Department of Water Resources (DWR)		
Level: State	Hazard: Flood	http://www.dwr.water.ca.gov
1416 9th Street		
Sacramento, CA 95814	Ph: 916-653-6192	Fx:
Notes: The Department of Water Resources manages the water resources of California in cooperation with other agencies, to benefit the State's people, and to protect, restore, and enhance the natural and human environments.		
California Department of Conservation: Southern California Regional Office		
Level: State	Hazard: Multi	www.consrv.ca.gov
655 S. Hope Street		#700
Los Angeles, CA 90017-2321	Ph: 213-239-0878	Fx: 213-239-0984
Notes: The Department of Conservation provides services and information that promote environmental health, economic vitality, informed land-use decisions and sound management of our state's natural resources.		
California Planning Information Network		
Level: State	Hazard: Multi	www.calpin.ca.gov
		Ph:
		Fx:
Notes: The Governor's Office of Planning and Research (OPR) publishes basic information on local planning agencies, known as the California Planners' Book of Lists. This local planning information is available on-line with new search capabilities and up-to-the-minute updates.		
EPA, Region 9		
Level: Regional	Hazard: Multi	http://www.epa.gov/region09
75 Hawthorne Street		
San Francisco, CA 94105	Ph: 415-947-8000	Fx: 415-947-3553
Notes: The mission of the U.S. Environmental Protection Agency is to protect human health and to safeguard the natural environment through the themes of air and global climate change, water, land, communities and ecosystems, and compliance and environmental stewardship.		

Federal Emergency Management Agency, Region IX		
Level: Federal	Hazard: Multi	www.fema.gov
1111 Broadway		Suite 1200
Oakland, CA 94607	Ph: 510-627-7100	Fx: 510-627-7112
Notes: The Federal Emergency Management Agency is tasked with responding to, planning for, recovering from and mitigating against disasters.		
Federal Emergency Management Agency, Mitigation Division		
Level: Federal	Hazard: Multi	www.fema.gov/fima/planhowto.shtm
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities of which provide citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.		
Floodplain Management Association		
Level: Federal	Hazard: Flood	www.floodplain.org
P.O. Box 50891		
Sparks, NV 89435-0891	Ph: 775-626-6389	Fx: 775-626-6389
Notes: The Floodplain Management Association is a nonprofit educational association. It was established in 1990 to promote the reduction of flood losses and to encourage the protection and enhancement of natural floodplain values. Members include representatives of federal, state and local government agencies as well as private firms.		
Gateway Cities Partnership		
Level: Regional	Hazard: Multi	www.gatewaycities.org
7300 Alondra Boulevard		Suite 202
Paramount, CA 90723	Ph: 562-817-0820	Fx:
Notes: Gateway Cities Partnership is a 501 C 3 non-profit Community Development Corporation for the Gateway Cities region of southeast LA County. The region comprises 27 cities that roughly speaking extends from Montebello on the north to Long Beach on the South, the Alameda Corridor on the west to the Orange County line on the east.		

Governor's Office of Emergency Services (OES)		
Level: State	Hazard: Multi	www.oes.ca.gov
P.O. Box 419047		
Rancho Cordova, CA 95741-9047	Ph: 916 845- 8911	Fx: 916 845- 8910
Notes: The Governor's Office of Emergency Services coordinates overall state agency response to major disasters in support of local government. The office is responsible for assuring the state's readiness to respond to and recover from natural, manmade, and war-caused emergencies, and for assisting local governments in their emergency preparedness, response and recovery efforts.		
Greater Antelope Valley Economic Alliance		
Level: Regional	Hazard: Multi	
42060 N. Tenth Street West		
Lancaster, CA 93534	Ph: 661-945-2741	Fx: 661-945-7711
Notes: The Greater Antelope Valley Economic Alliance, (GA VEA) is a 501 (c)(6) nonprofit organization with a 501(c)(3) affiliated organization the Antelope Valley Economic Research and Education Foundation. GA VEA is a public-private partnership of business, local governments, education, non-profit organizations and health care organizations that was founded in 1999 with the goal of attracting good paying jobs to the Antelope Valley in order to build a sustainable economy.		
Landslide Hazards Program, USGS		
Level: Federal	Hazard: Landslide	http://landslides.usgs.gov/index.html
12201 Sunrise Valley Drive		MS 906
Reston, VA 20192	Ph: 703-648- 4000	Fx:
Notes: The NLIC website provides good information on the programs and resources regarding landslides. The page includes information on the National Landslide Hazards Program Information Center, a bibliography, publications, and current projects. USGS scientists are working to reduce long-term losses and casualties from landslide hazards through better understanding of the causes and mechanisms of ground failure both nationally and worldwide.		

Los Angeles County Economic Development Corporation		
Level: Regional	Hazard: Multi	www.laedc.org
444 S. Flower Street		34th Floor
Los Angeles, CA 90071	Ph: 213-236-4813	Fx: 213- 623-0281
Notes: The LAEDC is a private, non-profit 501 (c) 3 organization established in 1981 with the mission to attract, retain and grow businesses and jobs in the Los Angeles region. The LAEDC is widely relied upon for its Southern California Economic Forecasts and Industry Trend Reports. Lead by the renowned Jack Kyser (Sr. Vice President, Chief Economist) his team of researchers produces numerous publications to help business, media and government navigate the LA region's diverse economy.		
Los Angeles County Public Works Department		
Level: County	Hazard: Multi	http://ladpw.org
900 S. Fremont Ave.		
Alhambra, CA 91803	Ph: 626-458-5100	Fx:
Notes: The Los Angeles County Department of Public Works protects property and promotes public safety through Flood Control, Water Conservation, Road Maintenance, Bridges, Buses and Bicycle Trails, Building and Safety, Land Development, Waterworks, Sewers, Engineering, Capital Projects and Airports		
National Wildland/Urban Interface Fire Program		
Level: Federal	Hazard: Wildfire	www.firewise.org/
1 Batterymarch Park		
Quincy, MA 02169-7471	Ph: 617-770-3000	Fx: 617 770-0700
Notes: FIREWISE maintains a Website designed for people who live in wildfire- prone areas, but it also can be of use to local planners and decision makers. The site offers online wildfire protection information and checklists, as well as listings of other publications, videos, and conferences.		
National Resources Conservation Service		
Level: Federal	Hazard: Multi	http://www.nrcs.usda.gov/
14th and Independence Ave., SW		Room 5105-A
Washington, DC 20250	Ph: 202-720-7246	Fx: 202-720-7690
Notes: NRCS assists owners of America's private land with conserving their soil, water, and other natural resources, by delivering technical assistance based on sound science and suited to a customer's specific needs. Cost shares and financial incentives are available in some cases.		

National Interagency Fire Center (NIFC)		
Level: Federal	Hazard: Wildfire	www.nifc.gov
3833 S. Development Ave.		
Boise, Idaho 83705-5354	Ph: 208-387- 5512	Fx:
Notes: The NIFC in Boise, Idaho is the nation's support center for wildland firefighting. Seven federal agencies work together to coordinate and support wildland fire and disaster operations.		
National Fire Protection Association (NFPA)		
Level: National	Hazard: Wildfire	http://www.nfpa.org/catalog/home/index.asp
1 Batterymarch Park		
Quincy, MA 02169-7471	Ph: 617-770-3000	Fx: 617 770-0700
Notes: The mission of the international nonprofit NFPA is to reduce the worldwide burden of fire and other hazards on the quality of life by providing and advocating scientifically-based consensus codes and standards, research, training and education		
National Floodplain Insurance Program (NFIP)		
Level: Federal	Hazard: Flood	www.fema.gov/nfip/
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
Notes: The Mitigation Division manages the National Flood Insurance Program and oversees FEMA's mitigation programs. It has of a number of programs and activities providing citizens Protection, with flood insurance; Prevention, with mitigation measures and Partnerships, with communities throughout the country.		
National Oceanic /Atmospheric Administration		
Level: Federal	Hazard: Multi	www.noaa.gov
14th Street & Constitution Ave NW		
Washington, DC 20230	Ph: 202-482-6090	Fx: 202-482-3154
Notes: NOAA's historical role has been to predict environmental changes, protect life and property, provide decision makers with reliable scientific information, and foster global environmental stewardship.		

National Weather Service, Office of Hydrologic Development		
Level: Federal	Hazard: Flood	http://www.nws.noaa.gov/
1325 East West Highway		SSMC2
Silver Spring, MD 20910	Ph: 301-713-1658	Fx: 301-713-0963
Notes: The Office of Hydrologic Development (OHD) enhances National Weather Service (NWS) products by: infusing new hydrologic science, developing hydrologic techniques for operational use, managing hydrologic development by NWS field office, providing advanced hydrologic products to meet needs identified by NWS customers		
National Weather Service		
Level: Federal	Hazard: Multi	http://www.nws.noaa.gov/
520 North Elevar Street		
Oxnard, CA 93030	Ph: 805-988- 6615	Fx:
Notes: The National Weather Service is responsible for providing weather service to the nation. It is charged with the responsibility of observing and reporting the weather and with issuing forecasts and warnings of weather and floods in the interest of national safety and economy. Briefly, the priorities for service to the nation are: 1. protection of life, 2. protection of property, and 3. promotion of the nation's welfare and economy.		
San Gabriel Valley Economic Partnership		
Level: Regional	Hazard: Multi	www.valleynet.org
4900 Rivergrade Road		Suite A310
Irwindale, CA 91706	Ph: 626-856-3400	Fx: 626-856-5115
Notes: The San Gabriel Valley Economic Partnership is a non-profit corporation representing both public and private sectors. The Partnership is the exclusive source for San Gabriel Valley-specific information, expertise, consulting, products, services, and events. It is the single organization in the Valley with the mission to sustain and build the regional economy for the mutual benefit of all thirty cities, chambers of commerce, academic institutions, businesses and residents.		
Sanitation Districts of Los Angeles County		
Level: County	Hazard: Flood	http://www.lacsd.org/
1955 Workman Mill Road		
Whittier, CA 90607	Ph:562-699-7411 x2301	Fx:
Notes: The Sanitation Districts provide wastewater and solid waste management for over half the population of Los Angeles County and turn waste products into resources such as reclaimed water, energy, and recyclable materials.		

Santa Monica Mountains Conservancy		
Level: Regional	Hazard: Multi	http://smmc.ca.gov/
570 West Avenue Twenty-Six		Suite 100
Los Angeles, CA 90065	Ph: 323-221-8900	Fx:
Notes: The Santa Monica Mountains Conservancy helps to preserve over 55,000 acres of parkland in both wilderness and urban settings, and has improved more than 114 public recreational facilities throughout Southern California.		
South Bay Economic Development Partnership		
Level: Regional	Hazard: Multi	www.southbaypartnership.com
3858 Carson Street		Suite 110
Torrance, CA 90503	Ph: 310-792-0323	Fx: 310-543-9886
Notes: The South Bay Economic Development Partnership is a collaboration of business, labor, education and government. Its primary goal is to plan and implement an economic development and marketing strategy designed to retain and create jobs and stimulate economic growth in the South Bay of Los Angeles County.		
South Coast Air Quality Management District (AQMD)		
Level: Regional	Hazard: Multi	www.aqmd.gov
21865 E. Copley Drive		
Diamond Bar, CA 91765	Ph: 800-CUT-SMOG	Fx:
Notes: AQMD is a regional government agency that seeks to achieve and maintain healthful air quality through a comprehensive program of research, regulations, enforcement, and communication. The AQMD covers Los Angeles and Orange Counties and parts of Riverside and San Bernardino Counties.		
Southern California Earthquake Center (SCEC)		
Level: Regional	Hazard: Earthquake	www.scec.org
3651 Trousdale Parkway		Suite 169
Los Angeles, CA 90089-0742	Ph: 213-740-5843	Fx: 213/740-0011
Notes: The Southern California Earthquake Center (SCEC) gathers new information about earthquakes in Southern California, integrates this information into a comprehensive and predictive understanding of earthquake phenomena, and communicates this understanding to end-users and the general public in order to increase earthquake awareness, reduce economic losses, and save lives.		

Southern California Association of Governments (SCAG)		
Level: Regional	Hazard: Multi	www.scag.ca.gov
818 W. Seventh Street		12th Floor
Los Angeles, CA 90017	Ph: 213-236-1800	Fx: 213-236-1825
Notes: The Southern California Association of Governments functions as the Metropolitan Planning Organization for six counties: Los Angeles, Orange, San Bernardino, Riverside, Ventura and Imperial. As the designated Metropolitan Planning Organization, the Association of Governments is mandated by the federal government to research and draw up plans for transportation, growth management, hazardous waste management, and air quality.		
State Fire Marshal (SFM)		
Level: State	Hazard: Wildfire	http://osfm.fire.ca.gov
1131 "S" Street		
Sacramento, CA 95814	Ph: 916-445-8200	Fx: 916-445-8509
Notes: The Office of the State Fire Marshal (SFM) supports the mission of the California Department of Forestry and Fire Protection (CDF) by focusing on fire prevention. SFM regulates buildings in which people live, controls substances which may, cause injuries, death and destruction by fire; provides statewide direction for fire prevention within wildland areas; regulates hazardous liquid pipelines; reviews regulations and building standards; and trains and educates in fire protection methods and responsibilities.		
The Community Rating System (CRS)		
Level: Federal	Hazard: Flood	http://www.fema.gov/nfip/crs.shtm
500 C Street, S.W.		
Washington, D.C. 20472	Ph: 202-566-1600	Fx:
Notes: The Community Rating System (CRS) recognizes community floodplain management efforts that go beyond the minimum requirements of the NFIP. Property owners within the County would receive reduced NFIP flood insurance premiums if the County implements floodplain management practices that qualify it for a CRS rating. For further information on the CRS, visit FEMA's website.		
United States Geological Survey		
Level: Federal	Hazard: Multi	http://www.usgs.gov/
345 Middlefield Road		
Menlo Park, CA 94025	Ph: 650-853-8300	Fx:
Notes: The USGS provides reliable scientific information to describe and understand the Earth; minimize loss of life and property from natural disasters; manage water, biological, energy, and mineral resources; and enhance and protect our quality of life.		

U.S. Army Corps of Engineers		
Level: Federal	Hazard: Multi	http://www.usace.army.mil
P.O. Box 532711		
Los Angeles CA 90053- 2325	Ph: 213-452- 3921	Fx:
Notes: The United States Army Corps of Engineers work in engineering and environmental matters. A workforce of biologists, engineers, geologists, hydrologists, natural resource managers and other professionals provide engineering services to the nation including planning, designing, building and operating water resources and other civil works projects.		
USDA Forest Service		
Level: Federal	Hazard: Wildfire	http://www.fs.fed.us
1400 Independence Ave. SW		
Washington, D.C. 20250-0002	Ph: 202-205-8333	Fx:
Notes: The Forest Service is an agency of the U.S. Department of Agriculture. The Forest Service manages public lands in national forests and grasslands.		
USGS Water Resources		
Level: Federal	Hazard: Multi	www.water.usgs.gov
6000 J Street		Placer Hall
Sacramento, CA 95819-6129	Ph: 916-278-3000	Fx: 916-278-3070
Notes: The USGS Water Resources mission is to provide water information that benefits the Nation's citizens: publications, data, maps, and applications software.		
Western States Seismic Policy Council (WSSPC)		
Level: Regional	Hazard: Earthquake	www.wsspc.org/home.html
125 California Avenue		Suite D201, #1
Palo Alto, CA 94306	Ph: 650-330-1101	Fx: 650-326-1769
Notes: WSSPC is a regional earthquake consortium funded mainly by FEMA. Its website is a great resource, with information clearly categorized - from policy to engineering to education.		

Westside Economic Collaborative C/O Pacific Western Bank		
Level: Regional	Hazard: Multi	http://www.westside-ia.or
120 Wilshire Boulevard		
Santa Monica, CA 90401	Ph: 310-458-1521	Fx: 310-458-6479
<p>Notes: The Westside Economic Development Collaborative is the first Westside regional economic development corporation. The Westside EDC functions as an information gatherer and resource center, as well as a forum, through bringing business, government, and residents together to address issues affecting the region: Economic Diversity, Transportation, Housing, Workforce Training and Retraining, Lifelong Learning, Tourism, and Embracing Diversity.</p>		

Appendix B: Public Participation

Public participation is a key component to any strategic planning process. It is very important that such broad-reaching plans not be written in isolation. Agency participation offers an opportunity for impacted departments and organizations to provide expertise and insight into the planning process. Citizen participation offers citizens the chance to voice their ideas, interests, and opinions. The Federal Emergency Management Agency also requires public input during the development of mitigation plans.

The City of Compton Natural Hazards Mitigation Plan integrates a cross-section of public input throughout the planning process. To accomplish this goal, the Multi-Jurisdictional Planning Team developed a public participation process through five components: (1) developing a Planning Team comprised of knowledgeable individuals representative of the City, City of Carson, and the Compton Unified School District; (2) issuing a press release to announce the progress of the planning activities and to announce the availability of the Draft Natural Hazards Mitigation Plan; (3) creating opportunities for the citizens and public agencies to review the Draft Natural Hazards Mitigation Plan; (4) conducting a public meeting before the City Council where the public had an opportunity to express their views concerning the Draft Natural Hazards Mitigation Plan.

Integrating public participation during the development of the Natural Hazards Mitigation Plan has ultimately resulted in increased public awareness. Through public involvement, the mitigation plan reflects community issues, concerns, and new ideas and perspectives on mitigation opportunities and plan action items.

Hazard Mitigation Planning Team

Hazard mitigation in the City of Compton was overseen by the Hazard Mitigation Planning Team, which consists of representatives from various city departments. The members have an understanding of how the community is structured and how residents, businesses, and the environment may be affected by natural hazard events. The Team guided the development of the Plan, and assisted in developing plan goals and action items, identifying stakeholders and plan reviewers, and sharing local expertise to create a more comprehensive plan.

Staff, including Planning Team members, attended a training course about DMA 2000 in January 2004 conducted by the Disaster Management Coordinators of Los Angeles County. A FEMA-approved template in hardcopy and CD-ROM were received. Thereafter, each City Department head was given a template copy and the creation of a Natural Hazards Mitigation Plan was discussed in a City Manager's staff meeting.

Meeting #1: Pre-Training May 3, 2004

The meeting was hosted by the City of Compton. Emergency Planning Consultants

(EPC) delivered pre-training to the Planning Team and Working Groups. The pretraining consisted of the history of the Disaster Mitigation Act of 2000, the purpose and role of hazard mitigation, and the planning process. The Pre-Training lasted approximately 2 hours.

Meeting #2: Kick-Off Meeting May 3, 2004

EPC facilitated a workshop where participants had an opportunity to learn about various natural hazards, assess and rank the local threats, examine hazard maps, and complete the FEMA Worksheets contained in FEMA 386-2 Understanding Your Risks. Part of the discussion included a presentation by EPC of historical disaster events across the country. Those slides served as a backdrop for discussing potential mitigation activities.

There was an extensive discussion on various methods of engaging the public in the mitigation process. The Multi-Jurisdictional Planning Team prepared a draft media release and discussed a public opinion survey provided by EPC. EPC committed to revising the media release and survey and distributing electronic copies to each of the Planning Team entities. The Kick-Off Meeting lasted approximately 5 hours.

Meeting #3 Pre-Training: Mitigation July 19, 2004

The meeting was hosted by the City of Carson. EPC delivered pre-training to the Planning Team. The pre-training consisted of the concepts and issues related to developing mitigation actions. The pre-training lasted approximately 1 hour.

Meeting #4 Mitigation Actions July 19, 2004

EPC delivered the Draft Hazard Analysis and the Multi-Jurisdictional Planning Team discussed missing information, data, and maps. EPC distributed copies of the Mitigation Actions Planning Tools to assist the Team in developing Goals and Action Items appropriate to their natural hazards. The Planning Tools provided a process for collecting the mitigation actions presently in practice in the City of Compton, as well as identifying future mitigation actions.

A brainstorming process was then conducted to develop the goals for the Plan. The entire Multi-Jurisdictional Planning Team discussed sample goal language then broke into individual jurisdictions to finalize goal language. The City's consultant reminded the Planning Team throughout the planning process and workshops of the importance of considering benefits/cost issues. Following a discussion of alternative ranking techniques, the Team agreed to cluster the rankings of the Mitigation Actions by type of actions as follows: #1 Multi-Hazard, #2 Earthquakes, #3 Flooding, and #4 Windstorms.

The next task was to examine a FEMA-approved Mitigation Plan to get an idea of how mitigation actions are written. Each of the jurisdictions was pleased to announce the broad range of mitigation actions already being practiced. The Planning Tools, developed by EPC, consisted of nearly 300 mitigation actions gathered from dozens of Mitigation Plans across the country.

The Planning Team broke into individual jurisdictions to develop their own mitigation actions, utilizing the sample plans and Planning Tools list. Because of the plan samples and Tools, the process of identifying appropriate mitigations actions was accomplished in

a very efficient manner.

Public Meetings

City of Compton conducted one public meeting where the Draft Natural Hazard Mitigation Plan was presented and discussed. The City Council reviewed the Plan on October 26, 2004 and was impressed with the range of mitigation actions already in practice throughout the City. The Council was very supportive of the overall goal established by the Multi-Jurisdictional Planning Team to become a Disaster Resistant Community.

Public Notice

The City Council set a public hearing date for the review of the Plan. A press release was published in the City's newspaper of record and a copy of the Plan was made available for public review in the City Clerk's office. Formal notice was published in two newspapers.

Results

A Planning Team member presented an overview of the meeting objectives to the participants. The participants were encouraged to present their views and make suggestions about the Plan. The City's Planning Team Chair presented the staff report on the Plan, including an overview of Hazard Analysis, Mitigation Goals, and Mitigation Actions. The staff presentation included a list of reviewers to which the document was sent prior to the hearing. The Chair then fielded questions from the City Council. The public was invited to express its views as well. The meeting lasted approximately 1 hour and was aired on the local cable access.

The City Council was unanimous in its adoption of the City of Compton Natural Hazards Mitigation Plan on October 26, 2004.

NEWS

FROM THE CHAMBER By Shirley Allen, President

The City of Compton, Mexico Relations Strong

The Sister City Commissioners should be commended for their wonderful representation of the City of Compton at the International Sister City Conference held in Rosarito Mexico last week. I had the distinct honor to travel with these ladies last week to their conference on behalf of the Compton Chamber of Commerce.

As Compton begins to move into the realm of International Trade, as evidenced by the recent International Trade Summit last on September 30, 2004, it is more important than ever that we get to know our immediate neighbors in Baja California.

The Conference purpose was to open up the lines of communication between the United States and Mexico, and to teach businesses from the United States how to make donations to Mexico, and ultimately, how to conduct foreign relations with that country.

The President of the Sister City Commission, Ms. Georgina Pickens, invited me to participate with the Compton Corps of Commissioners. It was a great experience for me, and an opportunity to use my second language, Spanish, for a cause that I deeply believe in.

The delegation from the City

of Compton was treated like royalty. We were exposed to various meetings where, distinct Mexican Protocol was being conducted by the Mayor of Rosarito and 15 City Counsel persons. Each of us received an award and each was able to meet and salute the Mayor and his cabinet.

In addition, we were taken on police escorted tours of the city landmarks, and treated to fiestas, dinner buffet, margaritas and more! The Mexican people really rolled out the red carpet for the Compton Delegation going as far as asking two members to sing and the evening dinner.

All of the delegates had an

opportunity to speak, and network with all other delegates from surrounding communities that had come to Rosarito to represent their respective cities.

Without prejudice, I must admit, the sisters from the City of Compton really had it going! The President and all of the ladies are held in very high esteem among the Sister City Commissioners, and I am pleased to be associated with them. I hope they will 'adopt' me as they endeavor to carry on the good work that they are doing with the Sister City Commission, and I hope the City of Compton realizes what a 'Jewel' they have in

these ladies who are the consummate 'Goodwill Ambassadors' for our great City of Compton. Georgina, Mandy, Flora, Maria, and Rachel, Thanks to each of you for inviting me to participate with you. There is a Mexican saying: 'deme de quien tu andas, y me te dices quien tu eres. It means, tell me who your friends are and I will tell you who you are. If being with these wonderful ladies define who I am, I am truly grateful.

'Al fin y al cabo era una viaje excelente! When all is said and done, it was a great trip!

Plan to Cover Natural Hazards Impacting the Community

An informed community is a safer community, says Ricó L. Smith Fire Chief of the City of Compton Fire Department.

The mitigation of natural hazards could be an important part of this.

The City of Compton has begun the process of preparing a Natural Hazards

Mitigation Plan which will identify ways to minimize potential damage from natural hazards before a disaster occurs.

The Plan is being prepared by the City of Compton with assistance from Emergency Planning Consultants.

The City is part of a Multi-Jurisdictional Planning

Team including the City of Carson and the Compton Unified School District.

The Planning Team was created in an effort to better utilize the resources of the various jurisdictions and to more effectively address the hazards that impact the entire region.

The planning document

will focus on potential impacts of natural hazards including earthquakes, flooding, wildfires, windstorms, and landslides.

Upon completion of the Draft Natural Hazards Mitigation Plan, a copy of the document has been available for review at the City of Compton City

Clerk's Office since October 4. A public hearing to explain the document to the public and seek input is planned for October 26, 2004 at the City Council Chambers at 3:25pm.

Thereafter, the Plan will be considered for City Council adoption.

*Public input into this

process is very important so we encourage residents and business owners to review the document and participate in the public hearing," said Adrian Tatum, City of Compton Emergency Services Coordinator.

The Compton Fire Department wishes everyone a safe and productive 2004!

CLASSIFIED

of first
as pro-
Code
time for
not expire
the from
noticed

EXAMINE
a court. If
interest-
you may
court a
ial Notice
the filing
ry and
its assets
tion or
vided in
section
just for
form is
the court

itioner:
ASSOCI-
ATES
XE BLVD
NO 1630
ELCS CA
01D-2417
JNTAIN
2004

ITION
WISTER
SALLY
LINE

02705
benefici-
-ingent
persons
wise be
will or
if SALLY
LINE

DR PRO-
fied by

ESTATE OF
LU ELLA L. WILLIAMS
CASE NO. BPO88149

To all heirs, beneficiaries,
creditors, contingent cred-
itors, and persons who
may otherwise be interest-
ed in the will or estate, or
both of LU ELLA L.
WILLIAMS:

A PETITION FOR PROB-
ATE has been filed by
JACQUELYN BLUFORD
in the Superior Court of
California, County of LOS
ANGELES.

THE PETITION FOR
PROBATE requests that
JACQUELYN BLUFORD
be appointed as personal
representative to adminis-
ter the estate of the deced-
ent.

THE PETITION requests
authority to administer the
estate under the
Administration of Estates
Act with limited authority.
(This authority will allow
the personal representa-
tive to take many actions
without obtaining court
approval. Before taking
certain very important
actions, however, the per-
sonal representative will
be required to give notice
to interested persons
unless they have waived
notice or consented to the
proposed action.) The
independent administra-
tion authority will be grant-
ed unless an interested
person files an objection to
the petition and shows
good cause why the court
should not grant the authority.

A HEARING on the petition
will be held on
11/17/04 at 9:15AM in

without and late charges
thereon, as provided in the
note(s), advances, under
the terms of the Deed of
Trust, interest thereon,
fees, charges and expenses
of the Trustee for the total
amount (at the time of the
initial publication of the
Notice of Sale) reasonably
estimated to be set forth
below. The amount may be
greater on the day of sale.
Beneficiary may elect to
bid less than the total
amount due. Trustor:
Frank Torres Marti, a sin-
gle man Duly Appointed
Trustee: Quality Loan
Service Corporation
Recorded 7/28/1998 as
Instrument No. 98-
129699 in book XX, page
XX of Official Records in
the office of the Recorder
of Los Angeles County,
California, Date of Sale:
11/2/2004 at 10:30 AM
Place of Sale: At the West
side of the Los Angeles
County Courthouse,
directly facing Norwalk
Blvd., 12720 Norwalk
Blvd., Norwalk, CA Amount
of unpaid balance and
other charges:
\$118,759.67 Street
Address or other common
designation of real prop-
erty: 2632 East 127th Street
Notice of Default and
Demand for Sale, and a
written Notice of Default
and Election to Sell to be
recorded in the county
where the real property is
located. Dated: September
29, 2004 Fidelity National
Title Insurance Company,
a California corporation as
authorized agent for
Monroe Acceptance
Company Inc., a California
Corporation, as said

001-012-018 The under-
signed Trustee disclaims
any liability for any incor-
rectness of the street
address and other com-
mon designation, if any,
shown herein. Said sale
will be made, but without
covenant or warranty,
express or implied, regard-
ing title, possession, or
encumbrances, to the re-
maining principal sum of
the note(s) secured by
said Deed of Trust, with
interest thereon, as provid-
ed in said note(s),
advances, if any, under the
terms of said Deed of
Trust, fees, charges and
expenses of the Trustee
and of the trusts created
by said Deed of Trust. The
total amount of the unpaid
balance of the obligation
secured by the property to
be sold and reasonable
estimated costs, expenses
and charges at the time
of the initial publication of
the Notice of Sale is
\$128,940.07. The benefi-
ciary under said Deed of
Trust heretofore executed
and delivered to the under-
signed a written
Declaration of Default and
Demand for Sale, and a
written Notice of Default
and Election to Sell to be
recorded in the county
where the real property is
located. Dated: September
29, 2004 Fidelity National
Title Insurance Company,
a California corporation as
authorized agent for
Monroe Acceptance
Company Inc., a California
Corporation, as said

ANGELES.

PETITION FOR
PROBATE requests that
Melvin Milligan be appoint-
ed as personal representa-
tive to administer the
estate of the decedent.

THE PETITION
requests the decedent's
will and codicils, if any,
be admitted to probate. The
will and any codicils are
available for examination
in the file kept by the court.

A HEARING on the
petition will be held on
November 10, 2004 at
1:30 PM in Dept. No. SC C
located at 200 W COMPTON
BLVD, COMPTON
CA 90220.

IF YOU OBJECT to the
granting of the petition,
you should appear at the
hearing and state your
objections or file written
objections with the court
before the hearing. Your
appearance may be in per-
son or by your attorney.

IF YOU ARE A CREDI-
TOR or a contingent cred-
itor of the decedent, you
must file your claim with
the court and mail a copy
to the personal represen-
tative appointed by the
court within four months
from the date of first
issuance of letters as pro-
vided in Probate Code
section 9100. The time for
filing claims will not expire
before four months from
the hearing date noticed
above.

YOU MAY EXAMINE
the file kept by the court. If
you are a person interest-
ed in the estate, you may
file with the court a
Request for Special Notice
(form DE-154) of the filing

section 9100. The time for
filing claims will not expire
before four months from
the hearing date noticed
above.

YOU MAY EXAMINE
the file kept by the court. If
you are a person interest-
ed in the estate, you may
file with the court a
Request for Special Notice
(form DE-154) of the filing
of an inventory and
appraisal of estate assets
or of any petition or
account as provided in
Probate Code section
1250. A Request for
Special Notice form is
available from the court
clerk.

Attorney for petitioner:
ANGELA P ALEXANDER
ESQ
LAW OFFICES OF
ANGELA P ALEXANDER
10130 ARTESIA
BELFLOWER CA 90706
CN715282 SUAREZ Oct-
20, 27, Nov 3, 2004

T.S. No. T04-15033 Loan
No. 0040182461 NOTICE
OF TRUSTEE'S SALE
YOU ARE IN DEFAULT
UNDER A DEED OF
TRUST DATED 12/4/2002.
UNLESS YOU TAKE
ACTION TO PROTECT
YOUR PROPERTY, IT
MAY BE SOLD AT A PUBLIC
SALE. IF YOU NEED
AN EXPLANATION OF
THE NATURE OF THE
PROCEEDING AGAINST
YOU, YOU SHOULD
CONTACT A LAWYER. A
public auction sale to the
highest bidder for cash,
cashier's check drawn on a
state or national bank,

NOTICE OF PUBLIC
HEARING
CITY OF COMPTON
NATURAL HAZARDS
MITIGATION PLAN
Notice is hereby given that
a public hearing will be
held before the City
Council of the City of
Compton at Compton City
Hall, in the City Council
Chambers, 205 South
Willowbrook Avenue,
Compton, on Tuesday
October 26, 2004, at
3:25pm for the purpose of
considering the Compton
Natural Hazards Mitigation
Plan. All persons interest-
ed in this matter shall be
heard at this time.

Pursuant to the Disaster
Management Act of 2000,
all state governments,
local governments and
special districts are
required to look at the haz-
ards to which the jurisdic-
tion is vulnerable and to
develop mitigation strate-
gies to address them in a
Natural Hazards Mitigation
Plan.

A copy of the Compton
Plan draft is available for
review at the office of the
City Clerk, Compton City
Hall, 205 South
Willowbrook Avenue,
Compton.

If you have any questions
about said document, you
may call Adrian Tatum in
the Compton Fire
Department at (310) 605-
6274.
RICO L. SMITH
FIRE CHIEF
Publish: October 20, 2004
CN715701 Oct 20, 2004

clerk.
Attorney for Petiti
ALFRED F. WOSI
236 W MOUN
#113
PASADENA CA 9
CMS - 73566W
THE COMPTO
LETIN
CN715711 736f
20, 27, Nov 3,

NOTICE TO CRE
OF BULK SA
(UCC Sec. 6
Sec. 9022. No. 100
NOTICE IS I
GIVEN that a bul
about to be ma
name(s), t
address(es) a
Seller(s) are:
Hubert Kim,
Compton Ave., C
CA 90222
Doing Business
LOCAL MARKET
All other business
and address(es)
the Seller(s) w
past three years,
by the Seller(s),
None
The name(s) of
of the Buyer(s) is/
Sun Ho Hwang,
160th St, Gard
90247.
The assets being
generally descri
Furniture, fixtures
ment, tools, go
trade name, le
interest, le
improvements, all
able permits, and
and inventory of
trade and are lo
11200 Compton
Compton, CA 902

SOUTHWEST WAVE

4201 WILSHIRE BLVD STE 600, LOS ANGELES, CA 90010
Telephone (323)556-5720 / Fax (323)556-5705

This space for filing stamp only

ADRIAN TATUM FIRE DEPT
CITY OF COMPTON/CITY CLERK
205 SOUTH WILLOWBROOK AVE
COMPTON, CA 90220

PROOF OF PUBLICATION

(2015.5 C.C.P.)

State of California)
County of LOS ANGELES) ss

Notice Type: HRG - NOTICE OF HEARING

Ad Description: HEARING NATURAL HAZARDS MITIGATION

I am a citizen of the United States; I am over the age of eighteen years, and not a party to or interested in the above entitled matter. I am the principal clerk of the printer and publisher of the SOUTHWEST WAVE, a newspaper published in the English language in the City of LOS ANGELES, County of LOS ANGELES, and adjudged a newspaper of general circulation as defined by the laws of the State of California by the Superior Court of the County of LOS ANGELES, State of California, under date 06/25/1934, Case No. C302067. That the notice, of which the annexed is a printed copy, has been published in each regular and entire issue of said newspaper and not in any supplement thereof on the following dates, to-wit:

10/21/04

Executed on: 10/21/2004
At LOS ANGELES, CA

I certify (or declare) under penalty of perjury that the foregoing is true and correct.

Signature

WWA#: 736558

NOTICE OF PUBLIC HEARING
CITY OF COMPTON
NATURAL HAZARDS MITIGATION PLAN
Notice is hereby given that a public hearing will be held before the City Council of the City of Compton at Compton City Hall, in the City Council Chambers, 205 South Willowbrook Avenue, Compton, on Tuesday October 26, 2004, at 3:25pm for the purpose of considering the Compton Natural Hazards Mitigation Plan. All persons interested in this matter shall be heard at this time.
Pursuant to the Disaster Management Act of 2000, all state governments, local governments and special districts are required to look at the hazards to which the jurisdiction is vulnerable and to develop mitigation strategies to address them in a Natural Hazards Mitigation Plan.
A copy of the Compton Plan draft is available for review at the office of the City Clerk, Compton City Hall, 205 South Willowbrook Avenue, Compton.
If you have any questions about said document, you may call Adrian Tatum in the Compton Fire Department at (310) 605-6274.
RICO L. SMITH
FIRE CHIEF
10/21/04
WWA- 736558#
SOUTHWEST WAVE

**Appendix B – Attachment 2
City Council Resolution**

[See following 2 pages]

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

RESOLUTION NO. 21,364

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COMPTON ADOPTING THE CITY'S NATURAL HAZARDS MITIGATION PLAN

WHEREAS, every state, county, city and special district must submit to the Federal Emergency Management Agency (FEMA) a Natural Hazards Mitigation Plan designed to prevent or reduce the consequences of natural disasters, as mandated in the Disaster Mitigation Act of 2000; and

WHEREAS, any affected jurisdiction that fails to meet this deadline runs the risk of not being properly reimbursed for natural disasters by FEMA; and

WHEREAS, the required Plan has been drafted, made available for public review, and a hearing has been held.

NOW, THEREFORE, THE CITY COUNCIL OF THE CITY OF COMPTON DOES HEREBY RESOLVE AS FOLLOWS:

Section 1. That the document entitled *City of Compton Natural Hazards Mitigation Plan*, attached hereto as Exhibit "A", is herewith adopted in accordance with the Disaster Management Act of 2000.

Section 2. That the City Manager shall have the authority to make corrections and minor revisions to said document as appropriate.

Section 3. That staff shall submit said document to the Federal Emergency Management Agency and the California Office of Emergency Services prior to November 1, 2004.

Section 4. That a copy of this resolution shall be filed in the offices of the City Manager, City Controller, City Clerk and the Fire Department.

Section 5. That the Mayor shall sign and the City Clerk shall attest to the adoption of this resolution.

ADOPTED this 26th day of October 2004.


MAYOR OF THE CITY OF COMPTON

ATTEST:


CITY CLERK OF THE CITY OF COMPTON

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32

RESOLUTION NO. 21,364
PAGE TWO

STATE OF CALIFORNIA
COUNTY OF LOS ANGELES
CITY OF COMPTON

I, Charles Davis, City Clerk of the City of Compton, hereby certify that the foregoing resolution was adopted by the City Council, signed by the Mayor, and attested to by the City Clerk at a regular meeting thereof held on the 26th day of October, 2004.

That this resolution was adopted by the following vote, to wit:

- AYES: Council Member(s) - **Calhoun, Dobson, Arceneaux, Hall, Perrodin**
- NOES: Council Member(s) - **None**
- ABSTAINS: Council Member(s) - **None**
- ABSENT: Council Member(s) - **None**


CITY CLERK OF THE CITY OF COMPTON

Appendix B – Attachment 3 List of Draft Plan Reviewers

Compton Block Club Commission

Compton Chamber of Commerce

Latino Chamber of Commerce of Compton

Southern California Edison

Compton Municipal Water Department

Southern California Gas Company

City of Compton Sheriff's Station

Appendix C: Benefit/Cost Analysis

Benefit/Cost Analysis is a key mechanism used by the California Office of Emergency Services (OES), the Federal Emergency Management Agency, and other state and federal agencies in evaluating hazard mitigation projects, and is required by the Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93-288, as amended.

This Appendix outlines several approaches for conducting economic analysis of natural hazard mitigation projects. It describes the importance of implementing mitigation activities, different approaches to economic analysis of mitigation strategies, and methods to calculate costs and benefits associated with mitigation strategies. Information in this section is derived in part from: Federal Emergency Management Agency Publication 331, Report on Costs and Benefits of Natural Hazard Mitigation.

This section is not intended to provide a comprehensive description of benefit/cost analysis, nor is it intended to provide the details of economic analysis methods that can be used to evaluate local projects. It is intended to (1) raise benefit/cost analysis as an important issue, and (2) provide some background on how economic analysis can be used to evaluate mitigation projects.

Why Evaluate Mitigation Strategies?

Mitigation activities reduce the cost of disasters by minimizing property damage, injuries, and the potential for loss of life, and by reducing emergency response costs, which would otherwise be incurred.

Evaluating natural hazard mitigation provides decision-makers with an understanding of the potential benefits and costs of an activity, as well as a basis upon which to compare alternative projects. Evaluating mitigation projects is a complex and difficult undertaking, which is influenced by many variables. First, natural disasters affect all segments of the communities they strike, including individuals, businesses, and public services such as fire, police, utilities, and schools.

Second, while some of the direct and indirect costs of disaster damages are measurable, some of the costs are non-financial and difficult to quantify in dollars. Third, many of the impacts of such events produce “ripple-effects” throughout the community, greatly increasing the disaster’s social and economic consequences.

While not easily accomplished, there is value, from a public policy perspective, in assessing the positive and negative impacts from mitigation activities, and obtaining an instructive benefit/cost comparison. Otherwise, the decision to pursue or not pursue various mitigation options would not be based on an objective understanding of the net benefit or loss associated with these actions.

What are Some Economic Analysis Approaches for Mitigation Strategies?

The approaches used to identify the costs and benefits associated with natural hazard

mitigation strategies, measures, or projects fall into two general categories: benefit/cost analysis and cost-effectiveness analysis. The distinction between the two methods is the way in which the relative costs and benefits are measured. Additionally, there are varying approaches to assessing the value of mitigation for public sector and private sector activities.

Benefit/Cost Analysis

Benefit/Cost Analysis is used in natural hazards mitigation to show if the benefits to life and property protected through mitigation efforts exceed the cost of the mitigation activity. Conducting benefit/cost analysis for a mitigation activity can assist communities in determining whether a project is worth undertaking now, in order to avoid disaster related damages later. Benefit/cost analysis is based on calculating the frequency and severity of a hazard, avoided future damages, and risk.

In benefit/cost analysis, all costs and benefits are evaluated in terms of dollars, and a net benefit/cost ratio is computed to determine whether a project should be implemented (i.e., if net benefits exceed net costs, the project is worth pursuing). A project must have a benefit/cost ratio greater than 1 in order to be funded.

Cost-Effectiveness Analysis

Cost-effectiveness analysis evaluates how best to spend a given amount of money to achieve a specific goal. This type of analysis, however, does not necessarily measure costs and benefits in terms of dollars. Determining the economic feasibility of mitigating natural hazards can also be organized according to the perspective of those with an economic interest in the outcome. Hence, economic analysis approaches are covered for both public and private sectors as follows.

Investing in public sector mitigation activities

Evaluating mitigation strategies in the public sector is complicated because it involves estimating all of the economic benefits and costs regardless of who realizes them, and potentially to a large number of people and economic entities. Some benefits cannot be evaluated monetarily, but still affect the public in profound ways. Economists have developed methods to evaluate the economic feasibility of public decisions that involve a diverse set of beneficiaries and non-market benefits.

Investing in private sector mitigation activities

Private sector mitigation projects may occur on the basis of one of two approaches: it may be mandated by a regulation or standard, or it may be economically justified on its own merits. A building or landowner, whether a private entity or a public agency, are required to conform to a mandated standard may consider the following options:

1. Request cost sharing from public agencies;
2. Dispose of the building or land either by sale or demolition;
3. Change the designated use of the building or land and change the hazard mitigation compliance requirement; or

4. Evaluate the most feasible alternatives and initiate the most cost effective hazard mitigation alternative.

The sale of a building or land triggers another set of concerns. For example, real estate disclosure laws can be developed which require sellers of real property to

Estimating the costs and benefits of a hazard mitigation strategy can be a complex process.

Employing the services of a specialist can assist in this process.

disclose known defects and deficiencies in the property, including earthquake weaknesses and hazards to prospective purchasers. Correcting deficiencies can be expensive and time consuming, but their existence can prevent the sale of the building. Conditions of a sale regarding the deficiencies and the price of the building can be negotiated between a buyer and seller.

How can an Economic Analysis be conducted?

Benefit/cost analysis and cost-effectiveness analysis are important tools in evaluating whether or not to implement a mitigation activity. A framework for evaluating alternative mitigation activities is outlined below:

1. Identify the Alternatives: Alternatives for reducing risk from natural hazards can include structural projects to enhance disaster resistance, education and outreach, and acquisition or demolition of exposed properties, among others. Different mitigation project can assist in minimizing risk to natural hazards, but do so at varying economic costs.

2. Calculate the Costs and Benefits: Choosing economic criteria is essential to systematically calculating costs and benefits of mitigation projects and selecting the most appropriate alternative. Potential economic criteria to evaluate alternatives include:

- **Determine the project cost.** This may include initial project development costs, and repair and operating costs of maintaining projects over time.

- **Estimate the benefits.** Projecting the benefits or cash flow resulting from a project can be difficult. Expected future returns from the mitigation effort depend on the correct specification of the risk and the effectiveness of the project, which may not be well known. Expected future costs depend on the physical durability and potential economic obsolescence of the investment. This is difficult to project. These considerations will also provide guidance in selecting an appropriate salvage value. Future tax structures and rates must be projected.

Financing alternatives must be researched, and they may include retained earnings, bond and stock issues, and commercial loans.

- **Consider costs and benefits to society and the environment.** These are not easily measured, but can be assessed through a variety of economic tools including existence value or contingent value theories. These theories provide quantitative data on the value people attribute to physical or social environments. Even without hard data, however, impacts of structural projects to the physical environment or to society should be considered when implementing mitigation projects.

- **Determine the correct discount rate.** Determination of the discount rate can just be the risk-free cost of capital, but it may include the decision maker's time preference and also a risk premium. Including inflation should also be considered.

3. Analyze and Rank the Alternatives: Once costs and benefits have been quantified, economic analysis tools can rank the alternatives. Two methods for determining the best alternative given varying costs and benefits include net present value and internal rate of return.

- **Net present value.** Net present value is the value of the expected future returns of an investment minus the value of expected future cost expressed in today's dollars. If the net present value is greater than the project costs, the project may be determined feasible for implementation. Selecting the discount rate, and identifying the present and future costs and benefits of the project calculates the net present value of projects.

- **Internal Rate of Return.** Using the internal rate of return method to evaluate mitigation projects provides the interest rate equivalent to the dollar returns expected from the project. Once the rate has been calculated, it can be compared to rates earned by investing in alternative projects. Projects may be feasible to implement when the internal rate of return is greater than the total costs of the project.

Once the mitigation projects are ranked on the basis of economic criteria, decision-makers can consider other factors, such as risk; project effectiveness; and economic, environmental, and social returns in choosing the appropriate project for implementation.

How are Benefits of Mitigation Calculated?

Economic Returns of Natural Hazard Mitigation

The estimation of economic returns, which accrue to building or land owner as a result of natural hazard mitigation, is difficult. Owners evaluating the economic feasibility of mitigation should consider reductions in physical damages and financial losses. A partial list follows:

- Building damages avoided
- Content damages avoided
- Inventory damages avoided
- Rental income losses avoided
- Relocation and disruption expenses avoided
- Proprietor's income losses avoided

These parameters can be estimated using observed prices, costs, and engineering data. The difficult part is to correctly determine the effectiveness of the hazard mitigation project and the resulting reduction in damages and losses. Equally as difficult is assessing the probability that an event will occur. The damages and losses should only include those that will be borne by the owner. The salvage value of the investment can be important in determining economic feasibility. Salvage value becomes more important as the time horizon of the owner declines. This is important because most businesses depreciate assets over a period of time.

Additional Costs from Natural Hazards

Property owners should also assess changes in a broader set of factors that can change as a result of a large natural disaster. These are usually termed “indirect” effects, but they can have a very direct effect on the economic value of the owner's building or land.

They can be positive or negative, and include changes in the following:

- Commodity and resource prices
- Availability of resource supplies
- Commodity and resource demand changes
- Building and land values
- Capital availability and interest rates
- Availability of labor
- Economic structure
- Infrastructure
- Regional exports and imports
- Local, state, and national regulations and policies
- Insurance availability and rates

Changes in the resources and industries listed above are more difficult to estimate and require models that are structured to estimate total economic impacts. Total economic impacts are the sum of direct and indirect economic impacts. Total economic impact models are usually not combined with economic feasibility models. Many models exist to estimate total economic impacts of changes in an economy. Decision makers should understand the total economic impacts of natural disasters in order to calculate the benefits of a mitigation activity. This suggests that understanding the local economy is an important first step in being able to understand the potential impacts of a disaster, and the benefits of mitigation activities.

Additional Considerations

Conducting an economic analysis for potential mitigation activities can assist decision-makers in choosing the most appropriate strategy for their community to reduce risk and

prevent loss from natural hazards. Economic analysis can also save time and resources from being spent on inappropriate or unfeasible projects. Several resources and models are listed on the following page that can assist in conducting an economic analysis for natural hazard mitigation activities.

Benefit/cost analysis is complicated, and the numbers may divert attention from other important issues. It is important to consider the qualitative factors of a project associated with mitigation that cannot be evaluated economically. There are alternative approaches to implementing mitigation projects. Many communities are looking towards developing multi-objective projects. With this in mind, opportunity rises to develop strategies that integrate natural hazard mitigation with projects related to watersheds, environmental planning, community economic development, and small business development, among others. Incorporating natural hazard mitigation with other community projects can increase the viability of project implementation.

Resources

CUREe Kajima Project, Methodologies For Evaluating The Socio-Economic Consequences Of Large Earthquakes, Task 7.2 Economic Impact Analysis, Prepared by University of California, Berkeley Team, Robert A. Olson, VSP Associates, Team Leader; John M. Eidinger, G&E Engineering Systems; Kenneth A. Goettel, Goettel and Associates Inc.; and Gerald L. Horner, Hazard Mitigation Economics Inc., 1997.

Federal Emergency Management Agency, Benefit/Cost Analysis of Hazard Mitigation Projects, Riverine Flood, Version 1.05, Hazard Mitigation Economics Inc., 1996.

Federal Emergency Management Agency Report on Costs and Benefits of Natural Hazard Mitigation. Publication 331, 1996.

Goettel & Horner Inc., Earthquake Risk Analysis Volume III: The Economic Feasibility of Seismic Rehabilitation of Buildings in The City of Portland, Submitted to the Bureau of Buildings, City of Portland, August 30, 1995.

Goettel & Horner Inc., Benefit/Cost Analysis of Hazard Mitigation Projects Volume V, Earthquakes, Prepared for FEMA's Hazard Mitigation Branch, October 25, 1995.

Horner, Gerald, Benefit/Cost Methodologies for Use in Evaluating the Cost Effectiveness of Proposed Hazard Mitigation Measures, Robert Olson Associates, Prepared for Oregon State Police, Office of Emergency Management, July 1999.

Interagency Hazards Mitigation Team, State Hazard Mitigation Plan, (Oregon State Police – Office of Emergency Management, 2000).

Risk Management Solutions, Inc., Development of a Standardized Earthquake Loss Estimation Methodology, National Institute of Building Sciences, Volume I and II, 1994.

VSP Associates, Inc., A Benefit/Cost Model for the Seismic Rehabilitation of Buildings, Volumes 1 & 2, Federal Emergency Management Agency, FEMA, Publication Numbers 227 and 228, 1991.

VSP Associates, Inc., Benefit/Cost Analysis of Hazard Mitigation Projects: Section 404 Hazard Mitigation Program and Section 406 Public Assistance Program, Volume 3: Seismic Hazard Mitigation Projects, 1993.

VSP Associates, Inc., Seismic Rehabilitation of Federal Buildings: A Benefit/Cost Model, Volume 1, Federal Emergency Management Agency, FEMA, Publication Number 255, 1994.

Appendix D: Acronyms

Federal Acronyms

AASHTO	American Association of State Highway and Transportation Officials
ATC	Applied Technology Council
b/ca	benefit/cost analysis
BFE	Base Flood Elevation
BLM	Bureau of Land Management
BSSC	Building Seismic Safety Council
CDBG	Community Development Block Grant
CFR	Code of Federal Regulations
CRS	Community Rating System
DOE	Department of Energy
EDA	Economic Development Administration
EPA	Environmental Protection Agency
ER	Emergency Relief
EWP	Emergency Watershed Protection (NRCS Program)
FAS	Federal Aid System
FEMA	Federal Emergency Management Agency
FIRM	Flood Insurance Rate Map
FMA	Flood Mitigation Assistance (FEMA Program)
FTE	Full Time Equivalent
GIS	Geographic Information System
GNS	Institute of Geological and Nuclear Sciences (International)
GSA	General Services Administration
HAZUS	Hazards U.S.
HMGP	Hazard Mitigation Grant Program
HMST	Hazard Mitigation Survey Team
HUD	Housing and Urban Development (United States, Department of)
IBHS	Institute for Business and Home Safety
ICC	Increased Cost of Compliance
IHMT	Interagency Hazard Mitigation Team
NCDC	National Climate Data Center
NFIP	National Flood Insurance Program
NFPA	National Fire Protection Association
NHMP	Natural Hazard Mitigation Plan (also known as "409 Plan")
NIBS	National Institute of Building Sciences
NIFC	National Interagency Fire Center
NMFS	National Marine Fisheries Service
NOAA	National Oceanic and Atmospheric Administration
NPS	National Park Service
NRCS	Natural Resources Conservation Service
NWS	National Weather Service

SBA	Small Business Administration
SHMO	State Hazard Mitigation Officer
TOR	Transfer of Development Rights
UGB	Urban Growth Boundary
URM	Unreinforced Masonry
USACE	United States Army Corps of Engineers
USBR	United States Bureau of Reclamation
USDA	United States Department of Agriculture
USFA	United States Fire Administration
USFS	United States Forest Service
USGS	United States Geological Survey
WSSPC	Western States Seismic Policy Council

California Acronyms

A&W	Alert and Warning
AA	Administering Areas
AAR	After Action Report
ARC	American Red Cross
ARP	Accidental Risk Prevention
ATC20	Applied Technology Council20
ATC21	Applied Technology Council21
BCP	Budget Change Proposal
BSA	California Bureau of State Audits
CAER	Community Awareness & Emergency Response
CalARP	California Accidental Release Prevention
CalBO	California Building Officials
CalEPA	California Environmental Protection Agency
CalREP	California Radiological Emergency Plan
CALSTARS	California State Accounting Reporting System
CalTRANS	California Department of Transportation
CBO	Community Based Organization
CD	Civil Defense
CDF	California Department of Forestry and Fire Protection
CDMG	California Division of Mines and Geology
CEC	California Energy Commission
CEPEC	California Earthquake Prediction Evaluation Council
CESRS	California Emergency Services Radio System
CHIP	California Hazardous Identification Program
CHMIRS	California Hazardous Materials Incident Reporting System
CHP	California Highway Patrol
CLETS	California Law Enforcement Telecommunications System
CSTI	California Specialized Training Institute
CUEA	California Utilities Emergency Association
CUPA	Certified Unified Program Agency
DAD	Disaster Assistance Division (California Office of Emergency Services)

DFO	Disaster Field Office
DGS	California Department of General Services
DHSRHB	California Department of Health Services, Radiological Health Branch
DO	Duty Officer
DOC	Department Operations Center
DOF	California Department of Finance
DOJ	California Department of Justice
DPA	California Department of Personnel Administration
DPIG	Disaster Preparedness Improvement Grant
DR	Disaster Response
DSA	Division of the State Architect
DSR	Damage Survey Report
DSW	Disaster Service Worker
DWR	California Department of Water Resources
EAS	Emergency Alerting System
EDIS	Emergency Digital Information System
EERI	Earthquake Engineering Research Institute
EMA	Emergency Management Assistance
EMI	Emergency Management Institute
EMMA	Emergency Managers Mutual Aid
EMS	Emergency Medical Services
EOC	Emergency Operations Center
EOP	Emergency Operations Plan
EPEDAT	Early Post Earthquake Damage Assessment Tool
EPI	Emergency Public Information
EPIC	Emergency Public Information Council
ESC	Emergency Services Coordinator
FAY	Federal Award Year
FDAA	Federal Disaster Assistance Administration
FEAT	Governor's Flood Emergency Action Team
FEMA	Federal Emergency Management Agency
FFY	Federal Fiscal Year
FIR	Final Inspection Reports
FIRESCOPE	Firefighting Resources of Southern California Organized for Potential Emergencies
FMA	Flood Management Assistance
FSR	Feasibility Study Report
FY	Fiscal Year
GIS	Geographical Information System
HAZMAT	Hazardous Materials
HAZMIT	Hazardous Mitigation
HAZUS	Hazards United States (an earthquake damage assessment prediction tool)
HAD	Housing and Community Development
HEICS	Hospital Emergency Incident Command System
HEPG	Hospital Emergency Planning Guidance
HIA	Hazard Identification and Analysis Unit

HMEP	Hazardous Materials Emergency Preparedness
HMGP	Hazard Mitigation Grant Program
IDE	Initial Damage Estimate
IA	Individual Assistance
IFG	Individual & Family Grant (program)
IRG	Incident Response Geographic Information System
IPA	Information and Public Affairs (of state Office of Emergency Services)
LAN	Local Area Network
LEMMA	Law Enforcement Master Mutual Aid
LEPC	Local Emergency Planning Committee
MARAC	Mutual Aid Regional Advisory Council
MHFP	Multi-Hazard Functional Plan
MHID	Multi-Hazard Identification
MOU	Memorandum of Understanding
NBC	Nuclear, Biological, Chemical
NEMA	National Emergency Management Agency
NEMIS	National Emergency Management Information System
NFIP	National Flood Insurance Program
NOAA	National Oceanic and Atmospheric Association
NPP	Nuclear Power Plant
NSF	National Science Foundation
NWS	National Weather Service
OA	Operational Area
OASIS	Operational Area Satellite Information System
OCC	Operations Coordination Center
OCD	Office of Civil Defense
OEP	Office of Emergency Planning
OES	California Governor's Office of Emergency Services
OSHPD	Office of Statewide Health Planning and Development
OSPR	Oil Spill Prevention and Response
PA	Public Assistance
PC	Personal Computer
PDA	Preliminary Damage Assessment
PIO	Public Information Office
POST	Police Officer Standards and Training
PPA/CA	Performance Partnership Agreement/Cooperative Agreement (FEMA)
PSA	Public Service Announcement
PTAB	Planning and Technological Assistance Branch
PTR	Project Time Report
RA	Regional Administrator (OES)
RADEF	Radiological Defense (program)
RAMP	Regional Assessment of Mitigation Priorities
RAPID	Railroad Accident Prevention & Immediate Deployment
RDO	Radiological Defense Officer
RDMHC	Regional Disaster Medical Health Coordinator
REOC	Regional Emergency Operations Center

REPI	Reserve Emergency Public Information
RES	Regional Emergency Staff
RIMS	Response Information Management System
RMP	Risk Management Plan
RPU	Radiological Preparedness Unit (OES)
RRT	Regional Response Team
SAM	State Administrative Manual
SARA	Superfund Amendments & Reauthorization Act
SAVP	Safety Assessment Volunteer Program
SBA	Small Business Administration
SCO	California State Controller's Office
SEMS	Standardized Emergency Management System
SEPIC	State Emergency Public Information Committee
SLA	State and Local Assistance
SONGS	San Onofre Nuclear Generating Station
SOP	Standard Operating Procedure
SWEPC	Statewide Emergency Planning Committee
TEC	Travel Expense Claim
TRU	Transuranic
TTT	Train the Trainer
UPA	Unified Program Account
UPS	Uninterrupted Power Source
USAR	Urban Search and Rescue
USGS	United States Geological Survey
WC	California State Warning Center
WAN	Wide Area Network
WIPP	Waste Isolation Pilot Project

Appendix E: Glossary

Acceleration	The rate of change of velocity with respect to time. Acceleration due to gravity at the earth's surface is 9.8 meters per second squared. That means that every second that something falls toward the surface of earth its velocity increases by 9.8 meters per second.
Asset	Any manmade or natural feature that has value, including, but not limited to people; buildings; infrastructure like bridges, roads, and sewer and water systems; lifelines like electricity and communication resources; or environmental, cultural, or recreational features like parks, dunes, wetlands, or landmarks.
Base Flood	Flood that has a 1 percent probability of being equaled or exceeded in any given year. Also known as the 100-year flood.
Base Flood Elevation (BFE)	Elevation of the base flood in relation to a specified datum, such as the National Geodetic Vertical Datum of 1929. The Base Flood Elevation is used as the standard for the National Flood Insurance Program.
Bedrock	The solid rock that underlies loose material, such as soil, sand, clay, or gravel.
Building	A structure that is walled and roofed, principally above ground and permanently affixed to a site. The term includes a manufactured home on a permanent foundation on which the wheels and axles carry no weight.
Coastal High Hazard Area	Area, usually along an open coast, bay, or inlet that is subject to inundation by storm surge and, in some instances, wave action caused by storms or seismic sources.
Coastal Zones	The area along the shore where the ocean meets the land as the surface of the land rises above the ocean. This land/water interface includes barrier islands, estuaries, beaches, coastal wetlands, and land areas having direct drainage to the ocean.
Community Rating System (CRS)	An NFIP program that provides incentives for NFIP communities to complete activities that reduce flood hazard risk. When the community completes specified activities, the insurance premiums of policyholders in these communities are reduced.
Computer-Aided Design And Drafting (CADD)	A computerized system enabling quick and accurate electronic 2-D and 3-D drawings, topographic mapping, site plans, and profile/cross-section drawings.
Contour	A line of equal ground elevation on a topographic (contour) map.

Critical Facility	Facilities that are critical to the health and welfare of the population and that are especially important following hazard events. Critical facilities include, but are not limited to, shelters, police and fire stations, and hospitals.
Debris	The scattered remains of assets broken or destroyed in a hazard event. Debris caused by a wind or water hazard event can cause additional damage to other assets.
Digitize	To convert electronically points, lines, and area boundaries shown on maps into x, y coordinates (e.g., latitude and longitude, universal transverse mercator (UTM), or table coordinates) for use in computer applications.
Displacement Time	The average time (in days) which the building's occupants typically must operate from a temporary location while repairs are made to the original building due to damages resulting from a hazard event.
Duration	How long a hazard event lasts.
Earthquake	A sudden motion or trembling that is caused by a release of strain accumulated within or along the edge of earth's tectonic plates.
Erosion	Wearing away of the land surface by detachment and movement of soil and rock fragments, during a flood or storm or over a period of years, through the action of wind, water, or other geologic processes.
Erosion Hazard Area	Area anticipated being lost to shoreline retreat over a given period of time. The projected inland extent of the area is measured by multiplying the average annual long-term recession rate by the number of years desired.
Essential Facility	Elements important to ensure a full recovery of a community or state following a hazard event. These would include: government functions, major employers, banks, schools, and certain commercial establishments, such as grocery stores, hardware stores, and gas stations.
Extent	The size of an area affected by a hazard or hazard event.
Extratropical Cyclone	Cyclonic storm events like Nor'easters and severe winter low-pressure systems. Both West and East coasts can experience these non-tropical storms that produce gale-force winds and precipitation in the form of heavy rain or snow. These cyclonic storms, commonly called Nor'easters on the East Coast because of the direction of the storm winds, can last for several days and can be very large – 1,000-mile wide storms are not uncommon.
Fault	A fracture in the continuity of a rock formation caused by a shifting or dislodging of the earth's crust, in which adjacent surfaces are differentially displaced parallel to the plane of fracture.

Federal Emergency Management Agency (FEMA)	Independent agency created in 1978 to provide a single point of accountability for all Federal activities related to disaster mitigation and emergency preparedness, response and recovery.
Fire Potential Index (FPI)	Developed by USGS and USFS to assess and map fire hazard potential over broad areas. Based on such geographic information, national policy makers and on-the-ground fire managers established priorities for prevention activities in the defined area to reduce the risk of managed and wildfire ignition and spread. Prediction of fire hazard shortens the time between fire ignition and initial attack by enabling fire managers to pre-allocate and stage suppression forces to high fire risk areas.
Flash Flood	A flood event occurring with little or no warning where water levels rise at an extremely fast rate.
Flood	A general and temporary condition of partial or complete inundation of normally dry land areas from (1) the overflow of inland or tidal waters, (2) the unusual and rapid accumulation or runoff of surface waters from any source, or (3) mudflows or the sudden collapse of shoreline land.
Flood Depth	Height of the flood water surface above the ground surface.
Flood Elevation	Elevation of the water surface above an established datum, e.g. National Geodetic Vertical Datum of 1929, North American Vertical Datum of 1988, or Mean Sea Level.
Flood Hazard Area	The area shown to be inundated by a flood of a given magnitude on a map.
Flood Insurance Rate Map (FIRM)	Map of a community, prepared by the Federal Emergency Management Agency that shows both the special flood hazard areas and the risk premium zones applicable to the community.
Flood Insurance Study (FIS)	A study that provides an examination, evaluation, and determination of flood hazards and, if appropriate, corresponding water surface elevations in a community or communities.
Floodplain	Any land area, including watercourse, susceptible to partial or complete inundation by water from any source.
Frequency	A measure of how often events of a particular magnitude are expected to occur. Frequency describes how often a hazard of a specific magnitude, duration, and/or extent typically occurs, on average. Statistically, a hazard with a 100-year recurrence interval is expected to occur once every 100 years on average, and would have a 1 percent chance – its probability – of happening in any given year. The reliability of this information varies depending on the kind of hazard being considered.

Fujita Scale of Tornado Intensity	Rates tornadoes with numeric values from F0 to F5 based on tornado wind speed and damage sustained. An F0 indicates minimal damage such as broken tree limbs or signs, while and F5 indicated severe damage sustained.
Functional Downtime	The average time (in days) during which a function (business or service) is unable to provide its services due to a hazard event.
Geographic Area Impacted	The physical area in which the effects of the hazard are experienced.
Geographic Information Systems (GIS)	A computer software application that relates physical features on the earth to a database to be used for mapping and analysis.
Ground Motion	The vibration or shaking of the ground during an earthquake. When a fault ruptures, seismic waves radiate, causing the ground to vibrate. The severity of the vibration increases with the amount of energy released and decreases with distance from the causative fault or epicenter, but soft soils can further amplify ground motions
Hazard	A source of potential danger or adverse condition. Hazards in this how to series will include naturally occurring events such as floods, earthquakes, tornadoes, tsunamis, coastal storms, landslides, and wildfires that strike populated areas. A natural event is a hazard when it has the potential to harm people or property.
Hazard Event	A specific occurrence of a particular type of hazard.
Hazard Identification	The process of identifying hazards that threaten an area.
Hazard Mitigation	Sustained actions taken to reduce or eliminate long-term risk from hazards and their effects.
Hazard Profile	A description of the physical characteristics of hazards and a determination of various descriptors including magnitude, duration, frequency, probability, and extent. In most cases, a community can most easily use these descriptors when they are recorded and displayed as maps.
HAZUS (Hazards U.S.)	A GIS-based nationally standardized earthquake loss estimation tool developed by FEMA.

Hurricane	An intense tropical cyclone, formed in the atmosphere over warm ocean areas, in which wind speeds reach 74-miles-per-hour or more and blow in a large spiral around a relatively calm center or "eye." Hurricanes develop over the north Atlantic Ocean, northeast Pacific Ocean, or the south Pacific Ocean east of 160°E longitude. Hurricane circulation is counter-clockwise in the Northern Hemisphere and clockwise in the Southern Hemisphere.
Hydrology	The science of dealing with the waters of the earth. A flood discharge is developed by a hydrologic study.
Infrastructure	Refers to the public services of a community that have a direct impact on the quality of life. Infrastructure includes communication technology such as phone lines or Internet access, vital services such as public water supplies and sewer treatment facilities, and includes an area's transportation system such as airports, heliports; highways, bridges, tunnels, roadbeds, overpasses, railways, bridges, rail yards, depots; and waterways, canals, locks, seaports, ferries, harbors, dry docks, piers and regional dams.
Intensity	A measure of the effects of a hazard event at a particular place.
Landslide	Downward movement of a slope and materials under the force of gravity.
Lateral Spreads	Develop on gentle slopes and entail the sidelong movement of large masses of soil as an underlying layer liquefies in a seismic event. The phenomenon that occurs when ground shaking causes loose soils to lose strength and act like viscous fluid. Liquefaction causes two types of ground failure: lateral spread and loss of bearing strength.
Liquefaction	Results when the soil supporting structures liquefies. This can cause structures to tip and topple.
Lowest Floor	Under the NFIP, the lowest floor of the lowest enclosed area (including basement) of a structure.
Magnitude	A measure of the strength of a hazard event. The magnitude (also referred to as severity) of a given hazard event is usually determined using technical measures specific to the hazard.
Mitigation Plan	A systematic evaluation of the nature and extent of vulnerability to the effects of natural hazards typically present in the state and includes a description of actions to minimize future vulnerability to hazards.
National Flood Insurance Program (NFIP)	Federal program created by Congress in 1968 that makes flood insurance available in communities that enact minimum floodplain management regulations in 44 CFR §60.3.

National Geodetic Vertical Datum of 1929 (NGVD)	Datum established in 1929 and used in the NFIP as a basis for measuring flood, ground, and structural elevations, previously referred to as Sea Level Datum or Mean Sea Level. The Base Flood Elevations shown on most of the Flood Insurance Rate Maps issued by the Federal Emergency Management Agency are referenced to NGVD.
National Weather Service (NWS)	Prepares and issues flood, severe weather, and coastal storm warnings and can provide technical assistance to Federal and state entities in preparing weather and flood warning plans.
Nor'easter	An extra-tropical cyclone producing gale-force winds and precipitation in the form of heavy snow or rain.
Outflow	Follows water inundation creating strong currents that rip at structures and pound them with debris, and erode beaches and coastal structures.
Planimetric	Describes maps that indicate only man-made features like buildings.
Planning	The act or process of making or carrying out plans; the establishment of goals, policies and procedures for a social or economic unit.
Probability	A statistical measure of the likelihood that a hazard event will occur.
Recurrence Interval	The time between hazard events of similar size in a given location. It is based on the probability that the given event will be equaled or exceeded in any given year.
Repetitive Loss Property	A property that is currently insured for which two or more National Flood Insurance Program losses (occurring more than ten days apart) of at least \$1000 each have been paid within any 10-year period since 1978.
Replacement Value	The cost of rebuilding a structure. This is usually expressed in terms of cost per square foot, and reflects the present-day cost of labor and materials to construct a building of a particular size, type and quality.
Richter Scale	A numerical scale of earthquake magnitude devised by seismologist C.F. Richter in 1935.
Risk	The estimated impact that a hazard would have on people, services, facilities, and structures in a community; the likelihood of a hazard event resulting in an adverse condition that causes injury or damage. Risk is often expressed in relative terms such as a high, moderate or low likelihood of sustaining damage above a particular threshold due to a specific type of hazard event. It also can be expressed in terms of potential monetary losses associated with the intensity of the hazard.
Riverine	Of or produced by a river.
Scale	A proportion used in determining a dimensional relationship; the ratio of the distance between two points on a map and the actual distance between the two points on the earth's surface.

Scarp	A steep slope.
Scour	Removal of soil or fill material by the flow of flood waters. The term is frequently used to describe storm-induced, localized conical erosion around pilings and other foundation supports where the obstruction of flow increases turbulence.
Seismicity	Describes the likelihood of an area being subject to earthquakes.
Special Flood Hazard Area (SFHA)	An area within a floodplain having a 1 percent or greater chance of flood occurrence in any given year (100-year floodplain); represented on Flood Insurance Rate Maps by darkly shaded areas with zone designations that include the letter A or V.
Stafford Act	The Robert T. Stafford Disaster Relief and Emergency Assistance Act, PL 100-107 was signed into law November 23, 1988 and amended the Disaster Relief Act of 1974, PL 93-288. The Stafford Act is the statutory authority for most Federal disaster response activities, especially as they pertain to FEMA and its programs.
State Hazard Mitigation Officer (SHMO)	The representative of state government who is the primary point of contact with FEMA, other state and Federal agencies, and local units of government in the planning and implementation of pre- and post-disaster mitigation activities.
Storm Surge	Rise in the water surface above normal water level on the open coast due to the action of wind stress and atmospheric pressure on the water surface.
Structure	Something constructed. (See also Building)
Substantial Damage	Damage of any origin sustained by a structure in a Special Flood Hazard Area whereby the cost of restoring the structure to its before-damaged condition would equal or exceeds 50 percent of the market value of the structure before the damage.
Super Typhoon	A typhoon with maximum sustained winds of 150 mph or more.
Surface Faulting	The differential movement of two sides of a fracture – in other words, the location where the ground breaks apart. The length, width, and displacement of the ground characterize surface faults.
Tectonic Plate	Torsionally rigid, thin segments of the earth's lithosphere that may be assumed to move horizontally and adjoin other plates. It is the friction between plate boundaries that cause seismic activity.
Topographic	Characterizes maps that show natural features and indicate the physical shape of the land using contour lines. These maps may also include manmade features.

Tornado	A violently rotating column of air extending from a thunderstorm to the ground.
Tropical Cyclone	A generic term for a cyclonic, low-pressure system over tropical or subtropical waters.
Tropical Depression	A tropical cyclone with maximum sustained winds of less than 39 mph.
Tropical Storm	A tropical cyclone with maximum sustained winds greater than 39 mph and less than 74 mph.
Tsunami	Great sea wave produced by submarine earth movement or volcanic eruption.
Typhoon	A special category of tropical cyclone peculiar to the western North Pacific Basin, frequently affecting areas in the vicinity of Guam and the North Mariana Islands. Typhoons whose maximum sustained winds attain or exceed 150 mph are called super typhoons.
Vulnerability	Describes how exposed or susceptible to damage an asset is. Vulnerability depends on an asset's construction, contents, and the economic value of its functions. Like indirect damages, the vulnerability of one element of the community is often related to the vulnerability of another. For example, many businesses depend on uninterrupted electrical power – if an electric substation is flooded, it will affect not only the substation itself, but a number of businesses as well. Often, indirect effects can be much more widespread and damaging than direct ones.
Vulnerability Assessment	The extent of injury and damage that may result from a hazard event of a given intensity in a given area. The vulnerability assessment should address impacts of hazard events on the existing and future built environment.
Water Displacement	When a large mass of earth on the ocean bottom sinks or uplifts, the column of water directly above it is displaced, forming the tsunami wave. The rate of displacement, motion of the ocean floor at the epicenter, the amount of displacement of the rupture zone, and the depth of water above the rupture zone all contribute to the intensity of the tsunami.
Wave Run-up	The height that the wave extends up to on steep shorelines, measured above a reference level (the normal height of the sea, corrected to the state of the tide at the time of wave arrival).
Wildfire	An uncontrolled fire spreading through vegetative fuels, exposing and possibly consuming structures.
Zone	A geographical area shown on a Flood Insurance Rate Map (FIRM) that reflects the severity or type of flooding in the area.

